66001280

Mining District File Summary Sheet

DISTRICT	Rosebud
DIST_NO	4010
COUNTY If different from written on document	Pershing
TITLE If not obvious	Rosebud Drill Hole File - Hole No. RL-45
AUTHOR	K. Kenner; M. Leitch
DATE OF DOC(S)	1989
MULTI_DIST Y / (N?) Additional Dist_Nos:	
QUAD_NAME	Sulphur 7.5'
P_M_C_NAME (mine, claim & company names)	Rosebud Mine; Rosebud Project; South Ridge; Lac Minerals (USA) Inc; Gustin Corp.
COMMODITY If not obvious	gold silver
NOTES	Drill log; geology; assay; total depth 490'; handwritten notes; geochemistry 17 p.

Keep docs at about 250 pages if no oversized maps attached
(for every 1 oversized page (>11x17) with text reduce
the amount of pages by ~25)

SS: DD 5/19/08
Initials Date

DB: MAH
Initials Date

SCANNED:
Initials Date

Revised: 1/22/08

DRILL LOGS
Rosebud

RL-45
South Ridge

6060 1280 4010

6600 1280

LAC MINERALS (U.S.A.) INC.

DRILL LOG SUMMARY SHEET

PROJECT ROSEBUD

HOLE NUMBER RL-45 TOTAL DEPTH 490' LOGGED BY KLK

Date started NOV. 3, 1989 moved onto PAD

Date completed NOV. 4, 1989 4:45pm

Initial bearing S46W

Initial inclination -61.2°

Elevation 5363.4

Collar coordinates:

N 2201699

E 480274.5

Contractor: GUSTIN CORP.

Drill Type: RVC - Schramm T660H

Hole Size: Hammer 5½"

Drilling Conditions: good

Footage: Wet / Dry DRY 0-225'

WET: 225-490'

Comments: dark black/brn H_2O encountered 225-245' → strong organics?) 245 FeOx H_2O hit fault thin bach into SLT -

DOWN HOLE SURVEY INFORMATION

FROM	TO	SURVEY POINT	INCLINATION	BEARING	X (Northing)	Y (Easting)	Z (Elevation)

MINERALS U.S.A. INC.

PROJECT ROSEBUD LOGGED BY KLK HOLE NO. RL-45 PAGE 1 OF

RECOVERY	LITHOLOGIC DESCRIPTION	GRAPHIC LOG	GRAPHIC ALTERATION	ALTERATION: ARGILLIC W M S	ALTERATION: SILICIFICATION W M S	ALTERATION: PROPYLLITIC W M S	COLOR FINES	MINERALIZATION: LIMONITE W M S	MINERALIZATION: HEMATITE W M S	MINERALIZATION: JAROSITE W M S	% SULFIDES	OTHER COMMENTS	ANALYSES: Au	Au V	Ag	As	Hg	Sb	Se
0- GOOD	fine grained tuff, pervasively bleached weak pervasive argillic clay alt, weak pervasive to intermittent pervasive remobilized granite ±mgo weak/limonitic clay, weak v. fine hairline gtz stockwork, weak, local calcedonic veins ↑ bleaching from RL-42-44 local white clay alt, possible weak pervasive silicification		XK				fr orgy buff				7% diss py +1% relict disseminated	FeOx replacing py	<.001		.013				
5- "			XK				"				≥1% FeOx replacing relict diss py		<		.007				
10- "			XK				"				"		.002		.007				
15- "			XC XK				"				"		<.001		.005				
20- "	with local grainy texture		XK				"				"		<		.004				
25- "	local grainy texture		XK				"				"		<		.003				
30- "			XK				"				"		.001		.003 <.10				
35- "			XK				"				"		<		.003				
40- "			XK				"				"		<		.01				
45- "	moe grainy texture		XK				"				"		<		.008				
50-																			

L MINERALS U.S.A. INC.

LAC

PROJECT ROSEBUD LOGGED BY KLK HOLE NO. RL-45 PAGE 2 OF

RECOVERY	LITHOLOGIC DESCRIPTION	GRAPHIC LOG	GRAPHIC ALTERATION	ALTERATION: ARGILLIC W M S	ALTERATION: SILICIFICATION W M S	ALTERATION: PROPYLLITIC W M S	COLOR FINES	MINERALIZATION: LIMONITE W M S	MINERALIZATION: HEMATITE W M S	MINERALIZATION: JAROSITE W M S	% SULFIDES	OTHER COMMENTS	ANALYSES: Au	Au V	Ag	As	Hg	Sb	Se
GOOD	fine grained tuff, wk-mod perv. bleached, weak perv. argillic clay alt, weak fine hairline qtz stockwork, weak local calcedony veinlets, wk-mod limonite w/ lemon/ mgo veinlets locally, local wk white flags		XK				lt org buff				> 1% relict FeOx replac py		<.001		.003				
"	50-75 poss wkly silicified		XK				"				"		.045		.03				
"	50-65 mod strong limon hem mgo veins - vuggy w/ local microbreccia vns + ↑ fine stkwk qtz poss FAULT? zone		XK				"				"		.011		.009				
"	65-75 ↑ bleaching ↓ wk + perv. FeOx		XK				"				tr diss py		<.001		.005				
"	wk grainy text		XK XC				"				"		.001		.004				
"	OX/RE Boundary 75-100 ↓ perv bleaching wk hint intermittent smectite or poss montmor. alt (clay) ↓ perv. limonite		XK XC				"				≥ 1% fine diss py		.001		.01				
"			XK				lt hint GRY BUFF				"		.008		.01				
"			XK				"				1-2% fine diss py	TR RELICT FeOx replac py	.008		.009				
"			XK				"				" @ 1%	"	.003		.007				
"			XK				"				"	"	<.001		.002				

MINERALS U.S.A. INC.

PROJECT ROSEBUD LOGGED BY KLC HOLE NO. RC-45 PAGE 3 OF

RECOVERY	LITHOLOGIC DESCRIPTION	GRAPHIC LOG	GRAPHIC ALTERATION	ALTERATION: ARGILLIC W M S	ALTERATION: SILICIFICATION W M S	ALTERATION: PROPYLLITIC W M S	COLOR FINES	MINERALIZATION: LIMONITE W M S	MINERALIZATION: HEMATITE W M S	MINERALIZATION: JAROSITE W M S	% SULFIDES	OTHER COMMENTS	ANALYSES: Au	Au V	Ag	As	Hg	Sb	Se
100	Dozer																		
GOOD	moderately to weakly bleached tuff w/ weak to mod interbeds of pervasive limonite mineralization weak veinlets of smectite in the weak argillic clay alt local weak limonite / mag veins, weak intermittent fine qtz stockwork		YK				fr hint org bulb				≥1% relict diss FeOx replac PY	> 1% fresh diss PY	<.001		.004				
"			YK				"				"	"	<		.004				
"			YK				"				"	"	<		.004				
"	w/ wh. silicification wk ↑ pervasive FeOx		YK				"				"	"	<		.006				
"	120-135 wk ↑ bleaching w/ sporadic oxidized interbeds + the white clay veins		YK				"				"	" @ 1%	<		.013				
"			YK				"				"	"	<		.004				
"			YK				"				"	"	<		.005				
"	135-150 ↓ pervasive FeOx wk ↑ smectite alt		YK				"				≥1% diss ±VN PY		<		.003				
"			YK				"				"		<		.004				
"			YK				"				"		<		.003				
150																			

L MINERALS U.S.A. INC.

LAC

PROJECT ROSEBUD LOGGED BY KLK HOLE NO. RL-45 PAGE 4 OF ____

RECOVERY	LITHOLOGIC DESCRIPTION	GRAPHIC LOG	GRAPHIC ALTERATION	ALTERATION: ARGILLIC W M S	ALTERATION: SILICIFICATION W M S	ALTERATION: PROPYLLITIC W M S	COLOR FINES	MINERALIZATION: LIMONITE W M S	MINERALIZATION: HEMATITE W M S	MINERALIZATION: JAROSITE W M S	% SULFIDES	OTHER COMMENTS	ANALYSES: Au	Au V	Ag	As	Hg	Sb	Se
	DOZER																		
150 GOOD	fine grained dozer tuff, weakly bleached weak verigation of smectite alt, weak fine grained banding with stockwork, unoxidized wh whitish grey alt → locally encapp py wh calcite ins		Xk Ca				lt pink grey buff				1-2% vn+ diss py		<.001		.003				
"			Xk Ca				"				"		<		.005				
"			Xk Ca				"				" @ 1%		<		.003				
"	wh contamination		Xk Ca				"				"		<		.006				
"	wh contam		Xk Ca				"				"		<		.004				
"	170-180: significant py-qtz ± calc ins		Xk Ca				"				1-2% vn* + diss py		<		.007				
"			Xk Ca				"				" @ 1%		<		.007				
"			Xk Ca				"				"	w/ bladed sulf.	<		.007				
"	190-200 wh limon along fractures		Xk Ca				"				"	"	<		.008				
"			Xk Ca				"				@ 1-2%	"	.001		.009				

L MINERALS U.S.A. INC.

LAC

PROJECT ROSEBUD LOGGED BY KLK HOLE NO. RL-45 PAGE 5 OF ____

RECOVERY	LITHOLOGIC DESCRIPTION	GRAPHIC LOG	GRAPHIC ALTERATION	ALTERATION: ARGILLIC W M S	ALTERATION: SILICIFICATION W M S	ALTERATION: PROPYLLITIC W M S	COLOR FINES	MINERALIZATION: LIMONITE W M S	MINERALIZATION: HEMATITE W M S	MINERALIZATION: JAROSITE W M S	% SULFIDES	OTHER COMMENTS	ANALYSES: Au	Au V	Ag	As	Hg	Sb	Se
200																			
GOOD	205-220 fine grained tuff, weakly bleached, weak vein/patchy smectite alt w/ fine qtz stockwork, wk calcite veining, wh limonite clasp, wh clay, wk calcite vns		Xk Ca				Lt hint GRN Buff				≥1% fine class PY		<.001		.006				
205																			
"			Xk Ca				"				"		<		.003				
210																			
"			Xk Ca				"				"		<		.003				
215																			
"			Xk Ca				"				"		<		.003				
220																			
POOR	220-235 same as above w/ wh bun clay w/ tr black shale (?) frags w/ ↓ pkv bleaching WENT TO H20		Xk Ca				Lt Bun				"		<		.01				
225																			
MOD.			Xk Ca				"				"		<		.004				
230																			
MOD GOOD			Xk Ca				"				"		<		.005				
235																			
GOOD	235-240 FAULT - oxidized w/ limonitic hematitic H2O, ~ 3-4% black shale frags w/ voids argillically bleached clay alt, wk silicification local		Xk Ca				Black Bun				"	plus +1% Fe ox replac PY	<		.004				
240																			
TOUGH	MAIN FAULT ZONE 240-245		Xk Ca				"				"	"	.014		.041				
245																			
TOUGH	↓ oxidation into footwall		Xk Ca				"				"	"	<		.005				
250																			

LAC MINERALS U.S.A. INC.

LAC PROJECT ROSEBUD LOGGED BY KLK HOLE NO. RL-45 PAGE 6 OF 10

RECOVERY	LITHOLOGIC DESCRIPTION	GRAPHIC LOG	GRAPHIC ALTERATION	ALTERATION: ARGILLIC W M S	ALTERATION: SILICIFICATION W M S	ALTERATION: PROPYLLITIC W M S	COLOR FINES	MINERALIZATION: LIMONITE W M S	MINERALIZATION: HEMATITE W M S	MINERALIZATION: JAROSITE W M S	% SULFIDES	OTHER COMMENTS	ANALYSES: Au	Au V	Ag	As	Hg	Sb	Se
	DOZER																		
250 GOOD	fine grained tuff, weakly bleached w/ intermittent silicified veinlets & chl veins, weak calcite veining, weak blk hairline qtz stockworks, stretch marks of chlorite 250-255 w/ remaining oxidized portion of above fault @ 245'		ca Xk				fr chnk green bldg				≥1% VN+ diss + blebby py		<.001		.004				
	+wk grainy text		Xk ca				"				"		<		.004				
	wht bleaching		Xk ca				"				"		<		.004				
	tr contamination		Xk ca				"				"		<		.003				
	" "		Xk ca				"				"		<		.007				
			Xk ca				"				"		<		.005				
			ca				"				"		<		.003				
	wht bleaching w/ wk tan clay		Xk ca				"				"		<		.011				
			ca				"				"		<		.006				
			ca				"				"		<		.004				

LAC MINERALS U.S.A. INC.

LAC PROJECT ROSEBUD LOGGED BY KLK HOLE NO. RL-45 PAGE 7 OF 10

RECOVERY	LITHOLOGIC DESCRIPTION	GRAPHIC LOG	GRAPHIC ALTERATION	ALTERATION: ARGILLIC W M S	ALTERATION: SILICIFICATION W M S	ALTERATION: PROPYLLITIC W M S	COLOR FINES	MINERALIZATION: LIMONITE W M S	MINERALIZATION: HEMATITE W M S	MINERALIZATION: JAROSITE W M S	% SULFIDES	OTHER COMMENTS	ANALYSES: Au	Au ✓	Ag	As	Hg	Sb	Se
	DOZER																		
GOOD	fine grained tuff, w/ intermittent bleached beds w/ weak fine grained stockwork locally encapsulating pyritic veinlets pervasively sericitic, weak chl veinlets ± BLK PHOS, weak calcite veining ± local grainy texture		XIC Ca				fr. tint green bubb				≥1% diss ± VN PY		<.001		.003				
"			XIC Ca				"				"		<		.004				
"			XIC Ca				"				"		<		.003				
"	315-340 ↑ intermittent grainy bleached interbedding		XIC Ca				"				"		<		.005				
"			XIC Ca				"				"		.002		.016				
"			XIC Ca				"				"		<.001		.007				
"			XIC Ca				"				"		<		.015				
"			XIC Ca				"				"		<		.009				
"	340-350 ↑ gren alt		XIC Ca				"				"		<		.005				
"			XIC Ca				"				"		<		.006				

LAC MINERALS U.S.A. INC.

LAC PROJECT ROSEBUD LOGGED BY KLK HOLE NO. RC-45 PAGE 8 OF 10

RECOVERY	LITHOLOGIC DESCRIPTION	GRAPHIC LOG	GRAPHIC ALTERATION	ALTERATION: ARGILLIC W M S	ALTERATION: SILICIFICATION W M S	ALTERATION: PROPYLLITIC W M S	COLOR FINES	MINERALIZATION: LIMONITE W M S	MINERALIZATION: HEMATITE W M S	MINERALIZATION: JAROSITE W M S	% SULFIDES	OTHER COMMENTS	ANALYSES: Au	Au V	Ag	As	Hg	Sb	Se
	DOZER																		
350																			
GOOD	Fine grained tuff w/ interbedding of bleaching, wk fnt hairline qtz stockwork w/ local py encapsulation pervasively sericitic w/ chlorite, minor talc, phlogopite, weak calcite veining, local grainy texture		XK Ca				dk hunt grn Bubb				1% diss bladed py (?)		<.001		.007				
355																			
"	350-360 wh ↑ bleaching w/ assoc grainy texture		XK Ca				"				@ >1%		.007		.019				
360																			
"	360-375 more densely welded ↑ perv. grn alt		XK Ca				"				"		<.001		.002				
365																			
"			Ca XK				"				"		<		.002				
370																			
"			Ca XK				"				"		<		.002				
375																			
"	wh ↑ bleaching		Ca XK				"				"		<		.003				
380																			
"			Ca XK				"				@ 1%		<		.002				
385																			
"			Ca XK				"				@ >1%		<		.002				
390																			
"			Ca XK				"				"		<		.001				
395																			
"	↑ welding ↑ grn alt		Ca XK				"				"		<		.001				
400																			

LAC MINERALS U.S.A. INC.

LAC PROJECT ROSEBUD LOGGED BY KLK HOLE NO. RL-45 PAGE 9 OF 10

RECOVERY	LITHOLOGIC DESCRIPTION	GRAPHIC LOG	GRAPHIC ALTERATION	ALTERATION: ARGILLIC W M S	ALTERATION: SILICIFICATION W M S	ALTERATION: PROPYLLITIC W M S	COLOR FINES	MINERALIZATION: LIMONITE W M S	MINERALIZATION: HEMATITE W M S	MINERALIZATION: JAROSITE W M S	% SULFIDES	OTHER COMMENTS	ANALYSES: Au	Au V	Ag	As	Hg	Sb	Se
	DOZER																		
400																			
GOOD	Fine grained weakly bleached tuff w/ chl alt vesicles, local chl veinlets, weak calcite veining, weak fine qtz stockwork pervasively, v. lt sage green		Ca Xk				hint green Duff				≥1% diss + blebby py	oxidized	<.001		.002				
405																			
"			Ca Xk				"				"		<		.002				
410																			
"	410 - 430 more granular w/ ↑ pervasive argillic alt + pyrite, qtz veins		Ca Xk				"				1-2% fine disst + blebby py	(+- VNs)	<		.002				
415																			
"			Ca Xk				"				"		<		.003				
420																			
"			Ca Xk				"				"		<		.009				
425																			
"	hint small clay zone		Ca Xk				"				"		<		.006				
430																			
"			Ca Xk				"				≥1% fine disst blebby py		<		.003				
435																			
"			Ca Xk				"						<		.002				
440																			
"	wh grainy interbeds		Ca Xk				"						<		.003				
445																			
"			Ca Xk				"						<		.003				
450																			

LAC MINERALS U.S.A. INC.

LAC PROJECT ROSEBUD LOGGED BY KLK HOLE NO. RL-4 PAGE 10 OF 10

RECOVERY	LITHOLOGIC DESCRIPTION	GRAPHIC LOG	GRAPHIC ALTERATION	ALTERATION: ARGILLIC W M S	ALTERATION: SILICIFICATION W M S	ALTERATION: PROPYLLITIC W M S	COLOR FINES	MINERALIZATION: LIMONITE W M S	MINERALIZATION: HEMATITE W M S	MINERALIZATION: JAROSITE W M S	% SULFIDES	OTHER COMMENTS	ANALYSES: Au	Au V	Ag	As	Hg	Sb	Se
	DOZER																		
GOOD	fine grained tuff w/ local more granular intrusives, weakly pyr, lt SCGL green weak local fine shoreline qtz stockwork weak calcite veining chl veinlets; weakly fol	(A)	Xk ca				lt hint green bulk				>1% fine diss py		<.001		.005				
"			Xk ca				"				"		<		.002				
"			Xk ca				"				"		<		.002				
"			ca Xk				"				1% of diss tun py		<		.005				
"			ca Xk				"				>1% fine diss py		<		.002				
"	wk microbreccia unit w/ calc fill	(A)	ca Xk				"				"		<		.002				
"			ca Xk				"				"		<		<.001				
"			Xk ca				"				"		<		.004				
	T.D.																		

450 / 455 / 460 / 465 / 470 / 475 / 480 / 485 / 490 / 5 / 0

GEOCHEMICAL SERVICES INC.

SUPERCEDES [illegible]IOUS REPORT

NOV 30 1989

GEOCHEMICAL ANALYSIS REPORT

TO: Ms. Kristen Kenner
LAC Minerals
1395 Greg St. #107
Sparks, NV 89431 tel:702/356-8058

==========

Job Number: LOA-9S5941
PROJECT: URBD-79014
Digest: 15 gram
Total number of samples: 183

==========

This report has been reviewed and approved by:

Mary Leitch, Quality Assurance Manager Date: 11/28/89

3805 Atherton Road • Rocklin, California 95677 • 916/624-6000 1/800/827-4GSI FAX: 916/624-8986
1498 Kleppe Lane • Sparks, Nevada 89431 • 702/359-6600 FAX: 702/359-6605

GEOCHEMICAL SERVICES INC.

GEOCHEMICAL ANALYSIS REPORT

JOB #: LOA-9S5941

SAMPLE ID	#	Ag o/t	As ppm	Au o/t	Cu ppm	Hg ppm	Mo ppm	Pb ppm	Sb ppm	Tl ppm	Zn ppm	Bi ppm	Cd ppm	Ga ppm	Se ppm	Te ppm
RL-44 305 310	61	.003	8.28	<.001	7.67	<.098	1.39	16.0	1.29	<.49	73.6	<.245	.128	2.15	<.979	<.49
RL-44 310 315	62	.004	7.36	<.001	9.97	<.098	1.57	32.9	2.01	<.492	81.2	<.246	.169	1.78	1.07	<.492
RL-44 315 320	63	.004	16.3	<.001	7.40	<.098	1.95	16.8	2.08	<.49	82.5	<.245	.211	1.64	1.39	<.49
RL-44 320 325	64	.004	17.1	<.001	6.45	<.098	2.23	15.3	1.63	<.491	83.9	<.245	.138	1.54	1.14	<.491
RL-44 325 330	65	.007	18.3	<.001	7.17	<.099	2.84	14.2	1.90	<.496	89.6	<.248	.195	1.73	1.63	<.496
RL-44 330 335	66	.009	23.0	.001	7.08	<.098	3.29	23.9	2.04	<.488	88.3	<.244	.179	1.29	2.03	<.488
RL-44 335 340	67	.006	16.2	<.001	4.22	<.099	2.64	15.1	1.59	<.495	88.4	<.248	.178	1.29	1.08	<.495
RL-44 340 345	68	.005	18.5	<.001	7.10	<.098	1.89	12.8	1.76	<.49	79.4	<.245	.227	1.66	<.98	<.49
RL-44 345 350	69	.003	9.71	<.001	6.39	<.097	1.28	12.0	1.16	<.486	76.9	<.243	.159	1.45	<.972	<.486
RL-44 350 355	70	.003	4.27	<.001	8.32	<.099	1.94	21.9	1.02	<.493	80.6	<.247	.117	2.42	<.987	<.493
RL-44 355 360	71	.004	2.99	<.001	6.51	<.097	1.73	16.8	.870	<.486	87.2	<.243	.174	2.42	<.972	<.486
RL-44 360 365	72	.003	2.63	<.001	6.71	<.098	1.87	19.0	.828	<.489	87.8	<.244	.298	2.40	<.978	<.489
RL-44 365 370	73	.003	.998	<.001	9.68	<.097	2.76	23.1	.818	<.487	80.3	<.244	.226	2.29	<.975	<.487
RL-44 370 375	74	.002	<.976	<.001	10.3	<.098	1.69	37.9	.783	<.488	75.9	<.244	.187	2.13	<.976	<.488
RL-44 375 380	75	.003	1.20	<.001	5.92	<.099	1.98	21.0	.651	<.493	70.8	<.246	.145	2.42	<.986	<.493
RL-44 380 385	76	.005	3.91	<.001	7.46	<.098	2.30	17.6	1.35	<.49	87.0	<.245	.339	2.25	<.98	<.49
RL-44 385 390	77	.006	5.28	<.001	15.3	<.099	6.56	26.5	1.95	<.496	218.	1.60	1.19	2.70	<.993	<.496
RL-44 390 395	78	.004	6.12	<.001	9.22	.107	3.32	25.6	2.26	<.499	73.0	.581	.460	1.67	<.997	<.499
RL-44 395 400	79	.002	1.67	<.001	9.93	<.098	2.80	21.1	.696	<.492	84.8	<.246	.365	1.62	<.984	<.492
RL-44 400 405	80	.002	1.81	<.001	8.53	<.098	2.50	19.3	.710	<.492	71.5	<.246	.347	1.85	<.984	<.492
RL-44 405 410	81	.003	1.27	<.001	12.1	<.098	2.78	15.6	.418	<.49	68.4	<.245	.189	2.15	<.98	<.49
RL-44 410 415	82	.004	2.46	<.001	7.65	<.1	3.31	24.7	.357	<.498	79.5	<.249	.283	1.90	<.996	<.498
RL-44 415 420	83	.006	9.13	<.001	6.20	<.1	6.16	23.4	1.42	<.498	71.8	<.249	.395	1.36	1.16	<.498
RL-44 420 425	84	.003	7.15	<.001	7.13	<.099	1.83	16.0	.653	<.497	74.4	<.249	.204	1.68	<.994	<.497
RL-44 430 435	85	.008	15.7	<.001	17.6	<.098	4.59	35.6	2.14	<.488	130.	<.244	.563	3.91	2.01	<.488
RL-45 0 5	86	.013	62.6	<.001	9.05	<.099	2.19	42.3	6.44	<.496	31.1	<.248	.203	1.19	3.98	<.496
RL-45 5 10	87	.007	36.1	<.001	11.7	<.097	1.68	70.6	2.49	<.487	33.1	<.243	<.097	1.67	3.53	<.487
RL-45 10 15	88	.007	85.2	.002	13.5	<.097	4.03	71.6	2.32	<.485	43.5	<.242	<.097	.675	5.67	<.485
RL-45 15 20	89	.005	48.4	<.001	5.52	<.098	1.67	30.6	1.83	<.488	23.3	<.244	<.098	.646	3.06	<.488
RL-45 20 25	90	.004	30.6	<.001	3.81	<.098	1.33	26.4	2.27	<.49	21.3	<.245	<.098	.870	2.02	<.49

3805 Atherton Road • Rocklin, California 95677 • 916/624-6000 1/800/827-4GSI FAX: 916/624-8986
1498 Kleppe Lane • Sparks, Nevada 89431 • 702/359-6600 FAX: 702/359-6605

GEOCHEMICAL SERVICES INC.

GEOCHEMICAL ANALYSIS REPORT

OB #: LOA-9S5941

AMPLE ID	#	Ag	As	Au	Cu	Hg	Mo	Pb	Sb	Tl	Zn	Bi	Cd	Ga	Se	Te
		o/t	ppm	o/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L-45 25 30	91	.003	37.7	<.001	3.47	<.099	1.38	30.9	1.97	<.497	20.4	<.248	<.099	1.02	2.52	<.497
L-45 30 35	92	.003	36.5	<.001	5.66	<.097	1.34	33.9	2.25	<.487	33.5	<.244	<.097	1.12	2.40	<.487
L-45 35 40	93	.003	32.2	<.001	7.14	<.099	1.39	36.6	2.10	<.496	41.9	<.248	<.099	1.06	2.25	<.496
L-45 40 45	94	.01	8.11	<.001	5.45	<.099	1.52	29.9	.887	<.494	30.3	<.247	<.099	1.06	<.988	<.494
L-45 45 50	95	.008	7.27	<.001	5.99	<.098	1.55	28.8	.710	<.488	29.7	<.244	<.098	1.04	<.975	<.488
L-45 50 55	96	.003	38.5	<.001	5.75	<.098	1.77	33.9	2.25	<.488	33.5	<.244	<.098	1.42	2.00	<.488
L-45 55 60	97	.03	48.0	.045	9.86	<.098	3.81	14.4	1.60	<.491	82.5	<.246	<.098	.528	2.27	<.491
L-45 60 65	98	.009	57.4	.011	9.36	<.098	4.81	20.7	1.89	<.488	41.7	<.244	<.098	1.21	4.99	<.488
L-45 65 70	99	.005	13.5	<.001	6.41	<.097	4.86	22.0	1.19	<.485	13.2	.251	<.097	<.485	1.61	<.485
L-45 70 75	100	.004	25.4	.001	7.00	<.099	3.96	34.8	1.37	<.494	18.7	.396	<.099	<.494	2.42	<.494
L-45 75 80	101	.01	61.4	.001	6.51	<.099	2.36	31.1	1.82	<.497	32.6	<.249	.125	.793	4.74	<.497
L-45 80 85	102	.01	71.3	.008	5.98	<.098	3.67	16.9	1.65	<.492	53.0	<.246	.189	<.492	4.55	<.492
L-45 85 90	103	.009	61.6	.008	7.23	<.099	2.97	17.3	1.54	<.493	66.8	<.247	.144	.686	3.74	<.493
L-45 90 95	104	.007	24.3	.003	7.06	<.1	2.56	27.8	1.49	<.5	99.9	<.25	.108	1.44	2.01	<.5
L-45 95 100	105	.002	3.94	<.001	5.22	<.098	2.48	19.7	.465	<.491	202.	<.245	<.098	1.64	<.982	<.491
L-45 100 105	106	.004	4.16	<.001	5.54	<.098	2.40	22.6	.567	<.49	107.	<.245	<.098	2.21	<.98	<.49
L-45 105 110	107	.004	6.68	<.001	5.68	<.098	2.31	23.1	.805	<.488	110.	<.244	<.098	1.98	2.27	<.488
L-45 110 115	108	.004	4.58	<.001	8.70	<.097	3.16	44.9	.653	<.486	97.4	<.243	.111	2.17	<.972	<.486
L-45 115 120	109	.006	6.94	<.001	7.42	<.097	3.45	27.8	1.18	<.485	96.6	<.243	.112	2.41	1.72	<.485
L-45 120 125	110	.013	12.6	<.001	5.93	<.099	1.99	25.3	1.68	<.496	72.0	<.248	.123	1.01	2.86	<.496
L-45 125 130	111	.004	10.1	<.001	7.27	<.098	2.25	27.9	1.01	<.488	97.6	<.244	.143	2.24	1.53	<.488
L-45 130 135	112	.005	13.3	<.001	8.85	<.1	2.94	44.0	1.37	<.499	78.3	<.25	.113	2.19	2.09	<.499
L-45 135 140	113	.003	1.87	<.001	6.82	<.099	4.02	27.2	.535	<.493	82.5	<.247	.134	2.73	<.986	<.493
L-45 140 145	114	.004	1.98	<.001	7.29	<.098	5.82	28.1	.787	<.491	83.2	<.246	<.098	3.08	<.982	<.491
L-45 145 150	115	.003	1.19	<.001	6.73	<.099	4.03	24.1	.338	<.496	71.4	<.248	.153	2.83	<.992	<.496
L-45 150 155	116	.003	2.43	<.001	7.24	<.099	2.60	30.2	.364	<.494	95.2	<.247	.162	2.74	<.988	<.494
L-45 155 160	117	.005	4.68	<.001	7.29	<.098	3.57	24.9	.451	<.491	89.1	<.246	.136	2.43	<.982	<.491
L-45 160 165	118	.003	1.35	<.001	6.97	<.099	2.94	22.6	.271	<.494	74.5	<.247	.104	2.70	<.987	<.494
L-45 165 170	119	.006	7.46	<.001	7.65	<.099	2.71	23.4	.907	<.496	80.6	<.248	.104	2.38	<.991	<.496
L-45 170 175	120	.004	7.73	<.001	15.1	<.097	2.38	63.4	.750	<.485	85.5	<.243	.207	2.45	<.971	<.485

3805 Atherton Road • Rocklin, California 95677 • 916/624-6000 1/800/827-4GSI FAX: 916/624-8986
1498 Kleppe Lane • Sparks, Nevada 89431 • 702/359-6600 FAX: 702/359-6605

GEOCHEMICAL SERVICES INC.

GEOCHEMICAL ANALYSIS REPORT

JOB #: LOA-9S5941

SAMPLE ID	#	Ag o/t	As ppm	Au o/t	Cu ppm	Hg ppm	Mo ppm	Pb ppm	Sb ppm	Tl ppm	Zn ppm	Bi ppm	Cd ppm	Ga ppm	Se ppm	Te ppm
RL-45 175 180	121	.007	20.9	<.001	9.30	<.1	3.36	21.9	1.31	<.498	85.6	<.249	.276	2.49	1.55	<.498
RL-45 180 185	122	.007	47.3	<.001	6.67	<.097	3.92	20.9	1.84	<.486	84.0	<.243	.243	1.82	3.34	<.486
RL-45 185 190	123	.007	57.7	<.001	6.43	<.097	4.11	18.8	2.12	<.487	76.1	<.244	.151	2.01	3.96	<.487
RL-45 190 195	124	.008	35.2	<.001	5.56	<.099	3.09	23.4	2.21	<.495	77.2	<.247	.122	1.49	10.0	<.495
RL-45 195 200	125	.009	30.9	.001	8.38	<.099	3.48	19.6	2.31	<.494	79.7	<.247	<.099	1.62	18.8	<.494
RL-45 200 205	126	.006	17.4	<.001	8.15	<.097	2.10	19.1	1.24	<.487	77.8	<.244	.1	2.72	12.0	<.487
RL-45 205 210	127	.003	6.68	<.001	8.41	<.099	2.67	24.1	1.02	<.493	77.9	<.247	.159	3.16	2.95	<.493
RL-45 210 215	128	.003	5.56	<.001	7.79	<.099	2.60	31.2	.801	<.495	79.1	<.247	.243	2.86	6.86	<.495
RL-45 215 220	129	.003	6.33	<.001	7.73	<.098	2.46	28.7	.669	<.491	90.2	<.246	.350	3.03	1.67	<.491
RL-45 220 225	130	.01	19.6	<.001	12.0	<.099	10.0	48.0	3.13	<.494	98.3	<.247	.263	1.95	4.57	<.494
RL-45 225 230	131	.004	12.7	<.001	6.62	<.098	3.44	26.6	1.42	<.492	80.8	<.246	.209	3.02	1.58	<.492
RL-45 230 235	132	.005	14.2	<.001	5.59	<.098	5.44	27.1	1.48	<.49	76.0	<.245	.244	2.49	3.26	<.49
RL-45 235 240	133	.004	14.5	<.001	5.08	<.099	3.66	24.4	2.14	<.497	79.1	<.248	.219	2.34	1.93	<.497
RL-45 240 245	134	.041	27.5	.014	3.19	.136	7.97	23.9	3.67	<.494	80.5	<.247	.246	1.42	4.27	<.494
RL-45 245 250	135	.005	13.3	<.001	2.32	<.099	2.58	19.0	2.02	<.494	72.0	<.247	.221	2.06	3.36	<.494
RL-45 250 255	136	.004	8.46	<.001	3.80	<.099	3.56	20.5	1.55	<.496	65.2	<.248	.150	2.57	2.38	<.496
RL-45 255 260	137	.004	10.0	<.001	6.01	<.098	2.36	22.2	1.44	<.492	73.4	<.246	.134	2.81	1.31	<.492
RL-45 260 265	138	.004	9.55	<.001	4.44	<.098	2.29	19.9	1.55	<.491	67.7	<.245	.237	1.70	1.57	<.491
RL-45 265 270	139	.003	4.71	<.001	4.55	<.098	1.13	17.1	.881	<.488	66.6	<.244	.225	1.84	<.976	<.488
RL-45 270 275	140	.007	16.5	<.001	2.25	<.1	2.61	17.4	2.86	<.499	69.2	<.25	.146	1.58	3.35	<.499
RL-45 275 280	141	.005	9.39	<.001	3.59	<.098	1.53	19.0	1.44	<.489	69.9	<.244	.158	2.50	1.44	<.489
RL-45 280 285	142	.003	5.54	<.001	3.24	<.099	2.76	21.0	1.13	<.497	73.6	<.248	.111	2.63	1.10	<.497
RL-45 285 290	143	.011	19.8	<.001	4.47	<.098	2.59	20.0	2.79	<.49	81.1	<.245	.183	1.22	2.56	<.49
RL-45 290 295	144	.006	14.6	<.001	2.65	<.099	2.09	18.0	2.03	<.497	77.0	<.249	.140	2.20	1.87	<.497
RL-45 295 300	145	.004	8.54	<.001	2.59	<.097	2.46	18.9	1.77	<.487	60.8	<.244	<.097	2.53	1.28	<.487
RL-45 300 305	146	.003	6.10	<.001	3.51	<.099	4.52	20.6	2.08	<.497	78.6	<.248	.132	2.52	<.993	<.497
RL-45 305 310	147	.004	2.30	<.001	4.63	<.098	3.01	20.8	1.16	<.49	71.2	<.245	.098	3.17	<.979	<.49
RL-45 310 315	148	.003	2.35	<.001	3.77	<.098	3.30	18.1	1.14	<.492	65.8	<.246	.145	2.73	<.984	<.492
RL-45 315 320	149	.005	13.3	<.001	2.68	<.097	2.85	18.2	1.64	<.487	73.8	<.243	.127	2.54	1.22	<.487
RL-45 320 325	150	.016	28.4	.002	2.38	<.098	2.80	15.2	2.74	<.489	70.3	<.245	.146	1.40	4.13	<.489

3805 Atherton Road • Rocklin, California 95677 • 916/624-6000 1/800/827-4GSI FAX: 916/624-8986
1498 Kleppe Lane • Sparks, Nevada 89431 • 702/359-6600 FAX: 702/359-6605

GEOCHEMICAL SERVICES INC.

GEOCHEMICAL ANALYSIS REPORT

JOB #: LOA-9S5941

SAMPLE ID	#	Ag o/t	As ppm	Au o/t	Cu ppm	Hg ppm	Mo ppm	Pb ppm	Sb ppm	Tl ppm	Zn ppm	Bi ppm	Cd ppm	Ga ppm	Se ppm	Te ppm
RL-45 325 330	151	.007	19.9	<.001	3.24	<.098	2.71	21.7	2.76	<.488	85.2	<.244	.155	2.65	2.03	<.488
RL-45 330 335	152	.015	31.8	<.001	3.07	<.099	5.63	32.7	4.08	<.496	83.7	<.248	.479	1.32	4.03	<.496
RL-45 335 340	153	.009	10.3	<.001	4.44	<.1	3.64	20.2	1.94	<.499	78.9	<.249	.362	2.13	1.94	<.499
RL-45 340 345	154	.005	4.96	<.001	9.80	<.099	3.14	18.4	.920	<.495	75.4	<.248	.110	3.65	<.991	<.495
RL-45 345 350	155	.006	12.3	<.001	5.61	<.099	2.14	19.0	1.74	<.494	76.8	<.247	.171	2.43	1.72	<.494
RL-45 350 355	156	.007	19.3	<.001	2.71	<.099	3.94	18.2	3.49	<.493	56.3	<.247	.118	.866	3.36	<.493
RL-45 355 360	157	.019	9.64	.007	3.25	<.097	2.57	19.5	2.88	<.486	57.0	<.243	.112	1.44	1.79	<.486
RL-45 360 365	158	.002	<.984	<.001	2.92	<.098	1.07	15.0	<.246	<.492	49.1	<.246	<.098	1.65	<.984	<.492
RL-45 365 370	159	.002	1.28	<.001	5.48	<.099	1.65	12.4	.400	<.493	49.8	<.246	.211	1.86	<.986	<.493
RL-45 370 375	160	.002	1.41	<.001	4.21	<.099	1.59	10.9	.272	<.493	45.6	<.247	.129	1.91	<.986	<.493
RL-45 375 380	161	.003	4.68	<.001	2.37	<.098	.972	11.2	1.22	<.488	42.0	<.244	<.098	.713	1.36	<.488
RL-45 380 385	162	.002	5.66	<.001	1.89	<.097	.879	13.6	1.20	<.486	44.6	<.243	<.097	1.05	1.32	<.486
RL-45 385 390	163	.002	6.90	<.001	3.13	<.097	.918	15.7	1.23	<.487	46.6	<.243	.108	1.34	1.14	<.487
RL-45 390 395	164	.001	3.32	<.001	1.81	<.098	.844	15.1	.610	<.49	46.6	<.245	.104	1.67	<.98	<.49
RL-45 395 400	165	.001	1.64	<.001	2.76	<.097	.719	17.0	<.243	<.485	51.7	<.243	.119	1.99	<.97	<.485
RL-45 400 405	166	.002	6.55	<.001	2.57	<.099	1.97	15.6	1.27	<.495	54.3	<.247	.115	1.64	1.02	<.495
RL-45 405 410	167	.002	3.09	<.001	3.39	<.098	1.77	15.7	.372	<.492	68.1	<.246	.136	2.12	<.984	<.492
RL-45 410 415	168	.002	2.74	<.001	4.36	<.099	1.02	18.8	.901	<.494	55.2	<.247	.135	1.66	<.989	<.494
RL-45 415 420	169	.003	3.52	<.001	2.28	<.098	1.23	15.0	.939	<.489	45.9	<.245	<.098	1.05	<.978	<.489
RL-45 420 425	170	.009	12.5	<.001	2.17	<.099	3.12	16.0	1.53	<.493	46.0	<.246	.182	<.493	2.15	<.493
RL-45 425 430	171	.006	10.5	<.001	2.18	<.1	2.73	12.7	1.36	<.499	43.0	<.25	.168	.773	1.75	<.499
RL-45 430 435	172	.003	3.49	<.001	2.49	<.097	2.01	15.4	.682	<.486	64.3	<.243	.120	2.30	<.972	<.486
RL-45 435 440	173	.002	1.23	<.001	5.52	<.098	2.00	16.7	.322	<.489	67.7	<.245	.162	2.60	<.978	<.489
RL-45 440 445	174	.003	4.93	<.001	5.54	<.098	2.40	15.8	1.21	<.488	58.5	<.244	.228	2.04	<.975	<.488
RL-45 445 450	175	.003	6.98	<.001	3.52	<.098	2.06	17.9	1.19	<.488	68.9	<.244	.157	1.92	<.976	<.488
RL-45 450 455	176	.005	2.36	<.001	1.96	<.099	2.18	20.2	.281	<.495	57.8	.585	.349	1.78	<.989	<.495
RL-45 455 460	177	.002	1.39	<.001	2.08	<.097	1.71	26.3	.325	<.487	58.0	<.244	.748	1.90	<.975	<.487
RL-45 460 465	178	.002	1.00	<.001	2.04	<.098	.914	17.2	<.245	<.49	49.4	<.245	.180	1.56	<.979	<.49
RL-45 465 470	179	.005	2.00	<.001	2.70	<.098	2.14	33.4	.412	<.49	61.4	.326	.369	1.65	<.979	<.49
RL-45 470 475	180	.002	<.973	<.001	2.44	<.097	1.93	15.1	<.243	<.487	41.8	<.243	.396	1.54	<.973	<.487

3805 Atherton Road • Rocklin, California 95677 • 916/624-6000 1/800/827-4GSI FAX: 916/624-8986
1498 Kleppe Lane • Sparks, Nevada 89431 • 702/359-6600 FAX: 702/359-6605

GEOCHEMICAL SERVICES INC.

GEOCHEMICAL ANALYSIS REPORT

JOB #: LOA-9S5941

SAMPLE ID	#	Ag o/t	As ppm	Au o/t	Cu ppm	Hg ppm	Mo ppm	Pb ppm	Sb ppm	Tl ppm	Zn ppm	Bi ppm	Cd ppm	Ga ppm	Se ppm	Te ppm
RL-45 475 480	181	.002	<.998	<.001	2.17	<.1	2.41	14.1	.250	<.499	60.7	<.25	.282	2.46	<.998	<.499
RL-45 480 485	182	<.001	<.978	<.001	2.04	<.098	1.96	18.7	.393	<.489	63.1	<.244	.210	2.36	<.978	<.489
RL-45 485 490	183	.004	<.97	<.001	2.44	<.097	2.01	19.5	.376	<.485	59.9	<.242	.327	1.99	<.97	<.485

3805 Atherton Road • Rocklin, California 95677 • 916/624-6000 1/800/827-4GSI FAX: 916/624-8986
1498 Kleppe Lane • Sparks, Nevada 89431 • 702/359-6600 FAX: 702/359-6605