

0480 0076

(147)

Item 92

BOOK NO. 2 PAGE 54

## CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the DRISCOL 4 lode mining  
claim was located by Frank W. Lewis on the 1st day of  
July 1963

The claim is situated in the Battle Mountain Mining District  
Lander County, State of Nevada, East  $\frac{1}{2}$ , Section 9,  
T. 31 N., R. 43 E. MDM, with east side common to Driscoll 2  
west side.

The locator claims 1,475 feet in a North direction and  
25 feet in a South direction from the point of discovery, with a width of  
300 feet on each side of the center of the vein or lode along the entire length of said claim.

The description and the location of the discovery work done upon the claim and the cost thereof is as  
follows: Cut near center along west end removed exceeding 250 cu. ft.  
of earth, rock, mineral and stone.

The corners and side centers of the claim are located and marked as follows:

Northeast Corner Marked N E D 4

Northwest Corner Marked N W D 4

East Side Center Marked E S C D 4

West Side Center Marked W S C D 4

Southeast Corner Marked S E D 4

Southwest Corner Marked S W D 4

Each of the above-described monuments is a 4 by 4 post set solidly in the  
ground and surrounded by a mound of rock and earth.

All location and discovery work necessary to complete this location has been performed by  
Sept. 3, 1963

Dated this 10th day of September 1963

Frank W. Lewis, 6904 Woodman Avenue, Van Nuys, California

Name of Locator

Address

*Frank W. Lewis*

Name of Locator

Address

Name of Locator

Address



## CERTIFICATE OF LOCATION OF LOPE CLAIM

THIS IS TO CERTIFY that the DRISCOL 5 lode mining  
claim was located by Frank W. Lewis on the 29th day of  
August, 19 63

The claim is situated in the Battle Mountain Mining District,  
Lander County, State of Nevada, Section 9, T. 31 N., R 43 E.  
North End Line common to Driscol 4  
East Side line common to Driscol 6

The locator, claim 8, 750 feet in a northerly direction and  
750 feet in a southerly direction from the point of discovery, with a width of  
300 feet on each side of the center of the vein or lode along the entire length of said claim.

The description and the location of the discovery work done upon the claim and the cost thereof is as follows: trenching near the center, removing exceeding 250 cu. ft.  
of rock, mineral and stone.

The corners and side centers of the claim are located and marked as follows:

Northeast Corner Marked	<u>N E D 5</u>
Northwest Corner Marked	<u>N W D 5</u>
East Side Center Marked	<u>E S C D 5</u>
West Side Center Marked	<u>W S C D 5</u>
Southeast Corner Marked	<u>S E D 5</u>
Southwest Corner Marked	<u>S W D 5</u>

Each of the above-described monuments is a 4 by 4 post set solidly in the  
ground and surrounded by a mound of rock and earth.

All location and discovery work necessary to complete this location has been performed by

Sept. 19, 19 63

Dated this 19th day of September, 19 63

Name of Locator

Address

Frank W. Lewis

6904 Woodman Avenue, Van Nuys, Calif.

Name of Locator

Address

Name of Locator

Address



## CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the DRISCOL 6 lode mining  
claim was located by Frank W. Lewis on the 29th day of  
August 19 63

The claim is situated in the Battle Mountain Mining District

Lander County, State of Nevada, Section 9, T. 31 N., R. 43 E.

North end line common with Driscol 2

West side line common with Driscol 5

East side line common with Driscol 7

The locator claim S 750 feet in a northerly direction and  
750 feet in a southerly direction from the point of discovery, with a width of  
300 feet on each side of the center of the vein or lode along the entire length of said claim.

The description and the location of the discovery work done upon the claim and the cost thereof is as follows: trenching near the center, removing exceeding 250 cu. ft. of rock, mineral and stone

The corners and side centers of the claim are located and marked as follows:

Northeast Corner Marked N E D 6

Northwest Corner Marked N W D 6

East Side Center Marked E S C D 6

West Side Center Marked W S C D 6

Southeast Corner Marked S E D 6

Southwest Corner Marked S W D 6

Each of the above-described monuments is a 4 by 4 post set solidly in the ground and surrounded by a mound of rock and earth.

All location and discovery work necessary to complete this location has been performed by  
Sept. 19, 19 63

Dated this 19th day of September 19 63

Name of Locator

Address

Frank W. Lewis

6904 Woodman Ave., Van Nuys, Calif.

Name of Locator

Address

Name of Locator

Address



BOOK NO. 2 PAGE 64  
**CERTIFICATE OF LOCATION OF LODE CLAIM**

THIS IS TO CERTIFY that the DRISCOL 7 lode mining  
 claim was located by Frank W. Lewis on the 29th day of  
August 19 63

The claim is situated in the Battle Mountain Mining District,  
Lander County, State of Nevada. Section 9 and Section 10, T. 31  
N., R. 43 E.

North end line common with Driscoll 1

West side line common with Driscoll 6

East side line common with Driscoll 8

The locator claim's 750 feet in a northerly direction and  
750 feet in a southerly direction from the point of discovery, with a width of  
300 feet on each side of the center of the vein or lode along the entire length of said claim.

The description and the location of the discovery work done upon the claim and the cost thereof is as  
 follows: open cut near the center at the north end, removing  
exceeding 250 cu. ft. of rock, mineral and stone.

The corners and side centers of the claim are located and marked as follows:

Northeast Corner Marked N E D 7

Northwest Corner Marked N W D 7

East Side Center Marked E S C D 7

West Side Center Marked W S C D 7

Southeast Corner Marked S E D 7

Southwest Corner Marked S W D 7

Each of the above-described monuments is a 4 by 4 post set solidly in the  
 ground and surrounded by a mound of rock and earth.

All location and discovery work necessary to complete this location has been performed  
 Sept. 19, 19 63

Dated this 19th day of September 19 63

Name of Locator

Address

Frank W. Lewis

6904 Woodman Ave., Van Nuys, Calif.

Name of Locator

Address

Frank W. Lewis  
 Name of Locator

Address



## CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the DRISCOL 8 lode mining  
claim was located by Frank W. Lewis on the 29th day of  
August 19 63

The claim is situated in the Battle Mountain Mining District  
Lander County, State of Nevada, Section 10, T. 31 N., R. 43 E.  
North end line common with Driscoll High Grade  
West side line common with Driscoll 7

The locator claim 8 750 feet in a northerly direction and  
750 feet in a southerly direction from the point of discovery, with a width of  
300 feet on each side of the center of the vein or lode along the entire length of said claim.

The description and the location of the discovery work done upon the claim and the cost thereof is as  
follows: pit from which there was removed exceeding 250 cu. ft. of  
rock, earth, and stone.

The corners and side centers of the claim are located and marked as follows:

Northeast Corner Marked N E D 8

Northwest Corner Marked N W D 8

East Side Center Marked E S C D 8

West Side Center Marked W S C D 8

Southeast Corner Marked S E D 8

Southwest Corner Marked S W D 8

Each of the above-described monuments is a 4 by 4 post set solidly in the  
ground and surrounded by a mound of rock and earth.

All location and discovery work necessary to complete this location has been performed by  
Sept. 19, 19 63

Dated this 19th day of September 19 63

Name of Locator

Address

Frank W. Lewis

6904 Woodman Ave., Van Nuys, Calif.

Name of Locator

Address

Name of Locator

Address



# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the Battle Mountain Mining District, County of Lander, State of Nevada, on a vein or lode known as the Driscoll & 9 Lode Mining Claim.

The general course of said lode or vein, as near as it may be described, is one foot.

The name of the locator Frank L. Davis, 6004 Broadway, Van Nuys, California.

The said claim was located on the 12 day of Feb, A. D. 1905, and is described in respect to being north of County Road to Galer, and sidelines the east side line of Driscoll's 8, and the north west corner is a common corner with the S.W. corner of the Driscoll High Grade Claim.

The locator claims fifteen hundred feet in length being seven hundred and fifty feet along the course of said vein or lode each way from the point of discovery with a width of one feet on each side of the course of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is open pit discovery, and cat and dozier work in building of access road for removal of ore from the Driscoll group, being the Driscoll mine, and the Driscoll group, numbers 1 to 15 inclusive. Cost of access road being in excess of fourteen hundred dollars, and was made for development and mining of all claims in this group.

and the location and description of each corner with the markings thereon are as follows:

The N.E. corner is marked by a rock monument 4 feet high, inscribed N. E. corner of Driscoll mine.  
The S.E. corner is marked by a rock monument 4 feet high, inscribed S. E. corner of Driscoll mine.  
The S.W. corner is marked by a rock monument 4 feet high, inscribed S. W. corner of Driscoll mine.  
The N.W. corner is marked by a rock monument 4 feet high, inscribed N. W. corner of Driscoll mine. There is a rock monument 4 feet high, inscribed N. W. corner of Driscoll mine.

at each corner of each line. The discovery work has been done and the location work completed since Feb 12, 1905.

A. D. 1905

Dated April 16, A. D. 1905

John E. Mann Witness

Frank L. Davis

Ray M. Mott Witness

John E. Mann

- \* If a natural object, fill in blank with its description. If a permanent monument, describe it.
- \* The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and direction. The word "sunk" is used.
- \* The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, as Soda Lake, near its head, etc.
- \* Corner of each of the four corners, with the blazings, markings, letters, etc.
- \* Any record of location which does not contain all the requirements of the statute is void.



## CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the Battle Mountain Lander Mining District, County of Esmeralda, State of Nevada, on a vein or lode known as the Driscoll #10 Lode, in and to the

The general course of said lode or vein, as near as it may be described, is North and South

The name of the locator, Frank A. Lewis, and Van Nuys J. L. Smith

The said claim was located on the 1 day of April, A. D. 1965, and is described in respect to being directly north of the east side lines the east side line of the Driscoll #10 Lode.

The locator claims Seven Hundred and Fifty feet in length

along the course of said vein or lode each way from the point of discovery with a width of 30 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is 20 feet in diameter, and cut and dozier work done on access road for removal of ore from the Driscoll Group, being the Driscoll #10 Lode, and Driscoll Group, numbers 1 to 15 inclusive. Cost of access road being in excess of fifteen hundred dollars and was built for mining and development of all claims in this group.

and the location and description of each corner with the markings thereon are as follows:

The N. W. corner is marked by a Rock Monument 2 feet high inscribed N. W. corner of Driscoll #10 mine.  
The N. E. corner is marked by a Rock Monument 2 feet high inscribed N. E. corner of Driscoll #10 mine.  
The S. W. corner is marked by a Rock Monument 2 feet high inscribed S. W. corner of Driscoll #10 mine: the Driscoll #10 mine. There is a Rock Monument 2 feet high inscribed S. W. corner of Driscoll #10 mine.

at each corner of each line. The discovery work has been done and the location work completed since March 12, 1965 at 10:00 A.M.

A. D. 19

Dated April 10

A. D. 1965

John C. Mann

Witness

Ray Metcalf

Witness

Frank A. Lewis

Van Nuys J. L. Smith

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.

\* The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and diameter. The statute contemplates that digging work shall be done. The word "sunk" is used.

\* The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corner, as at the mouth of Soda Lake, near Pa. head, etc.

† Corner of each of the four corners, with the blazings, markings, letters, etc.

‡ Any record of location which does not contain all the requirements of the statute is void.







# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certify that he has located a mining claim in the Battle Mountain Mining District, County of Lander, State of Nevada, on a vein or lode known as the Driscoll #12 Lode Mining Claim.

The general course of said lode or vein, as near as it may be described, is North and South.

The name of the locator Frank W. Lewis, 1900, and Van Buys, California.

The said claim was located on the 14 day of March, A. D. 1905, and is described in respect to side lining the west side of Driscoll #11, and being directly north of Driscoll #11 and #12.

The locator claim S seven hundred and sixty feet in length

along the course of said vein or lode each way from the point of discovery with a width of        feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is one cut and prospecting at point of discovery, and cut and dozier work done on a piece of land for mining and development of Driscoll #11, said work cost of fourteen hundred dollars to date and being continued without expense, to extend to Driscoll #13 and Driscoll #12.

and the location and description of each corner with the markings thereon are as follows:

The N. E. corner is marked by a Rock Monument 5 feet high stake inscribed N. E. corner of Driscoll #12.  
The N. W. corner is marked by a Rock Monument 5 feet high stake inscribed N. W. corner of Driscoll #12.  
The S. E. corner is marked by Rock Monument 5 feet high inscribed S. E. corner Driscoll #12 mine; the S. W. corner is marked by a Rock Monument 5 feet high, inscribed S. W. corner Driscoll #12 mine. There is a Rock Monument 5 feet high at each corner of each line. The discovery work has been done and the location work completed since March 14, 1905, and is now open to the public.

Dated April 12, A. D. 1905

Frank W. Lewis Witness

Ray Mitchell Witness

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shift or what practically answers the same purpose in prospecting a mine state the depth and dimensions. The word "work" is used.

‡ The statute uses the word "locators" in connection with "corners." That is to say, the local geographical place of the corners, as in Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

¶ Any record of location which does not contain all the requirements of the statute is void.



## CERTIFICATE OF LOCATION

Revised Laws, Sec. 2421

The Undersigned, hereby certifies that he has located a mining claim in the Battle Mountain Mining District, County of Esmeralda, State of Nevada, on a vein or lode known as the Driscoll #13 Lode Mining Claim.

The general course of said lode or vein, as near as it may be described, is North and South.

The name of the locator Frank E. Lewis, Esq.

The said claim was located on the 14 day of April, A. D. 1965, and is described in respect to side line the Driscoll #12 on the west, and side lines the Driscoll #12 on the east, and side line the Driscoll #1 on the South.

The locator claim 5 seven hundred and fifty feet in length along the course of said vein or lode each way from the point of discovery with a width of 25 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is open cut and benching at point of discovery, and cut and dozier work in building of access road for mining and development and removal of ore from the Driscoll Group. Cut and dozier work on access road is not in excess of two thousand dollars to this date.

and the location and description of each corner with the markings thereon are as follows:

The N. E. corner is marked by a Rock Monument 4 feet high stake inscribed N. E. corner of Driscoll #13 mine.  
The N. W. corner is marked by a Rock Monument 4 feet high stake inscribed N. W. corner of Driscoll #13 mine.  
The S. E. corner is marked by Rock Monument 4 feet high inscribed S. E. corner Driscoll #1 mine; the S. W. corner is marked by a Rock Monument 4 feet high, inscribed S. W. corner Driscoll #13 mine. There is a Rock Monument and Stake at each corner of each line. The discovery work has been done and the location work completed since March 11, 1965, and is now open to the public.

Dated April 20

A. D. 1965

Locator

John C. Marx witness

Frank E. Lewis, Esq.

Ray Metcalf witness

[Signature]

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, such as Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

¶ Any record of location which does not contain all the requirements of the statute is void.



# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the Battle Mountain Mining District, Lander County of Nevada, on a vein or lode known as the Driscoll # 14 Lode Mining Claim.

The general course of said lode or vein, as near as it may be described, is  
and South

The name.....of the locator.....Frank W. Lewis, 6104 Woodman Ave,  
Van Nuys, California.

The said claim was located on the 15th day of March A. D. 1965, and is described in respect to South End Line abuts on Bureau Patent #60, and Robert Emmett Patent #59, and east side line is parallel to west side line of Driscoll 13.

The locator.....claims nine hundred.....feet in length  
being four hundred and fifty feet.....  
along the course of said vein or lode each way from the point of discovery with a width of five  
hundred.....feet on each side of the center  
of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is open pit at discovery point, and open trenching near south boundary on ledge formation in outcrop. Total cost of labor on location work in excess of one hundred dollars, on Driscoll, 14 Lode Mining Claim.

and the location<sup>†</sup> and description of each corner<sup>‡</sup> with the markings thereon<sup>§</sup> are as follows:

The N. E. corner is marked by a Rock Monument  
high Stake inscribed N.E. corner of Driscoll 14 feet  
the N.W. corner is marked by a Rock Monument  
state inscribed N.W. corner of Driscoll 14 feet high  
The S.E. corner is marked by Rock Monument  
inscribed S.E. corner Driscoll 14 mine: the  
is marked by a Rock Monument 4 feet high, inscribed  
Driscoll 14 mine. There is a Rock Monument

done and the location work completed since March 15, 1965 and is now ready for use.

Dated April 24, A. D. 1965

John C. Mann  
Ray Mete

Witness

drank 11.5 oz. - locator

*Elkman*

1. If a natural object, fill in blank with its description. If a permanent monument, describe it.  
 2. The statute contemplates a shaft or what practically answers the same purpose: in prospecting a mine state the depth and dimensions. The statute contemplates that mining work shall be done. The word "work" is used.  
 3. The statute uses the word, "locality" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: West, North or Soda Lake, near its head, etc.  
 4. Corner of each of the four corners, with the blazings.  
 5. Any record of location which does not contain all the requirements of the statute is void.



## CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the Battle Mountain Mining District, County of Lander, State of Nevada, on a vein or lode known as the Driscoll Number Fifteen Lode Mining Claim.

The general course of said lode or vein, as near as it may be described, is North and South.

The name of the locator Frank W. Lewis, 6904 Woodman Ave. Van Nuys, California.

The said claim was located on the 22 day of March, A. D. 1965, and is described in respect to Adjacent to North Arm of Mud Creek, approximately one-half mile north of Galena Turn, east side line is parallel to west side line of Driscoll #14, and north end line abuts on south end of Eureka Patent # 60.

The locator claims fifteen hundred feet in length, this being seven hundred and fifty feet along the course of said vein or lode each way from the point of discovery with a width of three hundred feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is open cut, ten feet wide, thirty feet long, average of five feet in depth, with access road built to open cut to allow for removal of ore by truck.

Sixteen by twenty foot miners cabin is built at Spring on the claim for living quarters for development work and mining of Driscoll Group of Lode Mining Claims.

and the location and description of each corner with the markings thereon are as follows:

The North East corner is marked by a Rock Monument  
high stake inscribed N.E. corner of Driscoll Number Fifteen  
the North West corner is marked by a Rock Monument  
stake inscribed N.W. corner of Driscoll Number Fifteen  
The South West corner is marked by Rock Monument  
inscribed S.W. corner Driscoll #15 mine; the South  
is marked by a Rock Monument feet high, inscribed S.E.  
Driscoll #15 mine. There is a Rock Monument at each corner of each line. The discovery work has been

done and the location work completed since April 6, 1965. all work has been done between March 22, 1965 and April 26, 1965 A. D. 19

Dated April 28

A. D. 1965

John C. Mann Witness

Ray McNeill Witness

Frank W. Lewis,



\* If a natural object, fill in blank with its description. If a permanent monument, describe it.

\* The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and direction. The statute contemplates that digging work shall be done. The word "sink" is used.

\* The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, such as S. 1/4 Sec. 36, T. 1 N., R. 1 E., or Soda Lake, near its head, etc.

\* Corner of each of the four corners, with the blazings, markings, letters, etc.

\* Any record of location which does not contain all the requirements of the statute is void.