NAME: Clifford Mine	_ County: Nye Jem
/, NAMES:	Mining District: Clifford
/ ERAL COMMODITY(IES): Mainly Ag, Au.	AMS Sheet: Tonopah
YPE OF DEPOSIT: Epithermal	Quad Sheet: Warm Springs
-	
ACCESSIBILITY: Two miles south of Highway #6	Sec. 3, T 3N, R
OWNERSHIP: Western Gold Corp. 1925-1946Cann Resource Inc of Bishop, Calif (1984).	S Coordinate (UTM):  North 4 2 2 1 2 9 1
PRODUCTION: Maybe \$500,000 none recorded  HISTORY: Discovered in 1905 last known lessors were the mid-1960's	East 0   5   4   5   5   0   7   7   7   7   7   7   7   7   7
DEVELOPMENT: Two deep shafts approximately 10 shallow sprospects all within a half mile radius.	hafts, trenches-pits an
ACTIVITY AT TIME OF EXAMINATION: Staking (?)	
	west
wide at 10s base. The Western ridge line consist of	et high and a quarter month of a rhyolite-andesite
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from the dof silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were the samples w	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and controlly altered and black to the main shaft on the
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from the dof silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent.	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and controlly altered and black to the main shaft on the
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from the dof silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were the samples w	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and controlly altered and black to the main shaft on the
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from the dof silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were the samples w	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and controlly altered and black to the main shaft on the
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from the dof silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were the samples w	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and controlly altered and black to the main shaft on the
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from the dof silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were the samples w	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and controlly altered and black to the main shaft on the
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from the dof silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were the samples w	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and controlly altered and black to the main shaft on the
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from the dof silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were the samples w	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and controlly altered and black to the main shaft on the
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from the dof silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were the samples w	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and controlly altered and black to the main shaft on the
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from a ted of silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were minor Au, Cu, Pb.	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and controlly altered and black to the main shaft on the
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from the dof silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were the samples w	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and constrongly altered and black to the main shaft on the highest in silver with the same of t
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from a ted of silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were minor Au, Cu, Pb.	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and constrongly altered and black to the main shaft on the highest in silver with the same of t
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from a ted of silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were minor Au, Cu, Pb.	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and constrongly altered and black to the main shaft on the highest in silver with the same of t
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from a ted of silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were minor Au, Cu, Pb.	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and constrongly altered and black to the main shaft on the highest in silver with the same of t
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from a ted of silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were minor Au, Cu, Pb.	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and constrongly altered and black to the main shaft on the highest in silver with the same of t
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from a ted of silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were minor Au, Cu, Pb.	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and constrongly altered and black to the main shaft on the highest in silver with the same of t
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from a ted of silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were minor Au, Cu, Pb.	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and constrongly altered and black to the main shaft on the highest in silver with the same of t
along a fault. There are also northeast trending cutting the knob which are presumed to be the your was taken from the western side of the hill from a ted of silicified rhyolite and andesite that was a Sample 2099 was collected from the dumps adjacent of the knob. Assay values from the samples were minor Au, Cu, Pb.	of a rhyolite-andesite of Tertary mafic dikes crongest materials. Sample dumps near shafts and constrongly altered and black to the main shaft on the highest in silver with the same of t

1130 0003.	(220) Item N >
PROPERTY NAME: Clifford Mine	County: Nye
OTHER NAMES:	Mining District: Clifford
MINERAL COMMODITY(IES): Mainly Ag, Au.	AMS Sheet: Tonopah
TYPE OF DEPOSIT: Epithermal	Quad Sheet: Warm Springs NW 72!
ACCESSIBILITY: Two miles south of Highway #6	Sec. 3 , T 3N , R 49E
OWNERSHIP: Western Gold Corp. 1925-1946. Cann R. Inc of Bishop, Calif (1984).  PRODUCTION: Maybe \$500,000 none recorded history: Discovered in 1905 last known lessor the mid-1960's	North 4 2 2 1 2 9 5 m
DEVELOPMENT: Two deep shafts approximately 10 shaprospects all within a half mile radius.	allow shafts, trenches-pits and
ACTIVITY AT TIME OF EXAMINATION: Staking (?)	
ninety percent of the workings are on a smark Range on a west sloping fan. The knob con rhyolite pyroclastics and andesite. The py welded tuffs, and breccia as well as andes the western side of the knob which is about wide at its base. The western ridge line coalong a fault. There are also northeast to cutting the knob which are presumed to be was taken from the western side of the hill ted of silicified rhyolite and andesite the Sample 2099 was collected from the dumps as of the knob. Assay values from the sample minor Au, Cu, Pb.	sist of Tertiary volcanics, mainly yroclastics consist of air-fall and ite. The andesite is exposed on t 60 feet high and a quarter mile onsist of a rhyolite-andesite contacted and grant of a rhyolite dikes crosstending Tertary mafic dikes crossthe youngest materials. Sample 2098 from dumps near shafts and consist was strongly altered and bleached djacent to the main shaft on the top
REMARKS:	
REFERENCES:	
EXAMINER: Jack Quade	DATE VISITED: 10-15-85