
See also 83-4 for geochemical results.
1340 0001

## DANVILLE DISTRICT



The Danville mining district is located in the central part of the Monitor in Nye
Range County approximately 100 km southwest of Eureka. The district is located on the east side of the mountain range; the workings are in middle and upper Paleozoic rocks exposed in the lower portions of the range. Most of the mines and prospects are located in Danville and Green Monster Canyons.

The district was discovered in 1866 and has had several periods of activity since that time (Kleinhampl and Ziony, in press). The recorded production is only \$31,212, although there was probably significant additional but unreported production (Kleinhampl and Ziony, in press; Kral, 1951).

Mineralization in the main mining area near Danville consists of oxidized lead-zinc-silver irregular replacement bodies and veins in dolomites. The veins and mineralized zones usually trend northerly or northeasterly and contain some quartz gangue as well as silicified wallrock and oxidized lead-zinc-silver minerals. A thin phosphate-rich shale bed of no commercial importance is also present in Danville Canyon. Argillized rhyolite porphyry is associated with jasperoid at one prospect. Silicification is a common wallrock alteration associated with the lead-zinc-silver veins in the Danville district.

Mineralization in the vicinity of Green Monster Canyon consists of stibnite-bearing veins and replacements with quartz and barite gangue. Iron-oxide minerals (possibly after pyrite) are also present, and the mineralization appears to be associated with jasperoid zones. The prospected for disseminated gold deposits in the mid-1970's (Kleinhampl and Ziony, in press), and exploration was again underway for this type of deposit in 1981.

Selected References:

Kral, V. E.(1951) Mineral resources of Nye County, Nevada: NBMG Bull. 50, p. 50-52.
Kleinhampl, F. J. and Ziony, J. I. (in press) Geology and mineral resources of northern Nye County, Nevada: NBMG Bull. (in press).

Lawrence, E. F. (1963) Antimony deposits of Nevada. NBMG Bull. 61, p. 151.

J. Tingley + P. Smith (1982) Mineral Inventory of Eureka—
Shoeshone Kesource area: NBMG 83-3