


234
item 2

2560 0002



R E P O R T

O N

C. T. LAWRENCE PROPERTY

A T

JETT CANON, NYE COUNTY, NEVADA.

Examination July 14, 1916.
Report July 17, 1916.
By H. W. Stotesbury.

C. T. LAWRENCE PROPERTY

JETT CANON, NYE COUNTY, NEVADA.

LOCATION:

This property consists of three claims situated about four miles from the mouth of Jett Canon in Smoky Valley, Nye County, Nevada.

CHARACTER OF DEPOSIT:

The claims cover the outcrop of a large quartz vein in schist, which can be seen out-cropping for a distance of about 1500 feet. The average width of the vein is about four feet, the strike east and west, and the dip 45° to the south. The ore occurs in the quartz as sulphides of silver and lead, with some zinc, and the vein appears to be mineralized only in spots, where the sulphides occur as a streak in the quartz about one foot in width. The accompanying table of assays shows the vein to be very low grade, even where the best ore occurs.

DEVELOPMENT WORK:

An incline shaft on the vein about one hundred feet in depth, and a short tunnel about 30 feet in length, together with two or three shallow cuts, all in the outcrop, make up the development work done on the vein. The incline shaft follows the vein on its dip for about 100 feet, when it is cut off by a vertical fault. A vertical shaft is sunk from the incline shaft at this point, following down on the fault, but was filled with water at the time of the examination and was inaccessible. The vein, however, is said not to have been recovered in this vertical shaft.

CONCLUSIONS:

The vein on this property is too low grade to be worthy of further consideration.

SAMPLING RESULTS

<u>NO.</u>	<u>DESCRIPTION</u>	<u>WIDTH</u>	<u>G O L D</u>		<u>S I L V E R</u>		<u>ZINC</u>	<u>LEAD</u>		<u>TOTAL</u>
			<u>OZ.</u>	<u>VALUE</u>	<u>OZ.</u>	<u>VALUE</u>	<u>% VAL.</u>	<u>% VAL.</u>	<u>VAL.</u>	
1	Outcrop	3'	tr	-	.20	\$.12	.58	-	0	-
2	"	6'	tr.	-	.20	.12	.64	-	-	-
3	Pick Sample	18"	tr.	-	8.20	4.92	1.06	-	11.70	-
4	Incline Shaft 20' down	3'	tr.	-	2.50	1.50	.27	-	4.10	-
5	Incline Shaft 30' down	3'	tr.	-	.12	.07	.32	-	-	-
6	Incline Shaft 60' down	5'	tr.	-	.20	.12	.74	-	-	-
7	Pick Sample Dump of Tunnel	-	.08	1.60	9.52	5.71	6.89	-	7.10	-
8	Face of Open Cut	3'	tr.	-	3.40	2.04	1.59	-	1.60	-
9	Face Shallow Cut	2.3'	tr.	-	1.50	.90	1.01	-	1.20	-