

2670 0013

Sur. No. 4482

1.

Anchor Lode.

Beginning at Cor. No. 1.

On line 1-2 Anchor No. 1 lode of this survey.

(Identical with Cor. No. 2 Sur. No. 4481 Anchor Fraction lode,
Hercules Divide Mining Company claimant,A pine post 4 ins. square showing 2 ft. above mound of
earth and stone which I found scribed A.Fr.2-4481 and
which I scribed A.1-4482, whence

S.E. Cor. Sec. 2, T 1 N., R 42 E., M.D.M. bears

(N 89° 40' E 1443.84 ft.)

Thence N 70° 07' 30" W

18.33 Intersect south boundary line Sec. 2, T 1 N., R 42 E., M.D.

M. at S 89° 55' W 1461.04 ft. from S.E. Cor. said section.

270.7 To Cors. No. 1-1 Anchor No. 1 and Anchor No. 2 lodes of this
survey respectively.

(600. To Cor. No. 2.

(On line 5-1 Anchor No. 2 lode of this survey.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in
ground with mound of earth and stone, scribed A.2-4482.

Thence N 16° 07' 30" E

1500. To Cor. No. 3.

(On line 2-3 Mountain Queen lode of this survey.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in
ground with mound of earth and stone, scribed A.3-4482.

Thence S 70° 07' 30" E

600. To Cor. No. 4.

(Identical with Cor. No. 3 Sur. No. 4481 Anchor Fraction lode,
A pine post 4 ins. square, showing 2 ft. above mound of
earth and stone which I found scribed A.Fr.3-4481 and
which I scribed A.4-4482.

Thence S 16° 07' 30" W

95.51 Intersect line 1-2 Mountain Queen lode of this survey.

493.5 Intersect south boundary line Sec. 2, T 1 N., R 42 E.,

Sur. No. 4482 - Cont.

1500. M.D.M. at S 89° 55' W 1442 ft. from S.E.Cor. said Sec. To Cor.No.1, the place of beginning.

Anchor No.1 Lode.

Beginning at Cor.No.1.

On line 1-2 Anchor lode of this survey.

A rhyolite stone 10x10x16 ins. with a x chiseled on the top to mark the exact spot and also A.1.1- A.2.1-4482, whence

S.E.Cor.Sec.2, T 1 N., R 42 E., M.D.M. bears

S 87° 10' 50"E 1700.45 ft.

The N.W.Cor. of the location bears N 70° 07' 30"W 127 ft.

Thence S 70° 07' 30"E

252.37 Intersect south boundary Sec.2, T 1 N., R 42 E., M.D.M. at S 89° 55' W 1461.04 ft. from S.E.Cor. said section.

270.7 To Cors.No.1-2 Anchor lode of this survey and Sur.No. 4481 Anchor Fraction lode.

472.6 To Cor.No.2.

On line 1-2 Sur.No.4481 Anchor Fraction lode and Identical with Cor.No.5 Sur.No.4481 Battle Cruiser lode, Hercules Divide Mining Company claimant, A pine post 4 ins. square, showing 2 ft. above mound of earth and stone which I found scribed B.C.5-4481 and which I scribed A.1.2-4482.

Thence S 12° 42' W

752.6 To Cor.No.3.

Identical with Cor.No.4 Sur.No.4481 Battle Cruiser lode, A pine post 4 ins. square, showing 2 ft. above mound of earth and stone which I found scribed B.C.4-4481 and which I scribed A.1.3-4482.

Thence S 19° 52' 30"W

749. To Cor.No.4.

Identical with Cor.No.3 Sur.No.4481 Battle Cruiser lode

Sur. No. 4482 - Cont.

3

A pine post 4 ins. square, showing 2 ft. above mound of earth and stone which I found scribed B.C.3-4481 and which I scribed A.l.4-4482.

Thence N $70^{\circ}07'30''W$

566.6 To Cor. No.5.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in ground with mound of earth and stone, scribed A.l.5-A.2.2-4482.

Thence N $19^{\circ}52'30''E$

1404.1 Intersect south boundary line Sec. 2, T 1 N., R 42 E., M.D.M. at S $89^{\circ}55'W$ 1729.6 ft. from S.E. Cor. said section.

1495.7 To Cor. No.1, the place of beginning.

Anchor No.2 Lode.

Beginning at Cor. No.1.

On line 1-2 Anchor lode of this survey.

Identical with Cor. No.1 Anchor No.1 lode of this survey.
whence

S.E. Cor. Sec. 2, T 1 N., R 42 E., M.D.M. bears
S $87^{\circ}10'50''E$ 1700.45 ft.

Thence S $19^{\circ}52'30''W$

91.6 Intersect south boundary line Sec. 2, T 1 N., R 42 E., M.D.M. at S $89^{\circ}55'W$ 1729.6 ft. from S.E. Cor. said section.

1495.7 To Cor. No.2.

Identical with Cor. No.5 Anchor No.1 lode of this survey.

Thence N $70^{\circ}07'30''W$.

422.3 To Cor. No.3.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in ground with mound of earth and stone, scribed A.2.3-4482.

Thence N $19^{\circ}52'30''E$

51.12 To Cor. No.4.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in ground with mound of earth and stone, scribed A.2.4-4482.

Sur. No. 4482 - Cont.

Thence N 10° 10'E

477.18 Intersect south boundary line Sec. 2, T 1 N., R 42 E., M.D.M. at S 89° 55'W 2264.5 ft. from S.E.Cor. said section.

755.4 To Cor. No. 5.

A pine post 4 ft. long, 4 ins. square, set 19 ins. in ground with mound of earth and stone, scribed A.2.5-4482.

Thence S 70° 07'30"E

220.4 To Cor. N o.2 Anchor lode of this survey.

549.7 To Cor. No.1, the place of beginning.

Mountain Queen lode.

Beginning at Cor. No.1.

Identical with Cors. No.3-4 Sur. No.4481 Battle Ship, Hercules Divide Mining Company claimant, and Anchor Fraction lodes respectively.

On line 2-3 Sur. No.4481 Battle Ship Fr. lode, Hercules Divide Mining Company claimant, at N 35° 20'30"W 492.81 ft. from Cor. No.2.

A pine post 4 ins. square, showing 2 ft. above mound of earth and stone which I found scribed B.S.3-A.Fr.4-4481 and which I scribed M.Q.1-4482, whence

S.E.Cor. Sec. 2, T 1 N., R 42 E., M.D.M. bears

S 29° 15'E 1525.0 ft.

Thence S 54° 39'30"W

480.53 Intersect line 4-1 and line 2-3 Anchor lode of this survey and Sur. No.4481 Anchor Fraction lode at S 16° 07'30"W 395.51 ft. from Cor. No.3 respectively.

513.42 To Cor. No.2.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in ground with mound of earth and stone, scribed M.Q.2-4482.

Thence N 35° 20'30"W

739.22 To Cor. No.3 Anchor lode of this survey.

1007.19 To Cor. No.3.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in ground with mound of earth and stone, scribed M.Q.3-4482.

Sur. No. 4482 - Cont.

5

Thence N 54° 39' 30"E

513.42 To Cor. No. 4.

Identical with Cor. No. 3 Sur. No. 4481 Battle Ship Fr. lode a rhyolite stone 9x10 ins. showing 6 ins. above mound of earth and stone which I found chiseled with a x to designate the exact spot and B.S.F. 3-4481 and which I chiseled M.Q.4-4482.

Thence S 35° 20' 30"E

1007.19 To Cor. No. 1, the place of beginning.

Variation at all corners is 17° 30'E.

LODE LINES.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points;

- ✓ Anchor lode, 1193 ft. N 16° 07' 30"E and 307 ft. S 16° 07' 30"W to the center of line 1-2.
- ✓ Anchor No. 1 lode, 695.5 ft. S 19° 52' 30"W and 800.2 ft. N 19° 52' 30"E to a point on line 1-2 299 ft. from Cor. No. 1.
- ✓ Anchor No. 2 lode, 394.7 ft. S 19° 52' 30"W and 1104.3 ft. N 15° 26' 40"E to a point on line 5-1 300 ft. from Cor. No. 5.
- ✓ Mountain Queen lode, N 35° 20' 30"W 662.7 ft. and 344.49 ft. S 35° 20' 30"E to a point on line 1-2 223.2 ft. from Cor. No. 1.

AREA.

	Acres.
Total area Anchor lode	20.617 ✓
Total area Anchor No. 1 lode	18.649 ✓
Total area Anchor No. 2 lode	15.589 ✓
Total area Mountain Queen lode	11.871 ✓

Area in conflict with-

Sur. No. 4482 - Cont.

	Anchor lode of this survey	2.997
--	----------------------------------	-------

	Sur. No. 4481 Anchor Fraction lode....	1.359 ✓
--	--	---------

The survey of each lode of this location is identical with the respective amended location as staked upon the ground with the exception of the N.W. Cor. No. 1 Anchor No. 1 lode the original position of which bears N 70° 07' 30" W 127 ft. from the present position Cor. No. 1.

LOCATION.

This survey is located in the S.E. $\frac{1}{4}$ Sec. 2 and the N.E. $\frac{1}{4}$ Sec. 11, T 1 N., R 42 E., M.D.M.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of;

No. 1. The discovery shaft of the Anchor lode which bears N 17° E 625 ft. from the discovery post of said claim 12x4x8 ft. deep. Course south.

Value \$75.00

No. 2. A shaft which bears S 20° E 115 ft. from the disc. post Anchor lode 10x6x4 ft. deep in solid rock. Course S 20° E

Value \$75.00

No. 1. The discovery shaft of Anchor No. 1 lode which bears N 9° E 770 ft. from the disc. post said lode 12x5x5 ft. deep. Course S 60° E.

Value \$50.00

No. 2. A shaft which bears from the discovery post Anchor No. 1 lode N 65° E 35 ft. 10x6x4 ft. deep in solid rock. Course S 70° E.

Value \$75.00

Sur. No. 4482 - Cont.

7

No. 1. The discovery shaft of the Anchor No. 2 lode which bears east 50 ft. from the disc. post of said lode 10x6x6 ft. deep. Course S 40° E.

Value \$60.00

No. 2. A shaft which bears N 70° E 25 ft. from the disc. post Anchor No. 2 lode 10x6x4 ft. deep. Course south.

Value \$50.00

No. 1. The discovery shaft of the Mountain Queen lode which bears S. 5 ft. from the disc. post of said lode 4x8x8 ft. deep. Course S 40° W.

Value \$50.00

No. 2. A shaft which bears west 20 ft. from the disc. post of the Mountain Queen lode 6x10x4 ft. deep. Course west.

Value \$50.00

No. 3. A two compartment shaft which bears S 70° E 380 ft. ^{ft} from Cor. No. 3 Anchor lode 4.5x9.5 / in the clear, 50 ft. deep, completely timbered. Course S 84° W.

Value \$1800.

The position of this shaft was determined upon as being the most advantageous place to develope the several veins known to exist on the lodes of this claim and an undivided one fourth interest in this improvement amounting to \$450.00 is therefore credited to each lode.

No. 4. A shaft which bears S 67° E 225 ft. from Cor. No. 1 Mountain Queen lode 4.5x9.5 ft. in the clear, 530 ft. deep. Completely timbered. From bottom of shaft a drift 11x6.5 ft. runs S 75° E 20 ft. Thence 4.5x6.5 ft. S 75° E 130 ft. to face. From bottom of shaft a drift 11x6.5 ft. runs N 75° W 20 ft. to a point. Thence 4.5x6.5 ft. west 32 ft. to a point. Thence S 60° W 40 ft. to working face.

Value \$23,000.00

From the fifty foot level this shaft and workings has been done jointly by the Anchor Divide Mining Company and the Hercules Divide Mining Company therefore one half of the cost of this improvement below the fifty foot level

amounting to \$11,000 should be credited to the claimant herein. This shaft is admirably adapted to the economical development of the several veins exposed in each lode embraced in this claim and therefore an undivided onefourth interest amounting to \$2,750 is therefore credited to each lode.

OTHER IMPROVEMENTS.

The shaft house the S.W.Cor. of which bears S 78° E 350 ft. from Cor.No.3 Anchor lode. 12x16 ft. Course long side S 6° E.

A frame building the S.W.Cor. of which bears S $77^{\circ}30' E$ 312 ft. from Cor.No.3 Anchor lode. 10x12 ft. Course long side N $84^{\circ} E$.

INSTRUMENT.

This survey was made with a No.5262 Lietz Mining transit. The courses were deflected from the true meridian as determined by an observation on Polaris at eastern elongation. The distances were measured with a 660 ft. steel tape.

REPORT.

The S.E.Cor.Sec.2, T 1 N., R 42 E., M.D.M. is a rhyolite stone 7x9x16 ins. with one and five notches chiseled on the east and south sides respectively, set in a small circle of smaller stones. The S $\frac{1}{4}$ Cor. of said section could not be found.. The section line intersect were calculated from the course between the S.E.Cor. and the S $\frac{1}{4}$ Cor. of said section as returned in the public land survey.

Sur. No. 4481 Battle Cruiser, Battle Ship, Battle
Ship Fr. and Anchor Fraction lodes.

All corners are pine posts, except Cor.No.3 Battle.

Sur. No. 4488 - Cont.

9

Ship Fr. lode which is a stone 9x10 ins. showing 6 ins. above mound of earth and stone, properly marked, are pine posts properly set and scribed with the number of the corner and the survey. I find all courses and distances to be correct as approved.