

3410 0005

PROPERTY NAME: Rimrock Mine

OTHER NAMES: _____

MINERAL COMMODITY(IES): Barite

TYPE OF DEPOSIT: Bedded

ACCESSIBILITY: _____

OWNERSHIP: J. M. Edgar and Associates

PRODUCTION: 25,000-100,000 tons in 1979-80, active in 1982

HISTORY: Located in December 1977.

County: Lander ⁽¹⁹⁷⁾ Item 98

Mining District: N. Battle Mt.

AMS Sheet: Winnemucca

Quad Sheet: Battle Mountain 15'

Sec. 24, T 33N, R 45E

Coordinate (UTM):

North	<u>4</u> <u>5</u> <u>0</u> <u>8</u> <u>0</u> <u>0</u> <u>0</u> m
East	<u>0</u> <u>5</u> <u>1</u> <u>3</u> <u>0</u> <u>0</u> <u>0</u> m
Zone	<u>+11</u>

DEVELOPMENT: Open pit about 800 ft. north-south by 400 ft.

ACTIVITY AT TIME OF EXAMINATION: _____

GEOLOGY: Barite occurs with chert and mudstone, probably in Devonian Slaven Chert, rocks are locally brecciated, staining by secondary iron-oxides is extensive. Devonian rocks are overlain by basalt in upper pit faces. Several barite lenses are exposed, with thicknesses ranging from 10' to 30'.

REMARKS: Production by Milchem, Inc.

REFERENCES: Papke, K. (1984), Barite Deposits of Nevada, NBMG Bull.-98.


EXAMINER: K. Papke

DATE VISITED: Nov. 1980



Carroll E. Bradberry & Associates
ENGINEERS • CONSULTANTS
LOS ALTOS • CALIFORNIA
INCORPORATED

BY: CCM	W.O. 885.1	MINERAL: Silver
DATE: 12-20-64		
MINERAL DEPOSIT ALONG WESTERN PACIFIC RAILROAD WINNEMUCCA TO WELLS		
PROPERTY NAME: Snowstorm Mine		



LOCATION: Lander County, Nevada	POTENTIAL: <input type="checkbox"/> LARGE
1/4 OF 1/4 OF SEC TWP RGE	<input type="checkbox"/> IMMEDIATE <input type="checkbox"/> MEDIUM
XXXXXX NW 1/4, NE 1/4; NE 1/4 NW 1/4; & S 1/2 NW 1/4,	<input type="checkbox"/> NEAR FUTURE <input type="checkbox"/> SMALL
XXXXXX Sec. 25, T 33N, R 45E	<input type="checkbox"/> DISTANT FUTURE <input type="checkbox"/> UNKNOWN
DESCRIPTION Discovered in 1906; one carload of ore reported shipped in 1910; 200 tons of ore running 35 ounces of silver, 12% lead, and 0.4 ounces of gold was mined in 1927-28 from a 200 foot incline. Argentiferous cerussite in 1-3 foot wide quartz veins with gouge that strikes N 65° E over a distance of about 2000 feet (over)	
OWNERSHIP Undetermined	
ACCESS About 2 miles southwest to the Western Pacific Railroad	
SOURCES OF DATA Southern Pacific Railroad report "Minerals for Industry", part 2, p. 108 (1964)	
PRODUCTION	
RESERVES Abandoned	
ECONOMICS	
CONCLUSIONS	
THE WESTERN PACIFIC RAILROAD COMPANY	

Description: (Cont.) in chert, dips 40° S.