

3440 0011

PLATTED ON SHEET	4207
COMPUTED	111. P.
ORIGINAL PLAT.	411. 4
COMPARED	ask.

317

Item 11

4-882.

MINERAL SURVEY No. 4193.

LOT No. _____

Carson City Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

THE WHITE HORSE NEVADA GOLD MINING AND MILLING COMPANY.

KNOWN AS THE

Lake View Lode.

White Horse Mining District,

Washoe County, Nevada,

Sections 11, 12 and 15, Township 21 N., Range 23 E., M.D.M.

Surveyed under instructions dated September 12, 1913.

by Thos. K. Stewart,
U. S. Mineral Surveyor.

Claim located February 14, 1900.

Survey commenced September 13, 1913.

Survey completed September 15, 1913.

DATE OF AMENDED LOCATION.
Lake View Lode, October 16, 1905.

Address of claimant:

Chas. T. Washeim, Resident Agent,
Wadsworth, Washoe County,
Nevada.

LAKE VIEW LODGE.

Beginning at Cer. No. 1.

A pine post, $4\frac{1}{2}$ ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, scribed LAKE VIEW 1-4193, whence

The N. W. Cer. No. 1 of the location, bears N. $73^{\circ}12'$ W., 5.2 ft.

The Cer. common to Sections 10, 11, 14 and 15, T.21 N., R. 23 E., of M. D. B. and M., bears S. $87^{\circ}17'$ W., 278.09 ft.

No other bearings available.

Feet. Thence S. $13^{\circ}08'$ W.

13.53 Intersect S. boundary, Sec. 11, at E. 274.70 ft. from SW. Cer. said Section.

420.00 To Cer. No. 2.

A pine post, $3\frac{1}{2}$ ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone and earth, scribed LAKE VIEW 2-4193.

No bearings available.

Thence S. $18^{\circ}13'30''$ W.

583.06 Intersect W. boundary, Sec. 14, at S. 949.65 ft. from NW. Cer. said Section.

1080.00 To Cer. No. 3.

A pine post, $3\frac{1}{2}$ ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, scribed LAKE VIEW 3-4193, whence

The SW. Cer. No. 4 of the location, bears S. 44° W. 25 ft.

A rock, in place, extending 10 ft. above the ground, 15 ft. square, chiseled with a cross and B.R. 3-4193, bears S. $73^{\circ}12'$ E. 37.42 ft.

No other bearings available.

Thence S. $73^{\circ}12'$ E.

162.35 Intersect W. boundary, Sec. 14, at S. 1468.59 ft. from

Feet.

LAKE VIEW LODE-Continued.

NW. Cor. said Section.

600.00 To Cor. No. 4.

A pine post, $3\frac{1}{2}$ ft. long, 4 ins. square, set 18 ins.
in the ground, with mound of earth and stone, scribed

LAKE VIEW 4-4193, whence

S. E. Cor. No. 3 of the location, bears S. $16^{\circ}48'$ W. 25 ft.

No other bearings available.

Thence N. $16^{\circ}48'$ E.

1498.81 To Cor. No. 5, identical with Cor. No. 2 of location.

A pine post, $4\frac{1}{2}$ ft. long, 4 ins. square, set 18 ins.
in the ground, with mound of earth and stone, scribed

LAKE VIEW 5-4193.

No bearing objects available.

Thence N. $73^{\circ}12'$ W.

554.41 Intersect N. boundary, Sec. 14, at E. 321.42 ft. from

NW. Cor. said Section.

600.00 TO Cor. No. 1, the place of beginning.

Variation at all corners $18^{\circ}30'$ E.

LODE LINES.

As near as can be determined from present developments
the vein of the location embraced in this claim extends
from the discovery point at the location monument, 420 ft.
N. $13^{\circ}08'$ E., and 1080 ft. S. $18^{\circ}13'30''$ W. to a point
on line 3-4 at 300 ft. from Cor. No. 3.

AREA.

Total area, Lake View Lode

Acres.

20.183

LOCATION CORNERS.

All corners of the location are marked by pine posts
 $4 \times 4 \times 36$ ins. above ground, set in ground with mound of
stone and earth, scribed with name of claim and number
of corner.

LAKE VIEW LODE-Continued.

LOCATION.

This survey is located in the S. W. $\frac{1}{4}$ Sec. II, the N. W. $\frac{1}{4}$ Sec. I4 and the N. E. $\frac{1}{4}$ Sec. I5, T. 21 N., R. 23 E., of M. D. B. and M.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of the location embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and said improvements consist of :

No. 1. The discovery shaft of the Lake View lode , the center of which bears from Cor. No. I, S. $52^{\circ}02'$ E. 324.1 ft., 4x7 ft., 100 ft. deep , from the bottom of which, a cross-cut, 5x7 ft., runs S. $73^{\circ}12'$ E. 40 ft. .

Value of shaft and cross-cut, \$1,400.

No. 2. An incline shaft, dipping towards the E. at an angle of 65° from horizontal, which bears from Cor. No. I, S. $21^{\circ}32'50''$ E. 529.67 ft., 5x5 ft., 45 ft. deep.

Value, \$450.

No. 3. An incline shaft, dip and angle same as No. 2., bears from Cor. No. I, S. $20^{\circ}22'30''$ E. 540.46 ft., 5x7ft., 100 ft. deep , timbered.

Value, \$1,000.

No. 4. A surface excavation , the North end of which bears from Cor. No. 5, S. $82^{\circ}21'$ W. 320.23 ft., 5ft. wide , 13 ft. deep at North end 4 ft. at South end, running S. $5^{\circ}10'$ W. 18 ft.

Value, \$275.

No. 5. A shaft which bears from Cor. No. 5, S. $74^{\circ}53'$ W. 319.9 ft., 4 x 6 ft., 50 ft. deep, timbered.

Value, \$500.

No. 6. A shaft which bears from Cor. No. 5, S. $56^{\circ}45'$ W. 393.9 ft., 10 x 10 ft., 8ft. deep..

Value, \$100.

LAKE VIEW LODE-Continued.

No. 7. A shaft which bears from Cor. No. 5, S. 53° 58' W.
455.6 ft., 4 x 6 ft., 8 ft. deep.

Value, \$80.

No. 8. A shaft which bears from Cor. No. 5, S. 52° 15' W.
443.5 ft., 4 x 6 ft., 10 ft. deep.

Value, \$100.

No. 9. A shaft which bears from Cor. No. 5, S. 44° 23' W.
551.72 ft. 6 x 8 ft., 4 ft. deep.

Value, \$40..

No. 10. A shaft which bears from Cor. No. 5, S. 43° W.
570.47 ft., 6 x 8 ft., 11 ft. deep.

Value, \$110.

OTHER IMPROVEMENTS.

There are no other improvements.

INSTRUMENT.

This survey was made with a Bufl and Berger mining transit No. 2289. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100-ft. and 500 ft. steel tapes.

REPORT.

The lode line of the location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode line. All tie lines were run directly upon the ground.

This claim is located on the North slope of and near the summit of White Horse Mountain. the surface embraced by the claim falls uniformly to the North West.

Note-- The disagreements between these field notes and the amended location certificate of the Lake View lode with regard to the courses of the vein, the courses of the boundary lines and the situation of the discovery shaft are due to errors in the latter.

The NW. Cor. Sec. 14, T. 21 N., R. 23 E., of M. D. B. and M. is an andesite stone, chiseled with four notches on the South face and two notches on the East face. Near and West of it is a mound of stone.

LIST OF NAMES.

A list of the names of the individuals employed by Thos. K. Stewart,
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of The White
Horse Nevada Gold Mining and Milling Company,
 known as the Lake View Lode,
 and showing the respective capacities in which they acted.

J. J. Smith, Chainman.
 _____, Chainman.
 _____, Azman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

I, J. J. Smith
 and _____, do solemnly swear that I assisted Thos. K. Stewart
 _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of The White Horse Nevada Gold Mining and
Milling Company,
 known as the Lake View Lode,
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of My knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Nevada

J. J. Smith, Chainman.
 _____, Chainman.
 _____, Azman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 22nd
 day of October, 1913

Benjamin Burler
Notary Public
 Commission Expires April 10, 1915

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Thomas K. Stewart, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Nevada, dated
September 12, 1913, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of The White Horse Nevada Gold Mining and Milling Company
known as the
Lake View Lode
situate in White Horse Mining District,
Washoe County, Nevada, in Sections
11, 14 & 15, Township No. 21 N., Range No. 23 E., N.D. M.
and designated as Survey No. 4193, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the ^{amended} location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Thomas K. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said
U. S. Mineral Surveyor, before me
Notary Public

Thomas K. Stewart,
Benjamin Curler,

this 22nd

day of October, 1913

Commission Expires April 10, 1915.

Benjamin Curler
Notary Public

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Reno, Nevada,

November 8, 1913-----, T70

I, U. S. Surveyor-General for Nevada

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of The White Horse Nevada Gold Mining and Milling
Company

..... known as the
Lake View Lode

situate in White Horse mining district,

Washoe County, Nevada

in Section 11, 14 and 15, Township No. 21 N., Range No. 23 E., M. D. B.
and M.

....., designated as Survey No. 4193

executed by Thomas K. Stewart U. S. ~~Surveyor~~ Mineral

Surveyor. September 13-September 15, 1913-----, under my instructions dated

September 12, 1913-----, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Matthew Kyle

U. S. Surveyor-General for Nevada.

HR 1913-1914-07

1/2

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Reno, Nevada,

November 8, 1913 ~~November 1913~~

I, U. S. Surveyor-General for Nevada

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of The White Horse Nevada Gold Mining and Milling Company

known as the Lake View Lode

situate in White Horse

Mining District. Washoe County, Nevada

in Section 11, 14 and 15 Township No. 21 N., Range No. 23 E. M. D. B. and M. and designated as Survey No. 4193

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 1 shaft and crosscut; 2 inclines; 6 shafts and 1 excavation, Valued at \$4,055.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Carson City, Nevada is correct and in conformity with the foregoing Field Notes.

Matthew Kyle

United States Surveyor-General for Nevada

Carson City 08523.

The United States of America,

To all to whom these presents shall come, Greeting:

WHEREAS, in pursuance of the provisions of the Revised Statutes of the United States, Chapter Six, Title Thirty-two, and legislation supplemental thereto, there have been deposited in the General Land Office of the United States the Plat and Field Notes of Survey and the Certificate of the Register of the Land Office at Carson City, Nevada, accompanied by other evidence whereby it appears that The White-Horse Nevada Gold Mining and Milling Company

has entered and paid for the the Lake View lode mining claim

designated by the Surveyor General as Survey No. 4193, embracing a portion of Sections eleven, fourteen, and fifteen in Township twenty-one north of Range twenty-three east of the Mount Diablo Meridian, in the White Horse Mining District, Washoe County, Nevada,

and bounded, described, and platted as follows: Beginning at corner No. 1, a pine post four and one-half feet long, four inches square, marked LAKE VIEW 1-4193, with mound of earth and stone, from which the corner to Sections ten, eleven, fourteen and fifteen in Township twenty-one north of Range twenty-three east of the Mount Diablo Meridian bears south eighty-seven degrees seventeen minutes west two hundred seventy-eight and nine-hundredths feet distant;

Thence, first course, south thirteen degrees eight minutes west four hundred twenty feet to corner No. 2, a pine post three and one-half feet long, four inches square, marked LAKE VIEW 2-4193, with mound of earth and stone;

Thence, second course, south eighteen degrees thirteen minutes thirty seconds west one thousand eighty feet to corner No. 3, a pine post three and one-half feet long, four inches square, marked LAKE VIEW

RECORD OF PATENTS: Patent Number 504302

G-2735

3-4193, with mound of earth and stone;

Thence, third course, south seventy-three degrees twelve minutes east three hundred feet to a point from which location monument bears north eighteen degrees thirteen minutes thirty seconds east one thousand eighty feet distant; six hundred feet to corner No. 4, a pine post three and one-half feet long, four inches square, marked LAKE VIEW 4-4193, with mound of earth and stone;

Thence, fourth course, north sixteen degrees forty-eight minutes east one thousand four hundred ninety-eight and eighty-one-hundredths feet to corner No. 5, a pine post four and one-half feet long, four inches square, marked LAKE VIEW 5-4193, with mound of earth and stone;

Thence, fifth course, north seventy-three degrees twelve minutes west six hundred feet to corner No. 1, the place of beginning; said Survey No. 4193 extending one thousand five hundred feet in length along the Lake View vein or lode; the premises, herein granted, containing twenty and one hundred eighty-three-thousandths acres.

2
165-9440

NOW KNOW YE, That there is therefore, pursuant to the laws aforesaid, hereby granted by the United States unto the said
The White-Horse Nevada Gold Mining and Milling Company

the said mining premises hereinbefore described, and not expressly excepted from these patents, and all that portion of the said vein, lode, or ledge, and of all other veins, lodes, and ledges throughout their entire depth, the tops or apices of which lie inside of the surface boundary lines of said granted premises in said survey extended downward vertically, although such veins, lodes, or ledges in their downward course may so far depart from a perpendicular as to extend outside the vertical side lines of said premises: Provided, That the right of possession to such outside parts of said veins, lodes, or ledges shall be confined to such portions thereof as lie between vertical planes drawn downward through the end lines of said survey so continued in their own direction that such planes will intersect such exterior parts of said veins, lodes, or ledges: And provided further, That nothing herein contained shall authorize the grantee herein to enter upon the surface of a claim owned or possessed by another.

TO HAVE AND TO HOLD said mining premises, together with all the rights, privileges, immunities, and appurtenances of whatsoever nature thereunto belonging, unto the said grantee above named and to **its successors** and assigns forever; subject, nevertheless, to the above-mentioned and to the following conditions and stipulations:

FIRST. That the premises hereby granted shall be held subject to any vested and accrued water rights for mining, agricultural, manufacturing, or other purposes, and rights to ditches and reservoirs used in connection with such water rights, as may be recognized and acknowledged by the local laws, customs, and decisions of the courts. And there is reserved from the lands hereby granted a right of way thereon for ditches or canals constructed by the authority of the United States.

SECOND. That in the absence of necessary legislation by Congress, the Legislature of **Nevada** may provide rules for working the mining claim or premises hereby granted, involving easements, drainage, and other necessary means to its complete development.

IN TESTIMONY WHEREOF, I, **Woodrow Wilson**

President of the United States of America, have caused these letters to be made, Patent, and the Seal of the General Land Office to be hereunto affixed.

GIVEN under my hand, at the City of Washington, the **TWENTIETH**

day of **DECEMBER** in the year of our Lord one thousand nine hundred and **FIFTEEN** and of the Independence of the United States the one hundred and **FORTIETH**.

By the President:

Woodrow Wilson

By

M. P. Le Roy Secretary.

L. L. Lamar
Recorder of the General Land Office.