



# NOTES

1. CLOSE TO TOWN, WITHIN WALKING DISTANCE.
2. PARKING WOULD HAVE TO BE ON DUMP OR ALONG DIRT ROADS APPROACHING ADIT. SHOULD BE BLADED.
3. GOOD SECURITY WITH DOOR LOCKED.
4. LIMITED VENTILATION WITH 50 SQ. FT. PER PERSON ALLOWED. AREAS WHERE ADDITIONAL VENTILATION IS REQUIRED ARE COMPUTED AT 500 CU. FT. PER PERSON.

## PLAN OF SHELTER AREA

SCALE: 1" = 20'

0 20 40 ft.

## LEGEND

- MAIN LEVEL
- ▨ SLOUGH
- ⑦ TUNNEL HEIGHT
- ✕ CAVED

DATE	3-26-60 BY <i>FM</i>
REVISIONS	
	3-26-69 BY <i>FM</i>

FREDRIC H. MOLL  
FSA M7 11 1064 64  
HARVE P. NELSON  
E.M., P.H.D., P.E.

ARCHITECT  
LAS VEGAS, NEV.  
MINING ENG.  
RENO, NEVADA

NATIONAL FALLOUT SHELTER UPDATING SURVEY - NEVADA WEST  
FOR  
NAVAL FACILITIES ENGINEERING COMMAND  
STATE OF NEVADA CIVIL DEFENSE

CUMMINGS MINE  
FACILITY NO. 05073  
STD. LOC. NO. 74R4-00020  
SPACES 260

SOUTH OF AUSTIN  
LANDER COUNTY  
527 SPACES WITH VENT

SHEET  
1  
OF 1

160

032-015-0233

160

3890 0077