

Mining District File Summary Sheet

DISTRICT	Rosebud
DIST_NO	4010
COUNTY <small>If different from written on document</small>	Pershing
TITLE <small>If not obvious</small>	Rosebud Drill Hole File - Hole No RS-445
AUTHOR	R. Vance; G. Langstaff; C. Ballew; S. King
DATE OF DOC(S)	1998
MULTI_DIST Y / (N?) <small>Additional Dist Nos:</small>	
QUAD_NAME	Sulphur 7.5'
P_M_C_NAME <small>(mine, claim & company names)</small>	Rosebud Mine, Newmont Exploration Ltd; Newmont Gold Corp.
COMMODITY <small>If not obvious</small>	gold; silver
NOTES	drill logs; assay; geology; photographs; geochemistry; total depth 2276.3'; invoices 92p

Keep docs at about 250 pages if no oversized maps attached (for every 1 oversized page (>11x17) with text reduce the amount of pages by ~25)

SS: DD 3/19/08
Initials Date

DB: _____
Initials Date

SCANNED: _____
Initials Date

RS-445
(BROWN PALACE)

6000 0555
4610





PO BOX 11530
RENO NV, USA
Ph. (702) 356-0606, Fax. (702) 356-1413

NEWMONT GOLD COMPANY

COPIES TO : C. BALLEW
: R. VANCE
:
:

CLIENT REFERENCE No: RS-445 RECEIVED : 20 JUL 1998
No. SAMPLES : 337 REPORTED : 20 JUL 1998
MAIN SAMPLE TYPE : DRILL CUTTINGS

NEVADA LEGISLATIVE DISCLAIMER :-

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project.

ANALYSIS	ANALYTICAL METHOD	QUALITY PARAMETER	UNIT	DETECTION
Au	FA30	15%	ppb	5
Au(R)	FA30	15%	ppb	5
Au(OZ)	FA30	15%	OPT	0.001
Au(RZ)	FA30	15%	OPT	0.001
Ag	D210	10%	ppm	0.5
Ag(OZ)	D210	10%	OPT	0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 20 JUL 1998

SAMPLES	Au	Au(R)	Au(OZ)	Au(RZ)	Ag	Ag(OZ)
	FA30 ppb	FA30 ppb	FA30 OPT	FA30 OPT	D210 ppm	D210 OPT
RS-445 000-005	51		0.001		<0.5	<0.02
RS-445 005-010	30		<0.001		<0.5	<0.02
RS-445 010-015	45		0.001		<0.5	<0.02
RS-445 015-020	91		0.003		<0.5	<0.02
RS-445 020-025	68		0.002		<0.5	<0.02
RS-445 025-030	119		0.003		<0.5	<0.02
RS-445 030-035	124	130	0.004	0.004	<0.5	<0.02
RS-445 035-040	6	<5	<0.001	<0.001	<0.5	<0.02
RS-445 040-045	7		<0.001		<0.5	<0.02
RS-445 045-050	8		<0.001		<0.5	<0.02
RS-445 050-055	<5		<0.001		<0.5	<0.02
RS-445 055-060	<5		<0.001		<0.5	<0.02
RS-445 060-065	<5		<0.001		<0.5	<0.02
RS-445 065-070	<5		<0.001		<0.5	<0.02
RS-445 070-075	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 075-080	<5		<0.001		<0.5	<0.02
RS-445 080-085	<5		<0.001		<0.5	<0.02
RS-445 085-090	<5		<0.001		<0.5	<0.02
RS-445 090-095	<5		<0.001		<0.5	<0.02
RS-445 095-100	<5		<0.001		<0.5	<0.02
RS-445 100-105	<5		<0.001		<0.5	<0.02
RS-445 105-110	<5		<0.001		<0.5	<0.02
RS-445 110-115	<5		<0.001		<0.5	<0.02
RS-445 115-120	<5		<0.001		<0.5	<0.02
RS-445 120-125	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 125-130	<5		<0.001		<0.5	<0.02
RS-445 130-135	8		<0.001		<0.5	<0.02
RS-445 135-140	<5		<0.001		<0.5	<0.02
RS-445 140-145	<5		<0.001		<0.5	<0.02
RS-445 145-150	<5		<0.001		<0.5	<0.02
RS-445 150-155	<5		<0.001		<0.5	<0.02
RS-445 155-160	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 160-165	<5		<0.001		<0.5	<0.02
RS-445 165-170	<5		<0.001		<0.5	<0.02
RS-445 170-175	<5		<0.001		<0.5	<0.02
RS-445 175-180	<5		<0.001		<0.5	<0.02
RS-445 180-185	<5		<0.001		<0.5	<0.02
RS-445 185-190	<5		<0.001		<0.5	<0.02
RS-445 190-195	<5		<0.001		<0.5	<0.02
RS-445 195-200	<5		<0.001		<0.5	<0.02
RS-445 200-205	<5		<0.001		<0.5	<0.02
RS-445 205-210	<5		<0.001		<0.5	<0.02
RS-445 210-215	<5		<0.001		<0.5	<0.02
RS-445 215-220	<5		<0.001		<0.5	<0.02
RS-445 220-225	<5		<0.001		<0.5	<0.02
RS-445 225-230	<5		<0.001		<0.5	<0.02
RS-445 230-235	<5		<0.001		<0.5	<0.02
RS-445 235-240	<5		<0.001		<0.5	<0.02
RS-445 240-245	<5		<0.001		<0.5	<0.02
RS-445 245-250	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 250-255	<5		<0.001		<0.5	<0.02
RS-445 255-260	<5		<0.001		<0.5	<0.02
RS-445 260-265	<5		<0.001		<0.5	<0.02
RS-445 265-270	<5		<0.001		<0.5	<0.02
RS-445 270-275	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 275-280	<5		<0.001		<0.5	<0.02
RS-445 280-285	<5		<0.001		<0.5	<0.02
RS-445 285-290	<5		<0.001		<0.5	<0.02
RS-445 290-295	<5		<0.001		<0.5	<0.02
RS-445 295-300	<5		<0.001		<0.5	<0.02
RS-445 300-305	<5		<0.001		<0.5	<0.02
RS-445 305-310	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 310-315	<5		<0.001		<0.5	<0.02
RS-445 315-320	<5		<0.001		<0.5	<0.02
RS-445 320-325	<5		<0.001		<0.5	<0.02
RS-445 325-330	<5		<0.001		<0.5	<0.02
RS-445 330-335	<5		<0.001		<0.5	<0.02
RS-445 335-340	<5		<0.001		<0.5	<0.02
RS-445 340-345	<5		<0.001		<0.5	<0.02
RS-445 345-350	<5		<0.001		<0.5	<0.02
RS-445 350-355	<5		<0.001		<0.5	<0.02
RS-445 355-360	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 360-365	<5		<0.001		<0.5	<0.02
RS-445 365-370	<5		<0.001		<0.5	<0.02
RS-445 370-375	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 375-380	<5		<0.001		<0.5	<0.02
RS-445 375-380B	110		0.003		<0.5	<0.02
RS-445 380-385	5		<0.001		<0.5	<0.02
RS-445 385-390	<5		<0.001		<0.5	<0.02
RS-445 390-395	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 395-400	<5		<0.001		<0.5	<0.02
RS-445 400-405	<5		<0.001		<0.5	<0.02
RS-445 405-410	<5		<0.001		<0.5	<0.02
RS-445 410-415	<5		<0.001		<0.5	<0.02
RS-445 415-420	<5		<0.001		<0.5	<0.02
RS-445 420-425	<5		<0.001		<0.5	<0.02
RS-445 425-430	<5		<0.001		<0.5	<0.02
RS-445 430-435	<5		<0.001		<0.5	<0.02
RS-445 435-440	<5		<0.001		<0.5	<0.02
RS-445 440-445	<5		<0.001		<0.5	<0.02
RS-445 445-450	<5		<0.001		<0.5	<0.02
RS-445 450-455	<5		<0.001		<0.5	<0.02
RS-445 455-460	<5		<0.001		<0.5	<0.02
RS-445 460-465	<5		<0.001		<0.5	<0.02
RS-445 465-470	<5		<0.001		<0.5	<0.02
RS-445 470-475	<5		<0.001		<0.5	<0.02
RS-445 475-480	<5		<0.001		<0.5	<0.02
RS-445 480-485	<5		<0.001		<0.5	<0.02
RS-445 485-490	<5		<0.001		<0.5	<0.02
RS-445 490-495	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 495-500	<5		<0.001		<0.5	<0.02
RS-445 500-505	<5		<0.001		<0.5	<0.02
RS-445 505-510	<5		<0.001		<0.5	<0.02
RS-445 510-515	<5		<0.001		<0.5	<0.02
RS-445 515-520	<5		<0.001		<0.5	<0.02
RS-445 520-525	<5		<0.001		<0.5	<0.02
RS-445 525-530	<5		<0.001		<0.5	<0.02
RS-445 530-535	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 535-540	<5		<0.001		<0.5	<0.02
RS-445 540-545	<5		<0.001		<0.5	<0.02
RS-445 545-550	<5		<0.001		<0.5	<0.02
RS-445 550-555	<5		<0.001		<0.5	<0.02
RS-445 555-560	<5		<0.001		<0.5	<0.02
RS-445 560-565	<5		<0.001		<0.5	<0.02
RS-445 565-570	<5		<0.001		<0.5	<0.02
RS-445 570-575	<5		<0.001		<0.5	<0.02
RS-445 575-580	<5		<0.001		<0.5	<0.02
RS-445 580-585	<5		<0.001		<0.5	<0.02
RS-445 585-590	<5		<0.001		<0.5	<0.02
RS-445 590-595	<5		<0.001		<0.5	<0.02
RS-445 595-600	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 600-605	<5		<0.001		<0.5	<0.02
RS-445 605-610	<5		<0.001		<0.5	<0.02
RS-445 610-615	<5		<0.001		<0.5	<0.02
RS-445 615-620	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 620-625	<5		<0.001		<0.5	<0.02
RS-445 625-630	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 630-635	<5		<0.001		<0.5	<0.02
RS-445 635-640	<5		<0.001		<0.5	<0.02
RS-445 640-645	<5		<0.001		<0.5	<0.02
RS-445 645-650	<5		<0.001		<0.5	<0.02
RS-445 650-655	<5		<0.001		<0.5	<0.02
RS-445 655-660	<5		<0.001		<0.5	<0.02
RS-445 660-665	<5		<0.001		<0.5	<0.02
RS-445 665-670	<5		<0.001		<0.5	<0.02
RS-445 670-675	<5		<0.001		<0.5	<0.02
RS-445 675-680	6		<0.001		<0.5	<0.02
RS-445 675-680B	120		0.004		<0.5	<0.02
RS-445 680-685	<5		<0.001		<0.5	<0.02
RS-445 685-690	<5		<0.001		<0.5	<0.02
RS-445 690-695	<5		<0.001		<0.5	<0.02
RS-445 695-700	<5		<0.001		<0.5	<0.02
RS-445 700-705	<5		<0.001		<0.5	<0.02
RS-445 705-710	<5		<0.001		<0.5	<0.02
RS-445 710-715	<5		<0.001		<0.5	<0.02
RS-445 715-720	<5		<0.001		<0.5	<0.02
RS-445 720-725	<5		<0.001		<0.5	<0.02
RS-445 725-730	<5		<0.001		<0.5	<0.02
RS-445 730-735	<5		<0.001		<0.5	<0.02
RS-445 735-740	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 740-745	<5		<0.001		<0.5	<0.02
RS-445 745-750	<5		<0.001		<0.5	<0.02
RS-445 750-755	<5		<0.001		<0.5	<0.02
RS-445 755-760	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 760-765	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 765-770	<5		<0.001		<0.5	<0.02
RS-445 770-775	<5		<0.001		<0.5	<0.02
RS-445 775-780	<5		<0.001		<0.5	<0.02
RS-445 780-785	<5		<0.001		<0.5	<0.02
RS-445 785-790	<5		<0.001		<0.5	<0.02
RS-445 790-795	<5		<0.001		0.8	0.02
RS-445 795-800	<5		<0.001		<0.5	<0.02
RS-445 800-805	<5		<0.001		<0.5	<0.02
RS-445 805-810	<5		<0.001		<0.5	<0.02
RS-445 810-815	<5		<0.001		<0.5	<0.02
RS-445 815-820	<5		<0.001		<0.5	<0.02
RS-445 820-825	<5		<0.001		<0.5	<0.02
RS-445 825-830	<5		<0.001		<0.5	<0.02
RS-445 830-835	<5		<0.001		<0.5	<0.02
RS-445 835-840	<5		<0.001		<0.5	<0.02
RS-445 840-845	<5		<0.001		<0.5	<0.02
RS-445 845-850	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 850-855	<5		<0.001		<0.5	<0.02
RS-445 855-860	<5		<0.001		<0.5	<0.02
RS-445 860-865	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445
REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 865-870	<5		<0.001		<0.5	<0.02
RS-445 870-875	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 875-880	32	40	<0.001	0.001	<0.5	<0.02
RS-445 880-885	38		0.001		<0.5	<0.02
RS-445 885-890	54	46	0.002	0.001	<0.5	<0.02
RS-445 890-895	8		<0.001		<0.5	<0.02
RS-445 895-900	7		<0.001		<0.5	<0.02
RS-445 900-905	<5		<0.001		<0.5	<0.02
RS-445 905-910	6		<0.001		<0.5	<0.02
RS-445 910-915	<5		<0.001		<0.5	<0.02
RS-445 915-920	<5		<0.001		<0.5	<0.02
RS-445 920-925	<5		<0.001		<0.5	<0.02
RS-445 925-930	<5		<0.001		<0.5	<0.02
RS-445 930-935	<5		<0.001		<0.5	<0.02
RS-445 935-940	16		<0.001		<0.5	<0.02
RS-445 940-945	100	110	0.003	0.003	<0.5	<0.02
RS-445 945-950	96		0.003		<0.5	<0.02
RS-445 950-955	92		0.003		<0.5	<0.02
RS-445 955-960	36		0.001		<0.5	<0.02
RS-445 960-965	44	40	0.001	0.001	<0.5	<0.02
RS-445 965-970	106		0.003		<0.5	<0.02
RS-445 970-975	30		<0.001		<0.5	<0.02
RS-445 975-980	34		<0.001		<0.5	<0.02
RS-445 980-985	94		0.003		0.8	0.02
RS-445 985-990	112		0.003		0.8	0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445
REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 990-995	150	220	0.004	0.006	42.0	1.23
RS-445 995-1000	206	198	0.006	0.006	15.8	0.46
RS-445 1000-1005	258		0.008		29.7	0.87
RS-445 1005-1010	182		0.005		10.1	0.29
RS-445 1010-1015	288		0.008		3.0	0.09
RS-445 1015-1020	180		0.005		3.2	0.09
RS-445 1020-1025	152		0.004		1.3	0.04
RS-445 1025-1030	96		0.003		0.5	<0.02
RS-445 1030-1035	86		0.003		0.8	0.02
RS-445 1035-1040	168	260	0.005	0.008	2.2	0.06
RS-445 1035-1040B	138		0.004		<0.5	<0.02
RS-445 1040-1045	114		0.003		0.8	0.02
RS-445 1045-1050	140		0.004		<0.5	<0.02
RS-445 1050-1055	82		0.002		0.7	0.02
RS-445 1055-1060	48	60	0.001	0.002	<0.5	<0.02
RS-445 1060-1065	8		<0.001		<0.5	<0.02
RS-445 1065-1070	<5		<0.001		<0.5	<0.02
RS-445 1070-1075	5		<0.001		0.8	0.02
RS-445 1075-1080	5		<0.001		2.3	0.07
RS-445 1080-1085	<5		<0.001		0.8	0.02
RS-445 1085-1090	<5		<0.001		<0.5	<0.02
RS-445 1090-1095	<5		<0.001		<0.5	<0.02
RS-445 1095-1100	<5		<0.001		<0.5	<0.02
RS-445 1100-1105	<5		<0.001		<0.5	<0.02
RS-445 1105-1110	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445
REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 1110-1115	5		<0.001		<0.5	<0.02
RS-445 1115-1120	<5		<0.001		<0.5	<0.02
RS-445 1120-1125	6		<0.001		<0.5	<0.02
RS-445 1125-1130	7		<0.001		<0.5	<0.02
RS-445 1130-1135	6		<0.001		<0.5	<0.02
RS-445 1135-1140	5		<0.001		<0.5	<0.02
RS-445 1140-1145	<5		<0.001		<0.5	<0.02
RS-445 1145-1150	5		<0.001		<0.5	<0.02
RS-445 1150-1155	<5		<0.001		<0.5	<0.02
RS-445 1155-1160	<5		<0.001		<0.5	<0.02
RS-445 1160-1165	<5		<0.001		<0.5	<0.02
RS-445 1165-1170	<5		<0.001		<0.5	<0.02
RS-445 1170-1175	<5		<0.001		<0.5	<0.02
RS-445 1175-1180	<5		<0.001		<0.5	<0.02
RS-445 1180-1185	<5		<0.001		<0.5	<0.02
RS-445 1185-1190	<5		<0.001		<0.5	<0.02
RS-445 1190-1195	<5		<0.001		<0.5	<0.02
RS-445 1195-1200	<5		<0.001		<0.5	<0.02
RS-445 1200-1205	58	70	0.002	0.002	<0.5	<0.02
RS-445 1205-1210	<5		<0.001		<0.5	<0.02
RS-445 1210-1215	<5		<0.001		<0.5	<0.02
RS-445 1215-1220	<5		<0.001		<0.5	<0.02
RS-445 1220-1225	<5		<0.001		<0.5	<0.02
RS-445 1225-1230	<5		<0.001		<0.5	<0.02
RS-445 1230-1235	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 1235-1240	<5		<0.001		<0.5	<0.02
RS-445 1240-1245	<5		<0.001		<0.5	<0.02
RS-445 1245-1250	<5		<0.001		<0.5	<0.02
RS-445 1250-1255	<5		<0.001		<0.5	<0.02
RS-445 1255-1260	<5		<0.001		<0.5	<0.02
RS-445 1260-1265	<5		<0.001		<0.5	<0.02
RS-445 1265-1270	<5		<0.001		<0.5	<0.02
RS-445 1270-1275	<5		<0.001		<0.5	<0.02
RS-445 1275-1280	<5		<0.001		<0.5	<0.02
RS-445 1275-1280B	113		0.003		<0.5	<0.02
RS-445 1280-1285	<5		<0.001		<0.5	<0.02
RS-445 1285-1290	<5		<0.001		<0.5	<0.02
RS-445 1290-1295	7		<0.001		<0.5	<0.02
RS-445 1295-1300	10		<0.001		<0.5	<0.02
RS-445 1300-1305	11		<0.001		<0.5	<0.02
RS-445 1305-1310	41	36	0.001	0.001	<0.5	<0.02
RS-445 1310-1315	11		<0.001		<0.5	<0.02
RS-445 1315-1320	9		<0.001		<0.5	<0.02
RS-445 1320-1325	<5		<0.001		<0.5	<0.02
RS-445 1325-1330	<5		<0.001		<0.5	<0.02
RS-445 1330-1335	<5		<0.001		<0.5	<0.02
RS-445 1335-1340	<5		<0.001		<0.5	<0.02
RS-445 1340-1345	19	20	<0.001	<0.001	<0.5	<0.02
RS-445 1345-1350	36	40	0.001	0.001	<0.5	<0.02
RS-445 1350-1355	26		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445
REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 1355-1360	20		<0.001		<0.5	<0.02
RS-445 1360-1365	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 1365-1370	<5		<0.001		<0.5	<0.02
RS-445 1370-1375	6		<0.001		<0.5	<0.02
RS-445 1375-1380	<5		<0.001		<0.5	<0.02
RS-445 1380-1385	<5		<0.001		<0.5	<0.02
RS-445 1385-1390	<5		<0.001		<0.5	<0.02
RS-445 1390-1395	<5		<0.001		<0.5	<0.02
RS-445 1395-1400	<5		<0.001		<0.5	<0.02
RS-445 1400-1405	<5		<0.001		<0.5	<0.02
RS-445 1405-1410	<5		<0.001		<0.5	<0.02
RS-445 1410-1415	<5		<0.001		<0.5	<0.02
RS-445 1415-1420	11		<0.001		<0.5	<0.02
RS-445 1420-1425	5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 1425-1430	<5		<0.001		<0.5	<0.02
RS-445 1430-1435	<5		<0.001		<0.5	<0.02
RS-445 1435-1440	7		<0.001		<0.5	<0.02
RS-445 1440-1445	<5		<0.001		<0.5	<0.02
RS-445 1445-1450	<5		<0.001		<0.5	<0.02
RS-445 1450-1455	<5		<0.001		<0.5	<0.02
RS-445 1455-1460	<5		<0.001		<0.5	<0.02
RS-445 1460-1465	<5		<0.001		<0.5	<0.02
RS-445 1465-1470	<5		<0.001		<0.5	<0.02
RS-445 1470-1475	<5		<0.001		<0.5	<0.02
RS-445 1475-1480	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445
REPORTED : 20 JUL 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 1480-1485	<5		<0.001		<0.5	<0.02
RS-445 1485-1490	<5		<0.001		<0.5	<0.02
RS-445 1490-1495	<5	<5	<0.001	<0.001	<0.5	<0.02
RS-445 1495-1500	<5		<0.001		<0.5	<0.02
RS-445 1500-1505	<5		<0.001		<0.5	<0.02
RS-445 1505-1510	<5		<0.001		<0.5	<0.02
RS-445 1510-1515	<5		<0.001		<0.5	<0.02
RS-445 1515-1520	<5		<0.001		<0.5	<0.02
RS-445 1515-1520B	108		0.003		<0.5	<0.02
RS-445 1520-1525	<5		<0.001		<0.5	<0.02
RS-445 1525-1530	<5		<0.001		<0.5	<0.02
RS-445 1530-1535	<5		<0.001		<0.5	<0.02
RS-445 1535-1540	<5		<0.001		<0.5	<0.02
RS-445 1540-1545	<5		<0.001		<0.5	<0.02
RS-445 1545-1550	<5		<0.001		<0.5	<0.02
RS-445 1550-1555	<5		<0.001		<0.5	<0.02
RS-445 1555-1560	<5		<0.001		<0.5	<0.02
RS-445 1560-1565	<5		<0.001		<0.5	<0.02
RS-445 1565-1570	38	49	0.001	0.001	<0.5	<0.02
RS-445 1570-1575	36	36	0.001	0.001	<0.5	<0.02
RS-445 1575-1580	12		<0.001		<0.5	<0.02
RS-445 1580-1585	14		<0.001		<0.5	<0.02
RS-445 1585-1590	40		0.001		1.1	0.03
RS-445 1590-1595	40		0.001		0.8	0.02
RS-445 1595-1600	50		0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP049586



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 20 JUL 1998

SAMPLES	Au	Au(R)	Au(OZ)	Au(RZ)	Ag	Ag(OZ)
	FA30 ppb	FA30 ppb	FA30 OPT	FA30 OPT	D210 ppm	D210 OPT
RS-445 1600-1605	38		0.001		<0.5	<0.02
RS-445 1605-1610	36		0.001		0.8	0.02
RS-445 1610-1615	72		0.002		2.2	0.06
RS-445 1615-1620	68		0.002		3.5	0.10
RS-445 1620-1625	86		0.003		4.7	0.14
RS-445 1625-1630	200		0.006		14.6	0.43
RS-445 1630-1635	792	805	0.023	0.023	9.4	0.27
RS-445 1635-1640	300		0.009		3.3	0.10
RS-445 1640-1645	82		0.002		<0.5	<0.02
RS-445 1645-1650	96	100	0.003	0.003	0.8	0.02
RS-445 1650-1655	82		0.002		1.0	0.03
RS-445 1655-1660	124		0.004		1.6	0.05

AMERICAN ASSAY LABORATORIES
AAL 01-2 ICP PACKAGE DETECTION LIMITS

ELEMENT SAMPLES	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Se ppm	Sr ppm	Th ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
	0.3	0.01	2	3	1	3	0.01	0.2	1	1	1	0.01	10	0.01	1	0.01	2	1	0.01	1	0.001	3	2	0.2	1	2	0.01	8	1	2	1

0.500 GRAMS OF PULP IS DIGESTED WITH HYDROCHLORIC AND NITRIC ACID AT 95 DEGREE CENTIGRADE FOR ONE HOUR.
 DIGEST IS PARTIAL FOR B, Ba, Ca, Cr, Fe, La, Mg, Mn, Sr, Ti AND W.
 DIGEST IS LIMITED FOR Al, K AND Na.

SPARKS, NEVADA * ELKO, NEVADA * TUCSON, ARIZONA * HERMOSILLO, MEXICO * ZACATECAS, MEXICO * MENDOZA, ARGENTINA * SANTIAGO, CHILE * LIMA, PERU

CLIENT: NEWMONT GOLD COMPANY
 CLIENT REF: ROSEBUD EXPLORATION
 AAL REF: SP049586
 METHOD: AAL 01-2 + Se

AMERICAN ASSAY LABORATORIES
 1500 GLENDALE AVE.
 SPARKS, NV 89431
 PHONE: (702) 356-0606
 FAX: (702) 356-1413

ELEMENT SAMPLES	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Se ppm	Sr ppm	Th ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
RS-445 0000-0020	<.3	0.34	13	3	56	<3	0.09	<.2	<1	4	6	1.72	390	0.08	10	0.04	50	1	0.02	2	0.024	13	19	1.9	96	5	<.01	<8	4	<2	7
RS-445 0020-0040	<.3	0.39	16	<3	125	<3	0.05	0.3	<1	4	6	2.26	2720	0.12	16	0.01	45	1	0.02	2	0.042	14	24	2.5	125	7	<.01	<8	4	<2	10
RS-445 0040-0060	<.3	1.26	3	<3	257	<3	0.09	<.2	1	2	3	1.21	150	0.19	19	0.07	77	1	0.03	1	0.019	11	<3	1	32	7	<.01	<8	4	<2	18
RS-445 0060-0080	<.3	1.45	<2	<3	436	<3	0.06	<.2	1	2	3	0.93	15	0.23	19	0.06	75	<1	0.02	1	0.024	11	<3	<.1	17	6	<.01	<8	5	<2	27
RS-445 0080-0100	<.3	0.83	2	<3	174	<3	0.04	<.2	<1	3	1	0.48	170	0.16	21	0.02	33	<1	0.02	2	0.027	17	<3	0.2	48	5	<.01	<8	3	<2	14
RS-445 0100-0120	<.3	1.45	4	<3	245	<3	0.05	<.2	1	2	3	1.08	65	0.23	19	0.05	57	<1	0.02	1	0.035	15	3	0.2	40	4	0.01	<8	4	<2	25
RS-445 0120-0140	<.3	0.95	12	<3	122	<3	0.05	1.6	4	3	6	0.78	1850	0.19	23	0.02	33	1	0.02	2	0.041	20	12	0.8	185	7	<.01	<8	3	<2	89
RS-445 0140-0160	0.4	0.54	17	<3	118	<3	0.03	0.6	4	3	5	0.76	2545	0.13	24	0.01	21	1	0.02	2	0.025	27	12	0.3	104	9	<.01	<8	3	<2	99
RS-445 0160-0180	<.3	0.68	8	<3	116	<3	0.05	0.8	3	4	5	0.99	835	0.16	26	0.02	48	1	0.02	2	0.039	21	7	0.2	55	9	0.01	<8	7	<2	52
RS-445 0180-0200	<.3	0.69	2	<3	119	<3	0.06	<.2	1	6	3	1.87	125	0.21	20	0.05	78	1	0.02	2	0.03	16	8	0.3	17	9	0.05	<8	13	2	53
RS-445 0200-0220	<.3	0.64	4	3	137	<3	0.14	1.8	1	4	4	2.06	55	0.2	20	0.04	94	1	0.02	1	0.042	18	12	0.1	23	9	0.06	<8	15	2	76
RS-445 0220-0240	<.3	0.77	2	<3	118	<3	0.3	4.6	1	3	5	2.14	35	0.29	27	0.07	370	<1	0.03	1	0.052	22	7	0.2	24	9	0.04	<8	12	<2	140
RS-445 0240-0260	<.3	0.55	4	<3	86	<3	0.37	3.7	3	2	4	2.45	550	0.24	29	0.07	1641	<1	0.02	2	0.057	55	5	0.1	19	8	0.03	<8	8	<2	209
RS-445 0260-0280	<.3	0.46	14	<3	60	<3	0.36	1.2	3	2	4	2.38	1165	0.21	25	0.09	2735	<1	0.02	1	0.047	112	7	0.2	17	6	<.01	<8	4	<2	290
RS-445 0280-0300	<.3	0.48	20	<3	134	<3	0.35	2.5	3	15	5	2.13	2200	0.22	27	0.09	1446	1	0.02	7	0.055	72	10	0.5	19	7	<.01	<8	4	<2	202
RS-445 0300-0320	<.3	0.57	3	<3	634	<3	0.43	1.2	4	3	6	0.93	695	0.25	27	0.07	321	<1	0.02	1	0.058	25	4	0.1	48	6	<.01	<8	3	<2	127
RS-445 0320-0340	<.3	0.86	3	<3	678	<3	0.62	1	1	3	4	1.82	155	0.21	23	0.1	743	<1	0.03	1	0.048	18	<3	0.3	78	4	0.01	<8	6	<2	101
RS-445 0340-0360	<.3	0.7	4	<3	1006	<3	1.83	0.5	2	2	4	1.71	20	0.22	20	0.08	1677	<1	0.03	1	0.041	21	<3	<.1	117	4	<.01	<8	5	<2	93
RS-445 0360-0380	<.3	0.85	3	<3	235	<3	2.17	0.6	1	2	4	1.25	25	0.23	23	0.1	685	<1	0.03	<1	0.043	17	<3	<.1	123	4	<.01	<8	4	<2	37
RS-445 0380-0400	<.3	1	5	<3	189	<3	2.36	0.4	1	3	4	1.23	10	0.23	24	0.12	655	<1	0.04	1	0.042	17	<3	<.1	153	4	<.01	<8	4	<2	37
RS-445 0400-0420	<.3	0.99	6	<3	127	<3	2.41	0.5	1	8	4	1.24	15	0.23	24	0.12	650	<1	0.04	3	0.042	19	<3	0.3	159	4	<.01	<8	4	<2	36
RS-445 0420-0440	<.3	1.23	8	<3	111	<3	2.2	0.5	1	2	4	1.26	10	0.24	23	0.16	537	<1	0.04	<1	0.04	18	<3	0.3	200	5	<.01	<8	4	<2	39
RS-445 0440-0460	<.3	1.38	11	<3	148	3	2.25	0.9	1	2	4	1.44	15	0.26	23	0.18	464	<1	0.05	1	0.037	19	<3	<.1	225	4	<.01	<8	5	<2	50
RS-445 0460-0480	<.3	0.83	17	3	164	<3	2.75	0.6	1	2	3	1.86	10	0.29	26	0.11	639	1	0.04	<1	0.031	27	3	0.5	140	6	0.01	<8	7	<2	55
RS-445 0480-0500	<.3	0.6	4	<3	404	<3	2.21	1.3	1	2	1	1.82	20	0.21	25	0.07	554	<1	0.04	<1	0.036	26	<3	<.1	124	6	0.02	<8	7	<2	52
RS-445 0500-0520	<.3	0.79	4	<3	254	<3	2.21	1	1	2	3	1.61	15	0.19	22	0.11	663	<1	0.05	<1	0.04	19	<3	<.1	183	6	0.01	<8	6	<2	47
RS-445 0520-0540	<.3	1.12	<2	<3	371	<3	2.65	1.1	1	3	3	1.38	10	0.19	22	0.16	1019	<1	0.05	<1	0.041	15	<3	<.1	267	5	<.01	<8	5	<2	39
RS-445 0540-0560	<.3	1.21	<2	<3	424	<3	1.96	0.5	1	2	3	1.42	10	0.17	22	0.19	803	<1	0.06	<1	0.04	12	<3	0.4	298	6	<.01	<8	5	<2	41
RS-445 0560-0580	<.3	0.94	<2	<3	478	<3	2.23	0.5	1	2	3	1.41	15	0.2	21	0.12	685	<1	0.05	<1	0.04	18	<3	0.2	231	6	<.01	<8	5	<2	38
RS-445 0580-0600	<.3	1.1	<2	<3	126	<3	2.04	0.3	1	2	4	1.39	10	0.2	23	0.14	706	<1	0.06	<1	0.041	15	<3	<.1	252	6	<.01	<8	5	<2	44
RS-445 0600-0620	<.3	0.83	<2	<3	183	<3	1.97	0.7	1	3	6	1.7	10	0.19	23	0.1	818	1	0.06	<1	0.033	13	<3	0.1	172	6	<.01	<8	5	<2	57
RS-445 0620-0640	<.3	0.79	3	<3	94	<3	1.63	0.7	1	3	4	1.54	10	0.23	25	0.11	544	1	0.05	<1	0.034	14	<3	0.1	150	7	<.01	<8	5	<2	60
RS-445 0640-0660	<.3	0.83	2	<3	94	<3	1.71	0.8	1	3	4	1.54	20	0.25	24	0.11	561	1	0.05	<1	0.033	13	<3	0.2	158	7	0.01	<8	5	<2	62
STANDARD C3	5.4	1.94	57	18	152	23	0.55	24.1	12	178	66	3.39	935	0.16	17	0.61	773	26	0.04	38	0.091	36	20	1.3	29	21	0.09	20	82	17	166
STANDARD G-2	<.3	1.02	2	<3	232	<3	0.61	<.2	4	77	3	1.98	10	0.48	7	0.59	523	1	0.09	7	0.096	4	<3	<.1	75	5	0.13	<8	40	3	43

CLIENT: NEWMONT GOLD COMPANY
 CLIENT REF: ROSEBUD EXPLORATION
 AAL REF: SP049586
 METHOD: AAL 01-2 + Se

AMERICAN ASSAY LABORATORIES
 1500 GLENDALE AVE.
 SPARKS, NV 89431
 PHONE: (702) 356-0606
 FAX: (702) 356-1413

ELEMENT SAMPLES	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Se ppm	Sr ppm	Th ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
RS-445 0660-0680	<.3	0.8	4	<3	85	<3	1.57	0.4	1	4	4	1.8	20	0.26	24	0.09	554	1	0.05	1	0.026	14	<3	<.1	116	9	0.02	<8	4	<2	78
RS-445 0680-0700	<.3	0.38	3	3	46	<3	0.68	0.9	1	11	7	1.78	20	0.14	19	0.03	719	2	0.04	4	0.018	9	<3	<.1	47	10	0.01	<8	3	2	55
RS-445 0700-0720	<.3	0.42	4	<3	50	<3	0.12	1.4	1	7	5	1.73	60	0.17	22	0.02	589	2	0.03	2	0.014	14	3	<.1	15	11	0.02	<8	3	3	89
RS-445 0720-0740	<.3	0.54	<2	<3	26	<3	1.61	0.6	1	5	3	1.55	10	0.2	25	0.04	813	1	0.03	2	0.018	13	<3	<.1	65	11	0.01	<8	3	<2	63
RS-445 0740-0760	<.3	0.64	2	<3	35	<3	2.91	0.5	<1	2	2	1.48	15	0.22	31	0.05	1075	1	0.03	<1	0.02	21	<3	<.1	110	9	0.01	<8	2	<2	76
RS-445 0760-0780	<.3	0.59	7	<3	58	<3	1.21	0.5	1	5	4	1.52	90	0.2	28	0.04	698	1	0.02	1	0.019	18	3	0.1	54	9	0.01	<8	2	<2	93
RS-445 0780-0800	0.6	0.33	4	<3	66	<3	0.11	<.2	1	22	10	1.92	210	0.15	20	0.02	387	4	0.02	9	0.016	15	<3	<.1	17	10	0.02	<8	3	3	81
RS-445 0800-0820	<.3	0.55	<2	<3	142	<3	0.96	0.5	<1	7	4	1.09	70	0.26	27	0.04	397	1	0.02	2	0.017	18	3	<.1	45	10	<.01	<8	2	<2	46
RS-445 0820-0840	<.3	0.95	2	<3	378	<3	2.53	0.4	1	5	3	0.7	10	0.25	20	0.08	725	1	0.03	2	0.016	22	<3	0.2	98	7	<.01	<8	2	<2	38
RS-445 0840-0860	<.3	0.82	<2	<3	196	<3	1.88	0.5	<1	4	2	0.71	80	0.22	18	0.07	958	1	0.02	2	0.014	23	<3	<.1	81	8	<.01	<8	2	<2	64
RS-445 0860-0880	<.3	0.63	3	<3	67	<3	0.73	0.5	1	7	5	1.1	85	0.18	19	0.06	1480	1	0.02	2	0.016	24	3	0.7	61	8	<.01	<8	1	<2	81
RS-445 0880-0900	<.3	0.42	5	<3	209	<3	0.32	0.3	1	13	7	1.45	165	0.17	16	0.03	389	2	0.02	5	0.015	18	6	1.1	31	7	<.01	<8	2	2	75
RS-445 0900-0920	0.3	0.5	3	<3	127	3	0.37	0.3	1	4	3	1.44	190	0.16	20	0.05	1531	<1	0.01	2	0.017	23	<3	<.1	32	8	<.01	<8	1	<2	70
RS-445 0920-0940	<.3	0.4	3	<3	37	<3	0.42	0.6	1	5	4	1.42	205	0.15	18	0.04	2326	1	0.01	2	0.018	27	4	0.3	30	8	<.01	<8	1	<2	94
RS-445 0940-0960	<.3	0.35	11	<3	69	<3	0.23	0.5	1	7	5	1.71	340	0.13	18	0.02	1642	1	0.01	3	0.017	29	10	5.5	25	7	<.01	<8	1	<2	79
RS-445 0960-0980	0.3	0.33	20	<3	52	<3	0.24	0.5	1	12	6	1.89	340	0.14	21	0.02	3105	1	0.01	5	0.021	31	16	7	26	8	<.01	<8	1	<2	104
RS-445 0980-1000	13	0.33	49	<3	60	3	0.12	0.4	1	15	9	2.38	885	0.13	12	0.01	433	2	0.01	7	0.009	21	19	9.4	15	5	<.01	<8	1	<2	119
RS-445 1000-1020	14.4	0.37	39	<3	71	<3	0.09	0.3	2	19	10	2.06	710	0.1	12	0.01	263	2	0.01	8	0.011	20	20	10.3	11	5	<.01	<8	1	<2	116
RS-445 1020-1040	1.1	0.45	23	<3	65	<3	0.12	0.2	1	12	6	1.99	695	0.12	13	0.01	241	1	0.01	5	0.014	23	21	8.5	15	7	<.01	<8	1	<2	100
RS-445 1040-1060	0.6	0.5	19	<3	101	3	0.16	0.4	1	7	5	1.58	815	0.14	16	0.02	374	1	0.01	3	0.017	23	15	4.5	20	7	<.01	<8	1	<2	124
RS-445 1060-1080	1.5	0.68	9	<3	170	<3	0.31	0.9	3	5	6	1.73	660	0.25	28	0.07	2169	1	0.01	3	0.039	27	8	1.1	32	8	<.01	<8	6	<2	153
RS-445 1080-1100	0.4	0.7	7	<3	191	<3	0.33	0.7	2	7	5	1.65	355	0.29	30	0.08	1483	1	0.01	3	0.036	25	8	1.1	36	8	<.01	<8	8	<2	150
RS-445 1100-1120	<.3	0.6	6	<3	87	3	0.31	0.9	2	7	4	1.56	285	0.3	26	0.03	1328	1	0.02	3	0.027	24	5	1.2	37	7	<.01	<8	2	<2	110
RS-445 1120-1140	0.5	0.56	6	<3	74	4	0.27	0.6	2	7	7	1.99	300	0.29	24	0.03	898	1	0.01	3	0.027	23	5	1.2	30	7	<.01	<8	3	<2	78
RS-445 1140-1160	<.3	0.55	4	<3	123	<3	0.6	0.4	1	6	6	1.7	205	0.31	21	0.04	825	1	0.01	2	0.025	19	6	0.8	41	7	<.01	<8	3	<2	75
RS-445 1160-1180	0.3	0.78	<2	<3	105	<3	1.2	0.5	1	7	3	1.29	40	0.39	27	0.05	515	1	0.02	2	0.027	18	3	<.1	70	9	<.01	<8	4	2	51
RS-445 1180-1200	<.3	0.71	10	<3	209	3	1.36	0.4	1	4	4	1.26	130	0.32	23	0.05	678	1	0.02	2	0.021	17	6	<.1	73	8	<.01	<8	3	<2	49
RS-445 1200-1220	<.3	0.44	31	<3	76	<3	0.45	<.2	1	7	6	1.99	540	0.24	11	0.01	288	2	0.02	4	0.011	18	11	1.3	30	8	<.01	<8	2	2	34
RS-445 1220-1240	<.3	0.67	6	<3	69	<3	0.79	0.3	1	5	5	1.54	120	0.32	21	0.04	1727	1	0.01	2	0.021	19	7	0.2	47	8	<.01	<8	3	<2	58
RS-445 1240-1260	<.3	0.67	5	<3	91	<3	1.36	0.2	1	8	5	1.48	50	0.31	18	0.03	1042	2	0.02	3	0.014	19	5	0.1	76	10	<.01	<8	2	<2	40
RS-445 1260-1280	0.3	0.59	3	<3	93	<3	2.14	0.5	<1	4	2	1.33	10	0.3	22	0.02	894	1	0.02	1	0.012	22	4	<.1	112	11	<.01	<8	1	2	22
RS-445 1280-1300	<.3	0.84	8	<3	66	<3	0.44	0.3	1	6	5	1.28	135	0.36	18	0.03	663	2	0.02	2	0.012	23	7	0.1	58	10	<.01	<8	1	<2	56
RS-445 1300-1320	<.3	0.63	12	<3	68	<3	0.38	0.3	1	8	9	1.48	285	0.29	16	0.02	710	2	0.02	3	0.01	24	10	2.1	64	9	<.01	<8	1	<2	63
STANDARD C3	5.7	1.9	58	20	152	23	0.55	24.3	12	177	66	3.39	930	0.16	17	0.61	788	26	0.04	38	0.093	36	20	0.7	29	21	0.09	26	82	20	166
STANDARD G-2	<.3	0.94	<2	<3	219	3	0.57	<.2	4	72	3	1.86	<10	0.45	5	0.55	488	1	0.08	7	0.09	<3	<3	<.1	69	4	0.12	<8	38	<2	39

CLIENT: NEWMONT GOLD COMPANY
 CLIENT REF: ROSEBUD EXPLORATION
 AAL REF: SP049586
 METHOD: AAL 01-2 + Se

AMERICAN ASSAY LABORATORIES
 1500 GLENDALE AVE.
 SPARKS, NV 89431
 PHONE: (702) 356-0606
 FAX: (702) 356-1413

ELEMENT SAMPLES	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Se ppm	Sr ppm	Th ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
RS-445 1320-1340	<.3	0.87	7	<3	44	<3	0.29	0.5	1	6	5	1.64	215	0.34	20	0.03	1070	2	0.02	2	0.012	23	9	0.4	57	10	<.01	<8	1	<2	65
RS-445 1340-1360	<.3	0.71	10	<3	48	<3	0.32	0.4	1	14	7	1.5	215	0.33	20	0.03	1100	3	0.02	3	0.013	26	9	2.1	58	9	<.01	<8	1	3	65
RS-445 1360-1380	0.3	0.52	4	<3	81	3	1.74	0.3	1	4	1	1.29	40	0.29	22	0.02	907	2	0.02	1	0.01	24	4	0.7	103	10	<.01	<8	1	2	23
RS-445 1380-1400	0.3	0.67	4	<3	93	3	1.98	0.4	1	14	5	1.59	60	0.31	23	0.03	1200	2	0.02	2	0.012	26	4	0.6	117	10	<.01	<8	2	2	31
RS-445 1400-1420	0.4	0.86	5	<3	71	<3	1.79	0.5	1	11	5	1.73	45	0.3	26	0.06	1241	1	0.03	2	0.024	22	<3	0.8	117	9	<.01	<8	2	<2	47
RS-445 1420-1440	0.3	0.75	5	<3	74	4	0.96	0.3	2	14	5	1.91	85	0.3	25	0.05	1188	2	0.03	3	0.02	23	4	0.3	82	8	<.01	<8	2	<2	57
RS-445 1440-1460	<.3	1.09	4	<3	83	<3	2.04	0.8	2	8	5	2.19	85	0.41	25	0.09	1594	2	0.03	2	0.025	19	<3	0.2	150	6	<.01	<8	5	<2	54
RS-445 1460-1480	0.3	0.61	3	<3	77	4	1.91	0.4	2	10	4	1.97	<10	0.28	28	0.05	652	2	0.04	2	0.023	21	<3	0.1	134	8	0.01	<8	4	2	27
RS-445 1480-1500	0.4	0.68	2	<3	359	<3	2.36	0.7	1	4	3	0.7	30	0.4	32	0.04	1098	1	0.03	2	0.011	22	<3	0.4	165	4	<.01	<8	1	<2	35
RS-445 1500-1520	<.3	0.62	4	<3	325	<3	2.04	0.4	1	6	3	0.64	80	0.42	29	0.03	923	1	0.03	2	0.015	23	3	0.2	155	4	<.01	<8	1	<2	33
RS-445 1520-1540	0.3	0.79	7	<3	323	<3	1.92	0.2	2	8	7	1.51	105	0.43	26	0.04	1101	2	0.02	4	0.019	29	5	<.1	124	6	<.01	<8	1	<2	72
RS-445 1540-1560	0.3	0.68	5	<3	115	<3	2.55	0.3	2	8	5	1.13	110	0.4	26	0.04	1046	1	0.03	3	0.024	26	6	<.1	135	5	<.01	<8	1	<2	76
RS-445 1560-1580	0.3	0.67	12	<3	149	4	0.89	0.4	3	19	9	1.89	145	0.37	26	0.04	1230	3	0.02	5	0.024	24	7	1.8	100	5	<.01	<8	2	<2	100
RS-445 1580-1600	1	0.75	14	<3	116	<3	0.34	0.5	3	12	7	1.89	600	0.41	27	0.03	890	2	0.02	4	0.027	30	7	4.3	75	6	<.01	<8	2	<2	133
RS-445 1600-1620	2.1	0.47	27	<3	96	<3	0.25	0.9	3	15	10	2.27	290	0.3	23	0.02	269	3	0.02	5	0.02	27	11	7.3	58	6	<.01	<8	1	2	137
RS-445 1620-1640	7.9	0.42	298	<3	137	3	0.3	0.4	3	26	14	2.12	205	0.23	20	0.02	1122	5	0.02	5	0.017	21	14	14	51	6	<.01	<8	2	2	71
RS-445 1640-1660	1.3	0.4	106	<3	90	<3	0.26	0.4	2	17	9	2.36	220	0.24	18	0.02	1591	3	0.02	4	0.022	29	11	6.2	43	6	<.01	<8	2	<2	91
STANDARD C3	5.5	1.87	55	18	144	21	0.54	23.6	13	166	62	3.54	915	0.16	17	0.6	793	25	0.04	37	0.088	37	19	2	29	21	0.09	17	79	15	165
STANDARD G-2	<.3	1.02	<2	<3	286	<3	0.64	<.2	5	81	1	2.31	<10	0.5	7	0.61	571	2	0.09	8	0.098	4	<3	<.1	74	3	0.15	<8	41	2	41



**American
Assay
Laboratories**

INVOICE

Remit To: P.O. Box11530
Reno, Nevada 89510
Phone NO.: 702-356-0606
Fax No.: 702-356-1413

AMERICAN ASSAY LABORATORIES
1500 GLENDALE AVE.
SPARKS, NV 89431-5902

INVOICE NO: SP 0049585-IN
INVOICE DATE: 08/07/98

(702) 356-0606

INVOICE TO:
NEWMONT EXPLORATION LTD.
861 W. 6TH STREET
WINNEMUCCA NV 89445

NEWMONT EXPLORATION LTD.
861 W. 6TH STREET
WINNEMUCCA NV 89445

CUSTOMER P.O. PROJECT TERMS
RS-445 RS EXPLORATION NET 30 - DUE IN U.S. DOLLARS
Drill Cuttings

QUANTITY	DESCRIPTION	PRICE	AMOUNT
337	SAMPLES RECEIVED	.00	.00
332	DRYING	1.00	332.00
332	JAW CRUSHING CHARGE	1.30	431.60
332	SPLITTING CHARGE	1.20	398.40
332	FINE MILLING CHARGE	2.00	664.00
337	AU (1 A.T. FIRE ASSAY)	8.00	2,696.00
332	COMPOSITE CHARGE	1.00	332.00
88	MULTI-ELEMENT ICP PACKAGE	9.80	813.40
83	Se ANALYSES	7.15	593.45

COPY

INVOICE: 6,260.85
DISCOUNT: 2,191.30
FREIGHT: .00

INVOICE TOTAL: 4,069.55

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP050360



**American
Assay
Laboratories**

PO BOX 11530
RENO NV, USA
Ph. (702) 356-0606, Fax. (702) 356-1413

NEWMONT GOLD COMPANY

COPIES TO : C. BALLEW
: R. VANCE
:
:

CLIENT REFERENCE No: RS-445
No. SAMPLES : 47
MAIN SAMPLE TYPE : DRILL CORE

RECEIVED : 28 AUG 1998
REPORTED : 28 AUG 1998

NEVADA LEGISLATIVE DISCLAIMER :-

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project.

ANALYSIS	ANALYTICAL METHOD	QUALITY PARAMETER	UNIT	DETECTION
Au	FA30	15%		
Au(R)	FA30	15%	ppb	5
Au(OZ)	FA30	15%	ppb	5
Au(RZ)	FA30	15%	OPT	0.001
Ag	D210	10%	OPT	0.001
Ag(OZ)	D210	10%	ppm	0.5
			OPT	0.02

SIGNATORY : Susan King M.S.

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP050360



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 28 AUG 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 1660-1663	90		0.003		0.7	0.02
RS-445 1663-1666	48		0.001		0.8	0.02
RS-445 1666-1670	149		0.004		1.0	0.03
RS-445 1670.0-1674.7	136		0.004		1.1	0.03
RS-445 1674.7-1679.7	30		<0.001		<0.5	<0.02
RS-445 1679.7-1684.2	48		0.001		<0.5	<0.02
RS-445 1684.2-1689.4	22		<0.001		<0.5	<0.02
RS-445 1689.4-1694.7	10		<0.001		0.6	<0.02
RS-445 1694.7-1699.5	166		0.005		1.3	0.04
RS-445 1699.5-1702.8	8		<0.001		0.8	0.02
RS-445 1702.8-1704.8	78		0.002		3.6	0.11
RS-445 1704.8-1710.0	22		<0.001		0.9	0.03
RS-445 1710.0-1714.6	78		0.002		1.3	0.04
RS-445 1714.6-1718.3	32		<0.001		1.3	0.04
RS-445 1718.3-1721.8	82		0.002		3.6	0.11
RS-445 1721.8-1725.1	70		0.002		2.6	0.08
RS-445 1725.1-1728.5	40		0.001		1.7	0.05
RS-445 1728.5-1730.4	412	436	0.012	0.013	2.8	0.08
RS-445 1730.4-1735.6	82		0.002		1.8	0.05
RS-445 1735.6-1737.1	193		0.006		2.2	0.06
RS-445 1737.1-1739.5	74		0.002		0.9	0.03
RS-445 1739.5-1740.5	54		0.002		1.2	0.04
RS-445 1740.5-1745.7	30		<0.001		<0.5	<0.02
RS-445 1745.7-1747.8	88		0.003		<0.5	<0.02
RS-445 1747.8-1751.5	24		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP050360



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 28 AUG 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 1751.5-1753.5	94		0.003		<0.5	<0.02
RS-445 1753.5-1756.9	92		0.003		<0.5	<0.02
RS-445 1756.9-1760.5	170		0.005		0.8	0.02
RS-445 1760.5-1766.8	36		0.001		0.9	0.03
RS-445 1766.8-1771.9	92		0.003		1.4	0.04
RS-445 1771.9-1772.6	398		0.012		8.0	0.23
RS-445 1772.6-1774.4	192		0.006		2.2	0.06
RS-445 1774.4-1780.4	88		0.003		1.7	0.05
RS-445 1780.4-1783.0	SAMPLE NOT RECEIVED					
RS-445 1783.0-1786.8	40		0.001		<0.5	<0.02
RS-445 1786.8-1791.6	48		0.001		<0.5	<0.02
RS-445 1791.6-1795.7	72		0.002		1.0	0.03
RS-445 1795.7-1800.5	88		0.003		<0.5	<0.02
RS-445 1800.5-1806.3	18		<0.001		<0.5	<0.02
RS-445 1806.3-1809.1	96		0.003		<0.5	<0.02
RS-445 1809.1-1814.0	60		0.002		5.2	0.15
RS-445 1814.0-1819.1	10		<0.001		<0.5	<0.02
RS-445 1819.1-1824.2	<5		<0.001		<0.5	<0.02
RS-445 1824.2-1829.0	10		<0.001		<0.5	<0.02
RS-445 1829.0-1832.3B	94	78	0.003	0.002	<0.5	<0.02
RS-445 1829.0-1832.3	98		0.003		10.0	0.29
RS-445 1832.3-1832.9	48		0.001		1.1	0.03
RS-445 1832.9-1836.0	18		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
AAL 01-2 ICP PACKAGE DETECTION LIMITS

ELEMENT SAMPLES	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Se ppm	Sr ppm	Th ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
	0.3	0.01	2	3	1	3	0.01	0.2	1	1	1	0.01	10	0.01	1	0.01	2	1	0.01	1	0.001	3	2	0.2	1	2	0.01	8	1	2	1

0.500 GRAMS OF PULP IS DIGESTED WITH HYDROCHLORIC AND NITRIC ACID AT 95 DEGREE CENTIGRADE FOR ONE HOUR.
 DIGEST IS PARTIAL FOR B, Ba, Ca, Cr, Fe, La, Mg, Mn, Sr, Ti AND W.
 DIGEST IS LIMITED FOR Al, K AND Na.

SPARKS, NEVADA * ELKO, NEVADA * TUCSON, ARIZONA * HERMOSILLO, MEXICO * ZACATECAS, MEXICO * MENDOZA, ARGENTINA * SANTIAGO, CHILE * LIMA, PERU

CLIENT: **NEWMONT GOLD COMPANY**
 CLIENT REF: **ROSEBUD EXPLORATION**
 AAL REF: **SP050360**
 METHOD: **AAL 01-2 + Se**

AMERICAN ASSAY LABORATORIES
 1500 GLENDALE AVE.
 SPARKS, NV 89431
 PHONE: (702) 356-0606
 FAX: (702) 356-1413

ELEMENT SAMPLES	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Se ppm	Sr ppm	Th ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
RS-445 1660-1666	0.7	0.29	9	< 3	121	< 3	0.13	0.5	1	1	5	1.67	80	0.2	19	0.01	47	1	0.01	1	0.022	25	8	5.6	39	7	< .01	< 8	1	< 2	23
RS-445 1666.0-1679.7	0.9	0.32	11	3	178	< 3	0.12	< .2	1	1	5	1.47	55	0.2	19	0.01	49	1	0.01	2	0.02	27	8	5.8	39	7	< .01	< 8	2	< 2	28
RS-445 1679.7-1689.4	0.5	0.32	5	< 3	134	< 3	0.15	0.2	< 1	2	6	1.46	40	0.21	21	0.01	82	1	0.01	2	0.019	24	5	2.6	38	8	< .01	< 8	1	< 2	21
RS-445 1689.4-1702.8	0.8	0.33	13	3	99	< 3	0.37	0.2	< 1	2	6	1.88	55	0.28	19	0.01	239	1	0.01	2	0.021	23	7	2.7	39	6	< .01	< 8	2	< 2	27
RS-445 1702.8-1704.8	3.1	0.29	74	< 3	61	< 3	0.13	< .2	2	2	8	3.5	505	0.31	16	0.01	99	1	0.01	3	0.016	32	12	4.8	35	5	< .01	< 8	2	< 2	29
RS-445 1704.8-1718.3	1.1	0.37	20	3	78	< 3	0.14	0.2	1	3	7	2.08	50	0.27	20	0.01	65	1	0.01	2	0.022	28	8	4.8	37	7	< .01	< 8	1	< 2	34
RS-445 1718.3-1735.6	3.3	0.33	75	< 3	141	< 3	0.17	0.2	1	1	6	1.63	90	0.26	17	0.01	67	1	0.01	2	0.02	24	11	13.7	44	6	< .01	< 8	1	< 2	74
RS-445 1735.6-1737.1	2.1	0.3	97	< 3	182	< 3	2.41	0.9	1	6	9	2	115	0.26	6	0.02	1066	17	0.01	4	0.012	29	13	8.1	70	< 2	< .01	< 8	2	< 2	66
RS-445 1737.1-1740.6	1.1	0.31	91	< 3	16	< 3	0.19	0.4	1	< 1	6	1.84	115	0.27	14	0.01	57	2	0.01	2	0.02	29	16	7.3	46	5	< .01	< 8	2	< 2	91
RS-445 1740.6-1756.9	0.4	0.35	36	< 3	131	< 3	0.21	0.2	2	1	7	1.74	135	0.26	13	0.01	86	1	0.01	2	0.018	22	11	2.4	47	5	< .01	< 8	1	< 2	101
RS-445 1756.9-1760.5	0.9	0.29	35	< 3	29	< 3	0.3	0.5	1	1	6	1.71	170	0.24	20	0.01	100	1	0.01	1	0.026	33	12	8.3	48	8	< .01	< 8	< 1	< 2	89
RS-445 1760.5-1771.9	1.1	0.38	109	< 3	93	< 3	0.17	< .2	1	1	7	1.79	115	0.24	23	0.01	58	1	0.01	2	0.024	31	12	8.1	49	8	< .01	< 8	1	< 2	63
RS-445 1771.9-1774.4	5.9	0.33	320	< 3	23	< 3	0.12	0.5	2	3	11	2.2	120	0.2	18	0.01	79	40	0.01	3	0.012	34	22	21.8	39	7	< .01	< 8	1	2	48
RS-445 1774.4-1780.4	1.9	0.34	136	< 3	60	< 3	0.15	< .2	2	1	7	1.61	90	0.21	27	0.01	51	1	0.01	2	0.023	28	11	12.5	43	10	< .01	< 8	1	3	68
RS-445 1783.0-1800.5	0.7	0.37	46	< 3	138	< 3	0.24	< .2	1	2	6	1.19	85	0.24	25	0.01	64	1	0.01	2	0.055	27	6	6.4	44	9	< .01	< 8	1	< 2	33
RS-445 1800.5-1809.1	0.3	0.43	11	< 3	31	< 3	0.82	< .2	< 1	2	5	1.35	40	0.26	16	0.01	370	< 1	0.01	2	0.061	20	6	2	63	6	< .01	< 8	1	< 2	27
RS-445 1809.1-1829.0	1.7	0.53	21	< 3	24	< 3	1.23	< .2	1	3	7	1.76	20	0.26	11	0.02	538	1	0.01	2	0.018	20	6	3.6	101	4	< .01	< 8	1	< 2	38
RS-445 1829.0-1832.3	13.2	0.36	1841	< 3	21	< 3	1.95	0.6	2	6	41	2.26	90	0.22	9	0.01	1182	2	0.01	4	0.017	18	55	51.1	68	2	< .01	< 8	1	< 2	107
RS-445 1832.3-1832.9	0.9	0.39	147	3	152	< 3	0.3	0.7	2	3	6	1.49	225	0.23	13	0.01	136	1	0.01	2	0.027	25	11	7	56	6	< .01	< 8	< 1	< 2	91
RS-445 1832.9-1836.0	0.4	0.38	66	< 3	105	< 3	0.76	< .2	1	2	7	1.86	175	0.24	11	0.01	453	1	0.01	2	0.018	21	5	2	73	5	< .01	< 8	1	< 2	89
STANDARD C3	5.4	1.78	51	21	144	22	0.54	23.1	12	168	61	3.38	920	0.14	16	0.56	766	26	0.04	36	0.087	40	18	0.5	29	19	0.09	22	82	16	175
STANDARD G-2	< .3	0.94	< 2	< 3	230	3	0.59	< .2	4	72	3	1.99	< 10	0.46	5	0.57	513	2	0.07	7	0.097	< 3	< 3	0.3	73	4	0.12	< 8	40	2	43



**American
Assay
Laboratories**

INVOICE

Remit To: P.O. Box11530
Reno, Nevada 89510
Phone NO.: 702-356-0606
Fax No.: 702-356-1413

AMERICAN ASSAY LABORATORIES
1500 GLENDALE AVE.
SPARKS, NV 89431-5902

INVOICE NO: SP 0050360-IN
INVOICE DATE: 09/18/98

(702) 356-0606

INVOICE TO:
NEWMONT EXPLORATION LTD.
861 W. 6TH STREET
WINNEMUCCA NV 89445

NEWMONT EXPLORATION LTD.
861 W. 6TH STREET
WINNEMUCCA NV 89445

CUSTOMER P.O. PROJECT TERMS
RS-445 ROSEBUD EXPLOR. NET 30 - DUE IN U.S. DOLLARS

QUANTITY	DESCRIPTION	PRICE	AMOUNT
47	SAMPLES RECEIVED	.00	.00
46	DRYING	1.00	46.00
46	JAW CRUSHING CHARGE	1.30	59.80
46	SPLITTING CHARGE	1.20	55.20
46	FINE MILLING CHARGE	2.00	92.00
47	Au (1 A.T. FIRE ASSAY)	8.00	376.00
47	HYDROCHLORIC/NITRIC DIGESTION	2.00	94.00
47	Ag ANALYSES	1.00	47.00
39	COMPOSITE CHARGE	1.00	39.00
20	MULTI-ELEMENT ICP PACKAGE	9.80	196.00
20	Sr ANALYSES	7.15	143.00

\$ 746.20

COPY

INVOICE	1,143.00
DISCOUNT	401.80
FREIGHT	.00

INVOICE TOTAL	746.20

SP

SUBMITTAL FORM



American Assay Laboratories

Company: Newmont Gold Co

Address: 861 West 6th Street

City Winnemucca State NV Zip 89445

Telephone Number: (702) 623-3493 Fax Number: () _____

Project Name: Rosebud Exploration Purchase Order Number: _____

Date Submitted: 7/15/98 Number of Samples: 332
+ 5 pulps

Geochemical • Environmental • Metallurgical

Sparks Office
1500 Glendale Ave.
Nevada 89431
Box 11530
Reno, NV 89510
Telephone
(702) 356-0606
Fax
(702) 356-1413

Tucson Office
2775 E. Ganley
Tucson, AZ 85706
Telephone
(520) 294-8078
Fax
(520) 294-6352

Elko Office
2320 Last Chance Rd.
Nevada 89801
Box 2908
Elko, NV 89801
Telephone
(702) 738-9100
Fax
(702) 738-2594

Mazatlan Office
Telephone/Fax
011-52-69-170035

Other Offices
Lima, Peru
Santiago, Chile
Mendoza, Argentina

RESULTS REPORTED IN: ppm [] ppb [] opt []

SAMPLE IDENTIFICATION	TYPE	ELEMENTS REQUIRED
<u>RS-445: 0-1660'</u> <u>(every 5 Feet)</u>	<u>RC</u>	<u>Au (30g FA+AA), Ag D210, PLUS</u> <u>ICP Package + Hg + Se on</u> <u>20 Foot Composites: 0-20, 20-40, etc</u>
<u>Standards: 380B</u>	<u>Pulp</u>	<u>Au, Ag D210 only.</u>
<u>680B</u>	<u>"</u>	<u>"</u>
<u>1040B</u>	<u>"</u>	<u>"</u>
<u>1280B</u>	<u>"</u>	<u>"</u>
<u>1520B</u>	<u>"</u>	<u>"</u>

MS-1 (RMG1) <u>380B</u>	PEEL HERE	RS-445 MS-2 MS-2 680B	MS-1 (RMG1) <u>1040B</u>	PEEL HERE	MS-2 MS-2 1280B	MS-1 (RMG1) <u>1520B</u>
-------------------------------	-----------	--	--------------------------------	-----------	------------------------------	--------------------------------

COARSE REJECTS (Normally Discarded After 60 Days)

[] Return COD after analysis complete

RESULTS AND INVOICES TO BE SENT TO:

Invoice to:

Charlotte Ballew
Winnemucca

Results to:

Randall Vance
NGC
Winnemucca

PULPS (Normally Stored Free For One Month)

[] Discard after one month

[X] Return COD after one month

Comments:

Newmont Standard Prep



SILVER STATE
SURVEYS, INC.

CUSTOMER-----: NEWMONT EXPLORATION
MINE SITE-----: ROSEBUD
HOLE NO.-----: RS-445
DATE-----: 07-21-98

TIE IN COORDINATES
ELEVATION-----: 0
NORTH+/SOUTH-----: 0
EAST+/WEST-----: 0

WATER LEVEL-----: 0
PROJECTED DEPTH-----: 0

* SURVEY CERTIFIED BY
*
*  *AUSSEL*
*

MEAS DEPTH (FEET)	TRUE VERTICAL DEPTH (FEET)	TRUE VERTICAL X-SECTION (FEET)	INCL (HORZ) (DEG)	DIRECTION (AZIMUTH)	RECTANGULAR COORDINATES		DOGLEG 1.00/FT (DEGREES)	CLOSURE DISTANCE (FEET)	CLOSURE DIR (DEG)
					N+/S- (FEET)	E+/W- (FEET)			
0	0.00	0.00	-90.00	0.00	0.00	0.00	0.00	0.00	0.00
50	50.00	0.37	-89.15	39.44	0.29	0.24	1.70	0.37	39.44
100	99.99	1.28	-88.76	51.70	0.91	0.90	0.89	1.28	44.61
150	149.98	2.34	-88.78	38.53	1.66	1.65	0.57	2.34	44.86
200	199.96	3.46	-88.40	8.01	2.77	2.08	1.66	3.46	36.94
250	249.94	4.71	-88.39	2.48	4.16	2.21	0.31	4.71	27.96
300	299.92	6.17	-87.98	1.75	5.74	2.27	0.82	6.17	21.53
350	349.88	8.04	-87.54	1.27	7.70	2.32	0.88	8.04	16.75
400	399.84	10.02	-87.77	0.97	9.74	2.36	0.46	10.02	13.60
450	449.80	12.03	-87.53	0.11	11.79	2.38	0.49	12.03	11.39
500	499.75	14.17	-87.48	1.81	13.97	2.41	0.18	14.17	9.80
550	549.70	16.39	-87.41	7.90	16.19	2.60	0.56	16.39	9.13
600	599.65	18.65	-87.39	2.30	18.44	2.80	0.51	18.65	8.64
650	649.60	20.90	-87.44	2.10	20.70	2.89	0.10	20.90	7.95
700	699.54	23.18	-87.28	0.04	23.00	2.93	0.37	23.18	7.26
750	749.48	25.79	-86.72	10.80	25.59	3.20	1.58	25.79	7.13
800	799.39	28.74	-86.51	8.40	28.50	3.69	0.51	28.74	7.38
850	849.29	31.93	-86.15	12.51	31.64	4.28	0.89	31.93	7.70
900	899.17	35.30	-86.02	19.90	34.91	5.23	1.04	35.30	8.52
950	949.04	38.72	-85.84	29.07	38.13	6.70	1.35	38.72	9.97
1000	998.93	41.96	-86.46	19.48	41.17	8.10	1.78	41.96	11.13



SILVER STATE
SURVEYS, INC.

CUSTOMER-----: NEWMONT EXPLORATION
MINE SITE-----: ROSEBUD
HOLE NO.-----: RS-445
DATE-----: 07-21-98

=====

*
*
*

SURVEY CERTIFIED BY

TIE IN COORDINATES

ELEVATION-----: 0
NORTH+/SOUTH-----: 0
EAST+/WEST-----: 0

WATER LEVEL-----: 0
PROJECTED DEPTH: 0

*
*
*
=====

MEAS DEPTH (FEET)	TRUE VERTICAL DEPTH (FEET)	TRUE VERTICAL X-SECTION (FEET)	INCL (HORZ) (DEG)	DIRECTION (AZIMUTH)	RECTANGULAR COORDINATES		DOGLEG 100/FT (DEGREES)	CLOSURE DISTANCE (FEET)	CLOSURE DIR (DEG)
					N+/S- (FEET)	E+/W- (FEET)			
1050	1048.85	44.79	-86.99	5.58	43.93	8.74	1.90	44.79	11.25
1100	1098.78	47.43	-86.94	7.58	46.56	9.04	0.23	47.43	10.99
1150	1148.71	50.04	-87.06	6.03	49.16	9.36	0.29	50.04	10.77
1200	1198.65	52.45	-87.41	8.11	51.55	9.65	0.73	52.45	10.60
1250	1248.61	54.56	-87.74	4.45	53.66	9.89	0.73	54.56	10.44
1300	1298.57	56.64	-87.47	3.90	55.74	10.04	0.54	56.64	10.21
1350	1348.52	58.79	-87.57	15.39	57.86	10.39	1.01	58.79	10.18
1400	1398.48	60.79	-87.82	18.65	59.79	10.98	0.56	60.79	10.41
1450	1448.45	62.52	-88.17	15.37	61.46	11.49	0.74	62.52	10.59



SILVER STATE SURVEYS, INC.

page 1


CUSTOMER-----: NEWMONT EXPLORATION
MINE SITE-----: ROSEBUD
HOLE NO.-----: RS-445
DATE-----: 07-21-98

TIE IN COORDINATES

ELEVATION-----: 0
NORTH+/SOUTH-----: 0
EAST+/WEST-----: 0

WATER LEVEL-----: 0
PROJECTED DEPTH-----: 0

* SURVEY CERTIFIED BY

*
*
*
*


MEAS DEPTH (FEET)	TRUE VERTICAL DEPTH (FEET)	TRUE VERTICAL X-SECTION (FEET)	INCL (HORZ) (DEG)	DIRECTION (AZIMUTH)	RECTANGULAR COORDINATES		DOGLEG 100/FT (DEGREES)	CLOSURE DISTANCE (FEET)	CLOSURE DIR (DEG)
					N+/S- (FEET)	E+/W- (FEET)			
0	0.00	0.00	-90.00	0.00	0.00	0.00	0.00	0.00	0.00
50	50.00	0.37	-89.15	39.44	0.29	0.24	1.70	0.37	39.44
100	99.99	1.28	-88.76	51.70	0.91	0.90	0.89	1.28	44.61
150	149.98	2.34	-88.78	38.53	1.66	1.65	0.57	2.34	44.86
200	199.96	3.46	-88.40	8.01	2.77	2.08	1.66	3.46	36.94
250	249.94	4.71	-88.39	2.48	4.16	2.21	0.31	4.71	27.96
300	299.92	6.17	-87.98	1.75	5.74	2.27	0.82	6.17	21.53
350	349.88	8.04	-87.54	1.27	7.70	2.32	0.88	8.04	16.75
400	399.84	10.02	-87.77	0.97	9.74	2.36	0.46	10.02	13.60
450	449.80	12.03	-87.53	0.11	11.79	2.38	0.49	12.03	11.39
500	499.75	14.17	-87.48	1.81	13.97	2.41	0.18	14.17	9.80
550	549.70	16.39	-87.41	7.90	16.19	2.60	0.56	16.39	9.13
600	599.65	18.65	-87.39	2.30	18.44	2.80	0.51	18.65	8.64
650	649.60	20.90	-87.44	2.10	20.70	2.89	0.10	20.90	7.95
700	699.54	23.18	-87.28	0.04	23.00	2.93	0.37	23.18	7.26
750	749.48	25.79	-86.72	10.80	25.59	3.20	1.58	25.79	7.13
800	799.39	28.74	-86.51	8.40	28.50	3.69	0.51	28.74	7.38
850	849.29	31.93	-86.15	12.51	31.64	4.28	0.89	31.93	7.70
900	899.17	35.30	-86.02	19.90	34.91	5.23	1.04	35.30	8.52
950	949.04	38.72	-85.84	29.07	38.13	6.70	1.35	38.72	9.97
1000	998.93	41.96	-86.46	19.48	41.17	8.10	1.78	41.96	11.13

Job-223

R-877

P.02

0

JUL-24-98 12:16

FROM : SILVER STATE SURVEYS BATTLE MT PHONE NO. : 0
Jul. 24 1998 12:27PM P2



By

CUSTOMER-----: NEWMONT EXPLORATION
 MINE SITE-----: ROSEBUD
 HOLE NO.-----: RS-445
 DATE-----: 07-21-98

SILVER STATE
 SURVEYS, INC.

TIE IN COORDINATES
 ELEVATION-----: 0
 NORTH+/SOUTH-----: 0
 EAST+/WEST-----: 0

WATER LEVEL-----: 0
 PROJECTED DEPTH: 0

=====

* SURVEY CERTIFIED BY

* *[Signature]*

* =====

MEAS DEPTH (FEET)	TRUE VERTICAL DEPTH (FEET)	TRUE VERTICAL X-SECTION (FEET)	INCL (HORZ) (DEG)	DIRECTION (AZIMUTH)	RECTANGULAR COORDINATES		DOGLEG 100/FT (DEGREES)	CLOSURE DISTANCE (FEET)	CLOSURE DIR (DEG)
					N+/-S- (FEET)	E+/-W- (FEET)			
1050	1048.85	44.79	-86.99	5.58	43.9E	8.74	1.90	44.79	11.25
1100	1098.78	47.43	-86.94	7.58	46.5E	9.04	0.23	47.43	10.99
1150	1148.71	50.04	-87.06	6.03	49.1E	9.36	0.29	50.04	10.77
1200	1198.65	52.45	-87.41	8.11	51.5E	9.65	0.73	52.45	10.60
1250	1248.61	54.56	-87.74	4.45	53.6E	9.89	0.73	54.56	10.44
1300	1298.57	56.64	-87.47	3.90	55.7E	10.04	0.54	56.64	10.21
1350	1348.52	58.79	-87.57	15.39	57.8E	10.39	1.01	58.79	10.18
1400	1398.48	60.79	-87.82	18.65	59.7E	10.98	0.56	60.79	10.41
1450	1448.45	62.52	-88.17	15.37	61.4E	11.49	0.74	62.52	10.59



SILVER STATE SURVEYS, INC.

CUSTOMER-----: NEWMONT EXPLORATION
MINE SITE-----: ROSEBUD
HOLE NO.-----: RS-445
DATE-----: 07-21-98


TIE IN COORDINATES

ELEVATION-----: 0
NORTH+/SOUTH-----: 0
EAST+/WEST-----: 0

WATER LEVEL-----: 0
PROJECTED DEPTH-----: 0

=====

* SURVEY CERTIFIED BY

*  *

MEAS DEPTH (FEET)	TRUE VERTICAL DEPTH (FEET)	TRUE VERTICAL X-SECTION (FEET)	INCL (HORZ) (DEG)	DIRECTION (AZIMUTH)	RECTANGULAR COORDINATES		DOGLEG 100/FT (DEGREES)	CLOSURE DISTANCE (FEET)	CLOSURE DIR (DEG)
					N+/S- (FEET)	E+/W- (FEET)			
0	0.00	0.00	-90.00	0.00	0.00	0.00	0.00	0.00	0.00
50	50.00	0.37	-89.15	39.44	0.29	0.24	1.70	0.37	39.44
100	99.99	1.28	-88.76	51.70	0.91	0.90	0.89	1.28	44.61
150	149.98	2.34	-88.78	38.53	1.66	1.65	0.57	2.34	44.86
200	199.96	3.46	-88.40	8.01	2.77	2.08	1.66	3.46	36.94
250	249.94	4.71	-88.39	2.48	4.16	2.21	0.31	4.71	27.96
300	299.92	6.17	-87.98	1.75	5.74	2.27	0.82	6.17	21.53
350	349.88	8.04	-87.54	1.27	7.70	2.32	0.88	8.04	16.75
400	399.84	10.02	-87.77	0.97	9.74	2.36	0.46	10.02	13.60
450	449.80	12.03	-87.53	0.11	11.79	2.38	0.49	12.03	11.39
500	499.75	14.17	-87.48	1.81	13.97	2.41	0.18	14.17	9.80
550	549.70	16.39	-87.41	7.90	16.19	2.60	0.56	16.39	9.13
600	599.65	18.65	-87.39	2.30	18.44	2.80	0.51	18.65	8.64
650	649.60	20.90	-87.44	2.10	20.70	2.89	0.10	20.90	7.95
700	699.54	23.18	-87.28	0.04	23.00	2.93	0.37	23.18	7.26
750	749.48	25.79	-86.72	10.80	25.59	3.20	1.58	25.79	7.13
800	799.39	28.74	-86.51	8.40	28.50	3.69	0.51	28.74	7.38
850	849.29	31.93	-86.15	12.51	31.64	4.28	0.89	31.93	7.70
900	899.17	35.30	-86.02	19.90	34.91	5.23	1.04	35.30	8.52
950	949.04	38.72	-85.84	29.07	38.13	6.70	1.35	38.72	9.97
1000	998.93	41.96	-86.46	19.48	41.17	8.10	1.78	41.96	11.13

RS-445:

1420-45

green is contamination

Water Column collapsed according to driller.



SILVER STATE SURVEYS, INC.

CUSTOMER-----: NEWMONT EXPLORATION
MINE SITE-----: ROSEBUD
HOLE NO.-----: RS-445
DATE-----: 07-21-98

=====

*
*
*
*

SURVEY CERTIFIED BY

TIE IN COORDINATES

ELEVATION-----: 0
NORTH+/SOUTH----: 0
EAST+/WEST-----: 0

WATER LEVEL-----: 0
PROJECTED DEPTH: 0

=====

MEAS DEPTH (FEET)	TRUE VERTICAL DEPTH (FEET)	TRUE VERTICAL X-SECTION (FEET)	INCL (HORZ) (DEG)	DIRECTION (AZIMUTH)	RECTANGULAR COORDINATES		DOGLEG 1.00/FT (DEGREES)	CLOSURE DISTANCE (FEET)	CLOSURE DIR (DEG)
					N+ / S- (FEET)	E+ / W- (FEET)			
1050	1048.85	44.79	-86.99	5.58	43.93	8.74	1.90	44.79	11.25
1100	1098.78	47.43	-86.94	7.58	46.56	9.04	0.23	47.43	10.99
1150	1148.71	50.04	-87.06	6.03	49.16	9.36	0.29	50.04	10.77
1200	1198.65	52.45	-87.41	8.11	51.55	9.65	0.73	52.45	10.60
1250	1248.61	54.56	-87.74	4.45	53.66	9.89	0.73	54.56	10.44
1300	1298.57	56.64	-87.47	3.90	55.74	10.04	0.54	56.64	10.21
1350	1348.52	58.79	-87.57	15.39	57.86	10.39	1.01	58.79	10.18
1400	1398.48	60.79	-87.82	18.65	59.79	10.98	0.56	60.79	10.41
1450	1448.45	62.52	-88.17	15.37	61.46	11.49	0.74	62.52	10.59



VERTICAL PROJECTION

Survey File: rs-445

Time: 11:34:34


Section direction: 354.7

Customer: NEWMONT EXPLORA

Date: 7-21-98

SILVER STATE SURVEYS, INC.

Starting from 0.0 E/W 0.0 N/S



Horiz Data Max: 61.8


Vert Data Max: 0.0

Horiz Data Min: 0.0

(scale in feet)

Vert Data Min: -1448.4

**SILVER STATE
SURVEYS, INC.**



Survey File: rs-445
Customer: NEWMONT EXPL
Date: 7-21-98
Time: 11:34:34



HORIZONTAL PROJECTION

Survey File: rs-445

Starting from 0.0 E/W 0.0 N/S

Time: 11:34:34


Customer: NEWMONT EXPLORA

SILVER STATE SURVEYS INC

Date: 7-21-98

Bottom closure adjustment:

NORTH →



E/W Data Max: 2.5 N/S Data Max: 61.6
 E/W Data Min: -5.7 N/S Data Min: 0.0
 (scale in feet)

Post-it® Fax Note	7671	Date	7/31/98	# of pages	1
To	SEAN	From	R. Vance	Co./Dept.	
Co./Dept.		Phone #		Phone #	
Phone #		Fax #	635-3224	Fax #	

CUSTOMER-----: NEWMONT GOLD COMPANY
 MINE SITE-----: ROSEBUD
 HOLE NO.-----: RS 445
 DATE-----: 8-18-98



**SILVER STATE
 SURVEYS, INC.**

=====

Survey Certified By

Sean Ravenel

SEAN RAVENEL


=====

TIE IN COORDINATES
 ELEVATION-----:
 NORTH+/-SOUTH-----:
 EAST+/-WEST-----:

WATER LEVEL----: N/A
 PROJECTED DEPTH--: N/A

MEAS DEPTH (FEET)	TRUE VERTICAL DEPTH (FEET)	TRUE VERTICAL X-SECTION (FEET)	INCL (HORZ) (DEG)	DIRECTION (AZIMUTH)	RECTANGULAR COORDINATES		DOGLEG 50/FT (DEGREES)	CLOSURE DISTANCE (FEET)	CLOSURE DIR (DEG)	HOLE TEMP (F) (DEG)
					N+S- (FEET)	E+W- (FEET)				
0	0.00	0.00	-89.47	298.82	0.00	0.00	0.00	0.00	0.00	99.3
500	499.82	12.10	-87.49	3.83	12.03	-1.28	0.23	12.10	353.92	97.6
1000	999.10	38.70	-86.39	356.11	38.66	-1.62	0.12	38.70	357.60	94.9
1450	1448.57	60.03	-88.12	12.10	60.02	-1.03	0.21	60.03	359.01	94.9
1500	1498.55	61.62	-87.90	329.39	61.61	-1.33	1.47	61.62	358.76	95.8
1550	1548.52	63.12	-88.31	340.02	63.09	-2.05	0.54	63.12	358.14	96.7
1600	1598.50	64.46	-88.52	346.87	64.41	-2.45	0.01	64.46	357.82	97.6
1650	1648.48	65.90	-87.89	27.05	65.86	-2.17	0.69	65.90	358.11	98.4
1700	1698.45	67.35	-88.17	34.48	67.34	-1.30	0.19	67.35	358.89	98.4
1750	1748.43	68.30	-89.01	46.26	68.30	-0.54	0.44	68.30	359.55	99.3
1800	1798.43	68.90	-89.25	20.70	68.90	-0.11	0.45	68.90	359.91	100.2
1850	1848.41	70.02	-87.95	25.60	70.02	0.39	1.31	70.02	0.32	102.8
1900	1898.39	71.15	-89.11	34.72	71.14	1.00	0.03	71.15	0.81	102.8
1950	1948.38	72.00	-88.78	6.97	71.99	1.29	0.30	72.00	1.02	104.6
2000	1998.37	72.80	-88.83	59.66	72.78	1.79	0.53	72.80	1.41	105.5
2050	2048.36	73.33	-88.86	61.33	73.28	2.67	0.02	73.33	2.09	106.4
2100	2098.35	73.93	-88.81	49.98	73.85	3.50	0.12	73.93	2.72	109.0
2150	2148.34	75.08	-88.17	6.54	74.97	3.99	0.63	75.08	3.05	109.0
2200	2198.32	76.58	-88.39	4.47	76.47	4.14	0.11	76.58	3.10	109.9
2250	2248.30	77.76	-88.89	357.73	77.65	4.17	0.27	77.76	3.08	110.7
2270	2268.30	78.20	-88.59	1.89	78.09	4.17	0.23	78.20	3.06	110.7

3D PROJECTION



Survey File: RS-445-2
Customer: NEWMONT EXPL
Date: 8-18-98
Time: 16:39:00

VERTICAL PROJECTION

Survey File: RS-445-2


Time: 16:39:00

Customer: NEWMONT EXPLORA

Section direction: 5.1

Date: 8-18-98

Starting from 0.0 E/W 0.0 N/S



Horiz Data Max: 73.0

Vert Data Max: 0.0

Horiz Data Min: 0.0

(scale in feet)

Vert Data Min: -2268.4

1836	1840.8	✓
1840.8	1843.2	✓
1843.2	1847.5	✓
1847.5	1852.5	✓
1852.5	1855.8	✓
1855.8	1856.9	✓
1856.9	1860.4	✓
1860.4	1865.2	✓
1865.2	1870	✓
1870	1875.2	✓
1875.2	1880	✓
1880	1885.1	✓
1885.1	1889.4	✓
1889.4	1893.2	✓
1893.2	1895.4	✓
1895.4	1900	✓
1900	1905	✓
1905	1910	✓
1910	1915.2	✓
1915.2	1920	✓
1920	1924.8	✓
1924.8	1930	✓
1930	1936.6	✓
1936.6	1939.1	✓
1939.1	1941.1	✓
1941.1	1945	✓
1945	1949.7	✓
1949.7	1952.3	✓
1952.3	1955.8	✓
1955.8	1959.7	✓
1959.7	1963.6	✓
1963.6	1965.7	✓
1965.7	1968.4	✓
1968.4	1970.8	✓
1970.8	1974.1	✓
1974.1	1978.7	✓
1978.7	1980.8	✓
1980.8	1983	
1983	1985.3	
1985.3	1990.3	
1990.3	1995.7	
1995.7	1996.5	
1996.5	2000	
2000	2004.9	
2004.9	2008.1	
2008.1	2011.7	
2011.7	2015.4	
2015.4	2020.8	
2020.8	2024	
2024	2028.6	
2028.6	2033.2	
2033.2	2035.1	

2035.1	2039.6
2039.6	2045.1
2045.1	2050
2050	2053.3
<u>2053.3</u>	<u>2057</u>
2057	2062.2
2062.2	2067
<u>2067</u>	<u>2171.7</u>
2171.7	2075.8
2075.8	2080.5
<u>2080.5</u>	<u>2084.1</u>
2084.1	2089.2
2089.2	2093.5
2093.5	2098.2
2098.2	2103.1
<u>2103.1</u>	<u>2108.3</u>
2108.3	2113.2
2113.2	2117.8
2117.8	2120.9
<u>2120.9</u>	<u>2121.4</u>
2121.4	2123
<u>2123</u>	<u>2128</u>
2128	2133
<u>2133</u>	<u>2134.7</u>
2134.7	2138.1
2138.1	2140.9
<u>2140.9</u>	<u>2146</u>

Steve -

Please check off the
samples as you bag them.
Thanks.

1893.2	1895.4
1895.4	1900
1900	1905
1905	1910
1910	1915.2
1915.2	1920
1920	1924.8
1924.8	1930
1930	1936.6
1936.6	1939.1
1939.1	1941.1
1941.1	1945
1945	1949.7
1949.7	1952.3
1952.3	1955.8
1955.8	1959.7
1959.7	1963.6
1963.6	1965.7
1965.7	1968.4
1968.4	1970.8
1970.8	1974.1
1974.1	1978.7
1978.7	1980.8
1980.8	1983
1983	1985.3
1985.3	1990.3
1990.3	1995.7
1995.7	1996.5
1996.5	2000
2000	2004.9
2004.9	2008.1
2008.1	2011.7
2011.7	2015.4
2015.4	2020.8
2020.8	2024
2024	2028.6
2028.6	2033.2
2033.2	2035.1
2035.1	2039.6
2039.6	2045.1
2045.1	2050
2050	2053.3
2053.3	2057
2057	2062.2
2062.2	2067
2067	2071.7
2071.7	2075.8
2075.8	2080.5
2080.5	2084.1
2084.1	2089.2
2089.2	2093.5
2093.5	2098.2

8/28

2098.2	2103.1
2103.1	2108.3
2108.3	2113.2
2113.2	2117.8
2117.8	2120.9
2120.9	2121.4B
2120.9	2121.4
2121.4	2123
2123	2128
2128	2133
2133	2134.7
2134.7	2138.1
2138.1	2140.9
2140.9	2146
2146	2150.2
2150.2	2154.4
2154.4	2159.8
2159.8	2164.2
2164.2	2168.7
2168.7	2173.1
2173.1	2175.2
2175.2	2180.7
2180.7	2185.1
2185.1	2189
2189	2194
2194	2199.5
2199.5	2204.5
2204.5	2208.9
2208.9	2212.4
2212.4	2218.2
2218.2	2222.3
2222.3	2225.4
2225.4	2229.2
2229.2	2233.6
2233.6	2237.9
2237.9	2241.3
2241.3	2245
2245	2250
2250	2252.6
2252.6	2254.6
2254.8	2259.1
2259.1	2264.8
2264.8	2269.3
2269.3	2274.2B
2269.3	2274.2
2274.2	2276.3

8/29

AAZ 1/2 tse

1660	1663	}	C
1663	1666		
1666	1670	}	L
1670	1674.7		
1674.7	1679.7	}	C
1679.7	1684.2		
1684.2	1689.4	}	C
1689.4	1694.7		
1694.7	1699.5	}	C
1699.5	1702.8		
1702.8	1704.8		-X
1704.8	1710	}	C
1710	1714.6		
1714.6	1718.3	}	C
1718.3	1721.8		
1721.8	1725.1	}	C
1725.1	1728.5		
1728.5	1730.4	}	C
1730.4	1735.6		
1735.6	1737.1		-X
1737.1	1739.5	}	C
1739.5	1740.5		
1740.5	1745.7	}	C
1745.7	1747.8		
1747.8	1751.5	}	C
1751.5	1753.5		
1753.5	1756.9	}	C
1756.9	1760.5		
1760.5	1766.8	}	C
1766.8	1771.9		
1771.9	1772.6	}	C
1772.6	1774.4		
1774.4	1780.4	}	C
1780.4	1783		
1783	1786.8	}	C
1786.8	1791.6		
1791.6	1795.7	}	C
1795.7	1800.5		
1800.5	1806.3	}	C
1806.3	1809.1		
1809.1	1814	}	C
1814	1819.1		
1819.1	1824.2	}	C
1824.2	1829		
1829	1832.3B		- no AAZ 1/2 tse
1829	1832.3		-X
1832.3	1832.9		-X
1832.9	1836		-X

AAZ 1/2 + Se

1836	1840.8	}	C
1840.8	1843.2		
1843.2	1847.5		
1847.5	1852.5	}	C
1852.5	1855.8		
1855.8	1856.9		
1856.9	1860.4		
1860.4	1865.2	}	C
1865.2	1870		
1870	1875.2		
1875.2	1880	}	C
1880	1885.1		
1885.1	1889.4		
1889.4	1893.2	}	- X
1893.2	1895.4		
1895.4	1900		
1900	1905	}	C
1905	1910		
1910	1915.2		
1915.2	1920		
1920	1924.8	}	C
1924.8	1930		
1930	1936.6		
1936.6	1939.1	}	C
1939.1	1941.1		
1941.1	1945		
1945	1949.7	}	C
1949.7	1952.3		
1952.3	1955.8		
1955.8	1959.7	}	C
1959.7	1963.6		
1963.6	1965.7		
1965.7	1968.4	}	C
1968.4	1970.8		
1970.8	1974.1		
1974.1	1978.7	}	C
1978.7	1980.8		
1980.8	1983		
1983	1985.3	}	C
1985.3	1990.3		
1990.3	1995.7		
1995.7	1996.5	}	- X
1996.5	2000		
2000	2004.9		
2004.9	2008.1	}	C
2008.1	2011.7		
2011.7	2015.4		
2015.4	2020.8	}	C
2020.8	2024		
2024	2028.6		
2028.6	2033.2		
2033.2	2035.1		- X

AAZ 1/2 + se

2035.1	2039.6	
2039.6	2045.1	}
2045.1	2050	
2050	2053.3	}
2053.3	2057	
2057	2062.2	-X
2062.2	2067	}
2067	2071.7	
2071.7	2075.8	}
2075.8	2080.5	
2080.5	2084.1	-X
2084.1	2089.2	}
2089.2	2093.5	
2093.5	2098.2	}
2098.2	2103.1	
2103.1	2108.3	}
2108.3	2113.2	
2113.2	2117.8	}
2117.8	2120.9	
2120.9	2121.4B	-no AAZ 1/2 + se
2120.9	2121.4	}
2121.4	2123	
2123	2128	}
2128	2133	
2133	2134.7	}
2134.7	2138.1	
2138.1	2140.9	}
2140.9	2146	
2146	2150.2	}
2150.2	2154.4	
2154.4	2159.8	}
2159.8	2164.2	
2164.2	2168.7	}
2168.7	2173.1	
2173.1	2175.2	}
2175.2	2180.7	
2180.7	2185.1	}
2185.1	2189	
2189	2194	}
2194	2199.5	
2199.5	2204.5	}
2204.5	2208.9	
2208.9	2212.4	}
2212.4	2218.2	
2218.2	2222.3	}
2222.3	2225.4	
2225.4	2229.2	-X
2229.2	2233.6	}
2233.6	2237.9	
2237.9	2241.3	}
2241.3	2245	
2245	2250	

AAL 1/2 + Se

<u>2250</u>	<u>2252.6</u>	-X
<u>2252.6</u>	<u>2254.8</u>	-X
<u>2254.8</u>	<u>2259.1</u>	} C
<u>2259.1</u>	<u>2264.8</u>	
<u>2264.8</u>	<u>2269.3</u>	
<u>2269.3</u>	<u>2274.2B</u>	- no AAL 1/2 + Se
<u>2269.3</u>	<u>2274.2</u>	-X
<u>2274.2</u>	<u>2276.3</u>	-X

1660	1663	✓
1663	1666	✓
1666	1670	✓
1670	1674.7	✓
1674.7	1679.7	✓
1679.7	1684.2	✓
1684.2	1689.4	✓
1689.4	1694.7	✓
1694.7	1699.5	✓
1699.5	1702.8	✓
1702.8	1704.8	✓
1704.8	1710	✓
1710	1714.6	✓
1714.6	1718.3	✓
1718.3	1721.8	✓
1721.8	1725.1	✓
1725.1	1728.5	✓
1728.5	1730.4	✓
1730.4	1735.6	✓
1735.6	1737.1	✓
1737.1	1739.5	✓
1739.5	1740.5	✓
1740.5	1745.7	✓
1745.7	1747.8	✓
1747.8	1751.5	✓
1751.5	1753.5	✓
1753.5	1756.9	✓
1756.9	1760.5	✓
1760.5	1766.8	✓
1766.8	1771.9	✓
1771.9	1772.6	✓
1772.6	1774.4	✓
1774.4	1780.4	✓
1780.4	1783	✓
1783	1786.8	✓
1786.8	1791.6	✓
1791.6	1795.7	✓
1795.7	1800.5	✓
1800.5	1806.3	✓
1806.3	1809.1	✓
1809.1	1814	✓
1814	1819.1	✓
1819.1	1824.2	✓
1824.2	1829	✓
1829	1832.3	✓
1832.3	1832.9	✓
1832.9	1836	✓
1836	1840.8	✓
1840.8	1843.2	✓
1843.2	1847.5	✓
1847.5	1852.5	✓
1852.5	1855.8	✓

1855.8	1856.9 ✓
1856.9	1860.4 ✓
1860.4	1865.2 ✓
1865.2	1870 ✓
1870	1875.2 ✓
1875.2	1880 ✓
1880	1885.1 ✓
1885.1	1889.4 ✓
1889.4	1893.2 ✓
1893.2	1895.4 ✓
1895.4	1900
1900	1905
1905	1910
1910	1915.2
1915.2	1920
1920	1924.8
1924.8	1930
1930	1935



PO BOX 11530
RENO NV, USA
Ph. (702) 356-0606, Fax. (702) 356-1413

NEWMONT GOLD COMPANY

COPIES TO : C. BALLEW
: R. VANCE
:
:

CLIENT REFERENCE No: RS-445 RECEIVED : 1 SEP 1998
No. SAMPLES : 111 REPORTED : 1 SEP 1998
MAIN SAMPLE TYPE : DRILL CORE

NEVADA LEGISLATIVE DISCLAIMER :-

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project.

ANALYSIS	ANALYTICAL METHOD	QUALITY PARAMETER	UNIT	DETECTION
Au	FA30	15%	ppb	5
Au(R)	FA30	15%	ppb	5
Au(OZ)	FA30	15%	OPT	0.001
Au(RZ)	FA30	15%	OPT	0.001
Ag	D210	10%	ppm	0.5
Ag(OZ)	D210	10%	OPT	0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP050404



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445
REPORTED : 1 SEP 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 1836.0-1840.8	10		<0.001		<0.5	<0.02
RS-445 1840.8-1843.2	20		<0.001		0.6	<0.02
RS-445 1843.2-1847.5	10		<0.001		<0.5	<0.02
RS-445 1847.5-1852.5	8		<0.001		<0.5	<0.02
RS-445 1852.5-1855.8	8		<0.001		<0.5	<0.02
RS-445 1855.8-1856.9	537		0.016		1.9	0.06
RS-445 1856.9-1860.4	<5		<0.001		<0.5	<0.02
RS-445 1860.4-1865.2	<5		<0.001		<0.5	<0.02
RS-445 1865.2-1870.0	<5		<0.001		<0.5	<0.02
RS-445 1870.0-1875.2	<5		<0.001		<0.5	<0.02
RS-445 1875.2-1880.0	<5		<0.001		<0.5	<0.02
RS-445 1880.0-1885.1	<5		<0.001		<0.5	<0.02
RS-445 1885.1-1889.4	<5		<0.001		<0.5	<0.02
RS-445 1889.4-1893.2	<5		<0.001		<0.5	<0.02
RS-445 1893.2-1895.4	<5		<0.001		<0.5	<0.02
RS-445 1895.4-1900.0	<5		<0.001		<0.5	<0.02
RS-445 1900-1905	<5		<0.001		<0.5	<0.02
RS-445 1905-1910	<5		<0.001		<0.5	<0.02
RS-445 1910.0-1915.2	<5		<0.001		<0.5	<0.02
RS-445 1915.2-1920.0	<5		<0.001		<0.5	<0.02
RS-445 1920.0-1924.8	<5		<0.001		<0.5	<0.02
RS-445 1924.8-1930.0	<5		<0.001		<0.5	<0.02
RS-445 1930.0-1936.6	<5		<0.001		<0.5	<0.02
RS-445 1936.6-1939.1	<5		<0.001		<0.5	<0.02
RS-445 1939.1-1941.1	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP050404



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 1 SEP 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 1941.1-1945.0	58		0.002		1.1	0.03
RS-445 1945.0-1949.7	105		0.003		0.7	0.02
RS-445 1949.7-1952.3	134		0.004		0.6	<0.02
RS-445 1952.3-1955.8	14		<0.001		<0.5	<0.02
RS-445 1955.8-1959.7	64		0.002		0.6	<0.02
RS-445 1959.7-1963.6	50		0.001		0.9	0.03
RS-445 1963.6-1965.7	24		<0.001		<0.5	<0.02
RS-445 1965.7-1968.4	40		0.001		0.9	0.03
RS-445 1968.4-1970.8	92		0.003		1.3	0.04
RS-445 1970.8-1974.1	70		0.002		0.9	0.03
RS-445 1974.1-1978.7	66		0.002		0.9	0.03
RS-445 1978.7-1980.8	62		0.002		0.9	0.03
RS-445 1980.8-1983.0	76		0.002		1.1	0.03
RS-445 1983.0-1985.3	54		0.002		0.7	0.02
RS-445 1985.3-1990.3	42		0.001		1.1	0.03
RS-445 1990.3-1995.7	80		0.002		1.8	0.05
RS-445 1995.7-1996.5	157		0.005		2.0	0.06
RS-445 1996.5-2000.0	<5		<0.001		<0.5	<0.02
RS-445 2000.0-2004.9	<5		<0.001		<0.5	<0.02
RS-445 2004.9-2008.1	<5		<0.001		<0.5	<0.02
RS-445 2008.1-2011.7	54		0.002		0.9	0.03
RS-445 2011.7-2015.4	141		0.004		2.4	0.07
RS-445 2015.4-2020.8	62		0.002		1.5	0.04
RS-445 2020.8-2024.0	55		0.002		1.1	0.03
RS-445 2024.0-2028.6	<5		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP050404



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 1 SEP 1998

SAMPLES	Au	Au(R)	Au(OZ)	Au(RZ)	Ag	Ag(OZ)
	FA30 ppb	FA30 ppb	FA30 OPT	FA30 OPT	D210 ppm	D210 OPT
RS-445 2028.6-2033.2	32		<0.001		0.6	<0.02
RS-445 2033.2-2035.1	<5		<0.001		1.0	0.03
RS-445 2035.1-2039.6	<5		<0.001		<0.5	<0.02
RS-445 2039.6-2045.1	<5		<0.001		<0.5	<0.02
RS-445 2045.1-2050.0	<5		<0.001		<0.5	<0.02
RS-445 2050.0-2053.3	<5		<0.001		<0.5	<0.02
RS-445 2053.3-2057.0	<5		<0.001		<0.5	<0.02
RS-445 2057.0-2062.2	<5		<0.001		<0.5	<0.02
RS-445 2062.2-2067.0	74		0.002		<0.5	<0.02
RS-445 2067.0-2071.7	102		0.003		<0.5	<0.02
RS-445 2071.7-2075.8	50		0.001		<0.5	<0.02
RS-445 2075.8-2080.5	<5		<0.001		<0.5	<0.02
RS-445 2080.5-2084.1	<5		<0.001		<0.5	<0.02
RS-445 2084.1-2089.2	<5		<0.001		<0.5	<0.02
RS-445 2089.2-2093.5	<5		<0.001		<0.5	<0.02
RS-445 2093.5-2098.2	<5		<0.001		<0.5	<0.02
RS-445 2098.2-2103.1	<5		<0.001		<0.5	<0.02
RS-445 2103.1-2108.3	<5		<0.001		<0.5	<0.02
RS-445 2108.3-2113.2	<5		<0.001		<0.5	<0.02
RS-445 2113.2-2117.8	<5		<0.001		<0.5	<0.02
RS-445 2117.8-2120.9	127		0.004		1.9	0.06
RS-445 2120.9-2121.4B	130		0.004		<0.5	<0.02
RS-445 2120.9-2121.4	333		0.010		4.0	0.12
RS-445 2121.4-2123.0	102		0.003		1.9	0.06
RS-445 2123-2128	10		<0.001		0.9	0.03

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP050404



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 1 SEP 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 2128-2133	34		<0.001		<0.5	<0.02
RS-445 2133.0-2134.7	136		0.004		1.9	0.06
RS-445 2134.7-2138.1	56		0.002		0.8	0.02
RS-445 2138.1-2140.9	161		0.005		4.1	0.12
RS-445 2140.9-2146.0	62		0.002		0.9	0.03
RS-445 2146.0-2150.2	52		0.002		0.7	0.02
RS-445 2150.2-2154.4	14		<0.001		<0.5	<0.02
RS-445 2154.4-2159.8	54		0.002		<0.5	<0.02
RS-445 2159.8-2164.2	64		0.002		<0.5	<0.02
RS-445 2164.2-2168.7	72		0.002		<0.5	<0.02
RS-445 2168.7-2173.1	54		0.002		<0.5	<0.02
RS-445 2173.1-2175.2	170		0.005		13.1	0.38
RS-445 2175.2-2180.7	52		0.002		1.9	0.06
RS-445 2180.7-2185.1	83		0.002		0.8	0.02
RS-445 2185.1-2189.0	16		<0.001		<0.5	<0.02
RS-445 2189-2194	<5		<0.001		<0.5	<0.02
RS-445 2194.0-2199.5	<5		<0.001		<0.5	<0.02
RS-445 2199.5-2204.5	<5		<0.001		<0.5	<0.02
RS-445 2204.5-2208.9	10		<0.001		<0.5	<0.02
RS-445 2208.9-2212.4	230		0.007		1.2	0.04
RS-445 2212.4-2218.2	98		0.003		1.3	0.04
RS-445 2218.2-2222.3	60		0.002		<0.5	<0.02
RS-445 2222.3-2225.4	152		0.004		1.7	0.05
RS-445 2225.4-2229.2	200		0.006		1.5	0.04
RS-445 2229.2-2233.6	12		<0.001		<0.5	<0.02

AMERICAN ASSAY LABORATORIES
ANALYSIS REPORT SP050404



**American
Assay
Laboratories**

CLIENT : NEWMONT GOLD COMPANY
PROJECT : ROSEBUD
REFERENCE : RS-445

REPORTED : 1 SEP 1998

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT
RS-445 2233.6-2237.9	50		0.001		<0.5	<0.02
RS-445 2237.9-2241.3	14		<0.001		0.6	<0.02
RS-445 2241.3-2245.0	62		0.002		1.4	0.04
RS-445 2245-2250	42		0.001		0.6	<0.02
RS-445 2250.0-2252.6	36		0.001		0.7	0.02
RS-445 2252.6-2254.8	332		0.010		2.4	0.07
RS-445 2254.8-2259.1	34		<0.001		<0.5	<0.02
RS-445 2259.1-2264.8	<5		<0.001		<0.5	<0.02
RS-445 2264.8-2269.3	<5		<0.001		<0.5	<0.02
RS-445 2269.3-2274.2B	133		0.004		<0.5	<0.02
RS-445 2269.3-2274.2	<5		<0.001		<0.5	<0.02
RS-445 2274.2-2276.3	SAMPLE NOT RECEIVED					

AMERICAN ASSAY LABORATORIES
AAL 01-2 ICP PACKAGE DETECTION LIMITS

ELEMENT	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Se	Sr	Th	Ti	U	V	W	Zn
SAMPLES	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppb	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	0.3	0.01	2	3	1	3	0.01	0.2	1	1	1	0.01	10	0.01	1	0.01	2	1	0.01	1	0.001	3	2	0.2	1	2	0.01	8	1	2	1

0.500 GRAMS OF PULP IS DIGESTED WITH HYDROCHLORIC AND NITRIC ACID AT 95 DEGREE CENTIGRADE FOR ONE HOUR.
 DIGEST IS PARTIAL FOR B, Ba, Ca, Cr, Fe, La, Mg, Mn, Sr, Ti AND W.
 DIGEST IS LIMITED FOR Al, K AND Na.

SPARKS, NEVADA * ELKO, NEVADA * TUCSON, ARIZONA * HERMOSILLO, MEXICO * ZACATECAS, MEXICO * MENDOZA, ARGENTINA * SANTIAGO, CHILE * LIMA, PERU

CLIENT: **NEWMONT GOLD COMPANY**
 CLIENT REF: **ROSEBUD EXPLORATION**
 AAL REF: **SP050404**
 METHOD: **AAL 01-2 + Se**

AMERICAN ASSAY LABORATORIES
 1500 GLENDALE AVE.
 SPARKS, NV 89431
 PHONE: (702) 356-0606
 FAX: (702) 356-1413

ELEMENT SAMPLES	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Se ppm	Sr ppm	Th ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
RS-445 1836.0-1847.5	0.3	0.4	43	<3	154	<3	0.25	<.2	1	3	8	1.38	150	0.24	15	0.01	84	<1	0.01	1	0.019	26	10	3.7	45	4	<.01	<8	<1	<2	47
RS-445 1847.5-1860.4	0.8	0.47	12	<3	170	<3	1.92	0.2	1	3	7	1.7	80	0.26	13	0.02	554	<1	0.01	2	0.021	27	7	1.3	145	3	<.01	<8	<1	<2	34
RS-445 1860.4-1875.2	<.3	0.43	3	<3	26	<3	1.45	0.2	<1	4	6	1.58	35	0.23	19	0.02	439	<1	0.04	2	0.016	21	4	<.1	135	5	0.01	<8	1	<2	27
RS-445 1875.2-1889.4	<.3	0.43	3	<3	23	<3	1.36	0.3	<1	4	5	1.57	45	0.22	19	0.02	448	<1	0.04	2	0.017	20	4	<.1	110	7	0.01	<8	1	<2	20
RS-445 1889.4-1893.2	0.4	0.38	23	<3	40	<3	2.14	0.6	1	3	5	0.79	625	0.25	17	0.02	323	<1	0.03	2	0.019	24	3	0.1	144	6	<.01	<8	1	<2	49
RS-445 1893.2-1900.0	<.3	0.41	12	<3	42	<3	1.47	0.3	1	3	4	1.21	365	0.26	19	0.02	191	<1	0.04	2	0.02	27	5	<.1	118	6	0.01	<8	1	<2	50
RS-445 1900-1920	<.3	0.43	5	<3	26	<3	1.08	0.3	<1	4	6	1.61	25	0.22	20	0.02	324	<1	0.05	2	0.018	23	4	0.1	110	7	0.01	<8	1	<2	24
RS-445 1920.0-1936.6	<.3	0.48	4	<3	27	<3	1.47	0.2	<1	4	5	1.56	40	0.21	17	0.04	448	1	0.03	2	0.019	23	<3	<.1	151	6	0.01	<8	1	<2	19
RS-445 1936.6-1941.1	<.3	0.4	75	<3	43	<3	1.33	0.2	<1	6	9	1.84	45	0.24	13	0.02	707	1	0.01	3	0.017	25	16	0.4	100	3	<.01	<8	1	<2	36
RS-445 1941.1-1952.3	0.7	0.34	49	<3	12	<3	0.19	0.3	<1	3	5	1.59	65	0.22	17	0.01	40	<1	0.01	1	0.033	25	16	7.3	60	4	<.01	<8	1	<2	25
RS-445 1952.3-1963.6	0.4	0.31	14	<3	149	<3	0.17	0.4	<1	2	4	1.03	80	0.18	21	0.01	25	<1	0.01	<1	0.028	29	11	6.6	67	6	<.01	<8	<1	<2	48
RS-445 1963.6-1968.4	0.4	0.32	46	<3	13	<3	0.15	0.3	<1	2	4	0.85	115	0.23	16	0.01	37	<1	0.01	1	0.015	16	7	4.3	65	5	<.01	<8	<1	<2	31
RS-445 1968.4-1980.8	1.3	0.45	85	<3	9	<3	0.22	0.3	<1	2	4	1.27	230	0.25	15	0.02	60	1	0.01	1	0.011	24	11	9.4	79	6	<.01	<8	<1	<2	52
RS-445 1980.8-1985.3	0.8	0.27	77	<3	5	<3	0.15	0.2	<1	4	6	1.18	300	0.16	13	0.01	58	1	0.01	2	0.012	20	7	8.3	61	4	<.01	<8	<1	<2	42
RS-445 1985.3-1995.7	1.7	0.31	66	<3	40	<3	0.18	0.4	1	2	5	1.11	80	0.18	20	0.01	53	<1	0.01	1	0.012	24	12	10.8	69	7	<.01	<8	<1	<2	43
RS-445 1995.7-1996.5	2.3	0.53	90	<3	47	<3	0.34	0.6	1	2	5	3.34	120	0.27	17	0.02	39	2	0.01	1	0.085	34	25	9.6	82	4	<.01	<8	1	<2	59
RS-445 1996.5-2004.9	<.3	0.43	21	<3	92	<3	1.29	0.2	<1	2	4	1.44	55	0.29	16	0.02	681	2	0.01	1	0.026	18	15	0.8	86	3	<.01	<8	<1	<2	23
RS-445 2004.9-2015.4	0.8	0.4	55	<3	90	<3	0.44	0.3	<1	2	4	1.77	45	0.28	19	0.02	193	1	0.01	1	0.035	18	11	11.4	72	3	<.01	<8	<1	<2	39
RS-445 2015.4-2033.2	0.7	0.49	58	<3	74	<3	0.76	0.2	<1	2	4	1.92	25	0.31	14	0.02	375	<1	0.02	1	0.017	18	8	8.9	89	<2	<.01	<8	<1	<2	28
RS-445 2033.2-2035.1	1.9	0.52	77	<3	24	<3	0.75	0.2	<1	2	5	4.09	230	0.3	10	0.02	324	<1	0.01	1	0.019	41	16	4.8	87	2	<.01	<8	<1	<2	28
RS-445 2035.1-2053.3	0.5	0.58	24	<3	65	<3	1.28	0.2	<1	2	4	1.77	35	0.25	18	0.02	500	1	0.01	1	0.02	23	7	1.5	112	3	<.01	<8	<1	<2	35
RS-445 2053.3-2057.0	<.3	0.36	88	<3	138	<3	3.28	0.7	<1	2	3	1.48	55	0.22	10	0.02	1285	2	0.01	<1	0.015	27	8	1.5	162	<2	<.01	<8	<1	<2	29
RS-445 2057-2067	<.3	0.33	36	<3	80	<3	0.21	0.2	<1	3	4	1.69	125	0.24	22	0.01	66	<1	0.01	2	0.023	25	9	3.7	64	2	<.01	<8	1	<2	15
RS-445 2067.0-2080.5	<.3	0.54	3	<3	64	<3	0.55	0.4	1	3	4	1.87	105	0.41	27	0.04	228	1	0.01	1	0.024	17	11	7.4	85	3	0.01	<8	1	<2	43
RS-445 2080.5-2084.1	<.3	0.55	2	<3	25	<3	1.17	0.3	1	3	3	1.54	30	0.39	50	0.05	410	<1	0.02	1	0.012	19	<3	<.1	123	13	0.01	<8	2	<2	30
RS-445 2084.1-2103.1	<.3	0.61	6	<3	30	<3	1.58	<.2	<1	2	3	1.41	30	0.3	55	0.04	638	<1	0.02	1	0.01	20	<3	<.1	137	15	<.01	<8	1	<2	22
RS-445 2103.1-2120.9	1.2	0.34	41	<3	46	<3	1.16	0.2	<1	3	4	1.61	50	0.28	36	0.02	622	<1	0.01	2	0.007	19	8	3.8	88	9	<.01	<8	1	<2	35
RS-445 2120.9-2123.0	2.8	0.29	103	<3	11	<3	1.15	0.2	<1	2	5	1.41	55	0.25	35	0.02	323	1	0.01	1	0.006	21	14	11.7	81	8	<.01	<8	<1	<2	33
RS-445 2123-2133	0.8	0.32	28	<3	50	<3	0.42	<.2	<1	3	3	0.64	35	0.24	47	0.01	131	<1	0.01	2	0.006	14	6	5.6	61	14	<.01	<8	1	<2	15
RS-445 2133.0-2140.9	2	0.29	136	<3	14	<3	0.47	<.2	<1	5	7	1.47	55	0.22	38	0.01	200	1	0.01	3	0.009	16	10	11.9	68	9	<.01	<8	1	<2	17
RS-445 2140.9-2159.8	1.4	0.4	36	<3	75	<3	0.23	<.2	<1	2	8	0.8	25	0.24	58	0.01	111	<1	0.01	1	0.009	20	9	7.2	63	18	<.01	<8	<1	<2	13
RS-445 2159.8-2175.2	3.7	0.35	40	<3	78	<3	0.5	<.2	<1	3	5	1.05	45	0.25	53	0.01	207	1	0.01	2	0.009	21	8	9.5	72	15	<.01	<8	1	<2	19
RS-445 2175.2-2194.0	0.8	0.34	17	<3	241	<3	0.58	<.2	<1	2	3	0.63	45	0.22	60	0.01	286	<1	0.01	1	0.008	21	8	4.6	73	17	<.01	<8	1	<2	15
STANDARD C3	5.5	1.85	56	17	144	22	0.51	22.4	12	163	64	3.23	855	0.16	18	0.59	735	24	0.04	36	0.089	33	20	0.6	27	19	0.08	18	77	17	163
STANDARD G-2	<.3	1.04	<2	<3	235	<3	0.61	<.2	4	76	3	1.99	10	0.5	9	0.59	513	1	0.1	8	0.097	3	<3	<.1	77	4	0.12	<8	40	2	43

CLIENT: NEWMONT GOLD COMPANY
 CLIENT REF: ROSEBUD EXPLORATION
 AAL REF: SP050404
 METHOD: AAL 01-2 + Se

AMERICAN ASSAY LABORATORIES
 1500 GLENDALE AVE.
 SPARKS, NV 89431
 PHONE: (702) 356-0606
 FAX: (702) 356-1413

ELEMENT SAMPLES	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Se ppm	Sr ppm	Th ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
RS-445 2194.0-2208.9	0.6	0.42	9	<3	37	<3	0.98	<2	<1	3	5	0.88	30	0.27	57	0.01	490	1	0.01	2	0.007	18	6	1.3	80	17	<.01	<8	1	<2	14
RS-445 2208.9-2218.2	1.5	0.45	33	<3	213	<3	3.45	0.2	<1	6	6	1.3	65	0.23	43	0.02	1501	1	0.01	4	0.006	27	8	7.7	162	9	<.01	<8	1	<2	21
RS-445 2218.2-2225.4	1.6	0.33	30	<3	136	<3	0.25	<2	1	1	5	1.56	45	0.27	45	0.01	104	1	0.02	1	0.011	26	8	7.9	91	11	<.01	<8	1	<2	29
RS-445 2225.4-2229.2	2.4	0.48	71	<3	31	<3	2.83	1.1	2	1	9	2.06	170	0.31	18	0.03	912	2	0.02	7	0.018	34	13	14.5	176	3	<.01	<8	1	<2	92
RS-445 2229.2-2250.0	0.8	0.39	27	<3	72	<3	3.16	0.2	3	4	9	1.1	20	0.19	13	0.03	871	1	0.02	9	0.026	23	5	4.8	182	<2	<.01	<8	1	<2	30
RS-445 2250.0-2252.6	1	0.26	32	3	41	<3	8.35	0.6	1	2	4	1.2	25	0.13	3	0.04	1330	<1	0.01	4	0.007	15	7	7.4	342	2	<.01	<8	<1	<2	15
RS-445 2252.6-2254.8	2.7	0.5	82	<3	67	<3	2.04	2.4	20	6	31	2.43	70	0.15	10	0.08	441	4	0.02	55	0.078	26	14	21.3	178	<2	<.01	<8	11	<2	161
RS-445 2254.8-2269.3	0.4	1.83	12	<3	127	<3	2.95	0.7	12	6	32	2.84	25	0.43	20	0.59	805	1	0.04	13	0.06	15	3	3.6	359	<2	<.01	<8	26	<2	81
RS-445 2269.3-2274.2	0.3	3.91	9	5	248	<3	6.76	4.2	40	137	38	6.57	55	0.26	17	3.16	3349	1	0.04	82	0.245	3	<3	1.6	323	<2	0.04	<8	140	<2	81
RS-445 2274.2-2276.3	<.3	2.34	8	5	324	<3	1.37	1.3	15	27	55	4.24	10	0.75	19	0.7	598	1	0.05	29	0.07	16	<3	<.1	376	5	0.02	<8	62	<2	66



**American
Assay
Laboratories**

INVOICE

Remit To: P.O. Box11530
Reno, Nevada 89510
Phone NO.: 702-356-0606
Fax No.: 702-356-1413

AMERICAN ASSAY LABORATORIES
1500 GLENDALE AVE.
SPARKS, NV 89431-5902

INVOICE NO: SP 0050404-IN
INVOICE DATE: 09/22/98

(702) 356-0606

INVOICE TO:
NEWMONT EXPLORATION LTD.
861 W. 6TH STREET
WINNEMUCCA NV 89445

NEWMONT EXPLORATION LTD.
861 W. 6TH STREET
WINNEMUCCA NV 89445

CUSTOMER P.O. PROJECT TERMS
RS-445 ROSEBUD EXPLOR. NET 30 - DUE IN U.S. DOLLARS

QUANTITY	DESCRIPTION	PRICE	AMOUNT
111	SAMPLES RECEIVED	.00	.00
2	NO PREPARATION REQUIRED	.00	.00
109	JAW CRUSHING CHARGE	1.30	141.70
109	SPLITTING CHARGE	1.20	130.80
109	FINE MILLING CHARGE	2.00	219.00
111	Au (1 A.T. FIRE ASSAY)	8.00	888.00
111	HYDROCHLORIC/NITRIC DIGESTION	2.00	222.00
111	Ag ANALYSES	1.00	111.00
100	COMPOSITE CHARGE	1.00	100.00
43	MULTI-ELEMENT ICP PACKAGE	9.80	421.40
43	Se ANALYSES	7.15	307.45


COPY


NET INVOICE: 2,540.35
DISCOUNT: 889.12
FREIGHT: .00

INVOICE TOTAL: 1,651.23

956

64 552 8901 N N N N N 65 2



















































11 235 6012 4 4 4 4 2
290