

4120 0052

BLACK ROCK PROSPECT

San Antonio Mountains
Nye County, Nevada

February 10, 1971

Recommendation

Recommendation is herein made to drill at least 5 preliminary test holes on the Black Rock prospect to depths up to 1,500 feet to evaluate:

- a. surface geochem anomalies for possibility of massive lead-zinc replacements in the altered sedimentaries,
- b. possibility of an underlying alaskite or monzonite stock similar to that of Anaconda's to the north and
- c. tungsten values in the manganese bearing outcrop on the Black Rock claims.

Introduction

The Anaconda Company has outlined by drilling a major molybdenite porphyry deposit located about two miles north of the subject prospect. Their deposit reportedly contains several hundred million tons of ore that is amenable to bulk mining methods. Anaconda has completed their drilling program and is expected to announce soon the commencement of a major mining operation.

The Black Rock prospect is located to the south of the Anaconda deposit and it has structural and mineralogical features suggestive of a possible porphyry deposit at depth.

Location

The Black Rock prospect is located about 21 miles north of Tonopah, Nevada, in unsurveyed territory (see enclosed topographic map). The property is easily accessible by auto all year.

Acreage

The Black Rock property consists of 63 unpatented lode mining claims or approximately 1,150 acres.

Geology

In general, the lithology of the area consists of Ordovician cherts, slates, and limestones covered by Permian volcanics, which in turn are overlain by rhyolites and latites of Tertiary age. Locally, such as at the Hall Mine (see topographic sheet), these rocks have been intruded by an alaskite stock that is the host rock for molybdenite deposition. Molybdenite occurs associated mainly with pyrite and minor chalcopyrite in quartz veins, veinlets, seams, and lenses. Minor amounts of lead, zinc, manganese, silver and tungsten are present. The ore deposit also extends out into the schists that adjoin the alaskite or monzonite stock.

At the Black Rock prospect, the surface rocks are mainly rhyolites with strong shears containing abundant manganese and anomalous geochemical amounts of copper, lead, zinc, and tungsten. Mineralization is related to the shearing which has been strong enough to suggest major movement and possibly large zones of mineralization at depth.

BLACK ROCK PROSPECT

San Antonio Mountains
Nye County, Nevada

February 10, 1971

Proposed Exploration

STAGE I - \$250,000

1. Surface mapping and further surface rock study.
2. Expansion of the geochemical work that has been done to date.
3. A geophysical program should be considered over the existing geochemical anomalies.
4. At least 5 deep preliminary holes should be drilled on the property. At this time, the location of these holes are recommended at:
 - a. In the area around Black Rock proper to test this surface showing at depth.
 - b. In the area of Rose Claim No. 48 and No. 50 to test these two surface geochem anomalies at depth.
5. Breakdown of Cost of Stage I

Property payments for 23 months...	\$ 61,000
Drilling contractor.....	\$125,000
Road Building.....	\$ 7,500
Assaying.....	\$ 7,500
Supervision.....	\$ 29,000
Administration.....	\$ 10,000
Miscellaneous.....	<u>\$ 10,000</u>
Total	<u>\$250,000</u>

STAGE II - \$250,000

Continued drilling if results of Stage I are favorable or sell the property to a major mining company.

Property Acquisition Terms

PRICE: \$250,000

TERMS: \$1,000 per month and a total of \$50,000 at the end of each year for 5 years.

ROYALTY: 5% NSR to apply on purchase price. After \$250,000 purchase price has been paid then a permanent 5% NSR; however, at the time the property is purchased the permanent 5% NSR may also be purchased for \$5,000,000.

BLACK ROCK PROSPECT


San Antonio Mountains
Nye County, Nevada

Proposed Joint Venture

Siskon shall own 10% of the venture and the other parties (two or more) furnishing the funds shall own 90% of the venture.


Siskon shall manage the exploration program and if a decision is made to expend more than \$500,000 then Siskon shall put up its prorata share of additional funds or allow its interest to be reduced prorata.

In case of a dispute in the methods of management or for any other reason, then all parties shall be allowed one member on a board of arbitration and the decisions of a majority of the board shall be final.




4246
4245
4244
4243
20'
T. 6 N.
T. 5 N.
4241
4240
4239
4238
4237
4236
4235
1280 000 FEET
(WEST)
4234000m.N.
38°15'
117°15'

MT.N.J III 468 469 470 20' 471 R. 41 E. R. 42 E. 474 INTERIOR GEOLOGICAL SURVEY WASHINGTON D.C. 1964-T 870 000 FEET (WEST) 477000m.E. 117°15'



SPACING 40 FEET
20-FOOT CONTOURS
ON SEA LEVEL

1" = 1,208'



ROAD CLASSIFICATION
Light-duty ——— Unimproved dirt - - - - -

SAN ANTONIO RANCH, NEV.
N3815-W11715/15

1964

AMS 2560 IV-SERIES V796


(TONGVAH)
2560 II

267

SISKON CORP.
P.O. Box 889
Reno, Nev 89504

Phone 786-4950

MAP ACCURACY STANDARDS
FOR 25, COLORADO OR WASHINGTON 25, D. C.
AND SYMBOLS IS AVAILABLE ON REQUEST



Rose No. 59

Black Rock No. 6

Rose No. 11

% or ppm Tungsten

GEOCHEM SAMPLE MAP - LEAD
 BLACK ROCK PROSPECT
 NYE COUNTY, NEVADA
 San Antonio Mining District
 T.5N., R.42E. Scale: 1" = 100'

2/13/71

Black Rock Prospect
Nye County, Nevada

<u>Sample No.</u>	<u>ppm Tungsten</u>	<u>Sample No.</u>	<u>ppm Tungsten</u>
✓ 1001	+500=.095%	2062	15
✓ 1011	190	2064	35
✓ 1020	+500=1.16%	2618	20
✓ 1021	25	2620	5
✓ 1022	80	2622	15
✓ 1030	30	2624	15
✓ 1031	155	2650	10
✓ 1039	+500=.180%	2652	5
✓ 1040	55	2654	5
1968	5	2656	55
1970	10	2682	15
1990	15	2684	25
1992	5	2686	15
✓ 2000	+500=.125%	2688	20
✓ 2001	+500=.850%	2720	20
✓ 2002	+500=.095%	2910	+500=.060%
✓ 2003	+500=.070%	2911	10
✓ 2030	255	2912	15
✓ 2038 A	+500=3705%	2913	30
✓ 2046	+500=.055%	2914	75
✓ 2047	90	2915	15

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION
Salt Lake City, Utah
February 9, 1971

✓ samples in lower area
(Balance of samples in upper area)

BY Lawrence R. Reid
Lawrence R. Reid

BLACK ROCK PROSPECT

San Antonio Mountains
Nye County, Nevada

February 10, 1971

Recommendation

Recommendation is herein made to drill at least 5 preliminary test holes on the Black Rock prospect to depths up to 1,500 feet to evaluate:

- a. surface geochem anomalies for possibility of massive lead-zinc replacements in the altered sedimentaries,
- b. possibility of an underlying alaskite or monzonite stock similar to that of Anaconda's to the north and
- c. tungsten values in the manganese bearing outcrop on the Black Rock claims.

Introduction

The Anaconda Company has outlined by drilling a major molybdenite porphyry deposit located about two miles north of the subject prospect. Their deposit reportedly contains several hundred million tons of ore that is amenable to bulk mining methods. Anaconda has completed their drilling program and is expected to announce soon the commencement of a major mining operation.

The Black Rock prospect is located to the south of the Anaconda deposit and it has structural and mineralogical features suggestive of a possible porphyry deposit at depth.

Location

The Black Rock prospect is located about 21 miles north of Tonopah, Nevada, in unsurveyed territory (see enclosed topographic map). The property is easily accessible by auto all year.

Acreage

The Black Rock property consists of 63 unpatented lode mining claims or approximately 1,150 acres.

Geology

In general, the lithology of the area consists of Ordovician cherts, slates, and limestones covered by Permian volcanics, which in turn are overlain by rhyolites and latites of Tertiary age. Locally, such as at the Hall Mine (see topographic sheet), these rocks have been intruded by an alaskite stock that is the host rock for molybdenite deposition. Molybdenite occurs associated mainly with pyrite and minor chalcopyrite in quartz veins, veinlets, seams, and lenses. Minor amounts of lead, zinc, manganese, silver and tungsten are present. The ore deposit also extends out into the schists that adjoin the alaskite or monzonite stock.

At the Black Rock prospect, the surface rocks are mainly rhyolites with strong shears containing abundant manganese and anomalous geochemical amounts of copper, lead, zinc, and tungsten. Mineralization is related to the shearing which has been strong enough to suggest major movement and possibly large zones of mineralization at depth.

BLACK ROCK PROSPECT

San Antonio Mountains
Nye County, Nevada

February 10, 1971

Proposed Exploration

STAGE I - \$250,000

1. Surface mapping and further surface rock study.
2. Expansion of the geochemical work that has been done to date.
3. A geophysical program should be considered over the existing geochemical anomalies.
4. At least 5 deep preliminary holes should be drilled on the property. At this time, the location of these holes are recommended at:
 - a. In the area around Black Rock proper to test this surface showing at depth.
 - b. In the area of Rose Claim No. 48 and No. 50 to test these two surface geochem anomalies at depth.

5. Breakdown of Cost of Stage I

Property payments for 23 months...	\$ 61,000
Drilling contractor.....	\$125,000
Road Building.....	\$ 7,500
Assaying.....	\$ 7,500
Supervision.....	\$ 29,000
Administration.....	\$ 10,000
Miscellaneous.....	<u>\$ 10,000</u>
Total	<u>\$250,000</u>

STAGE II - \$250,000

Continued drilling if results of Stage I are favorable or sell the property to a major mining company.

Property Acquisition Terms

PRICE: \$250,000

TERMS: \$1,000 per month and a total of \$50,000 at the end of each year for 5 years.

ROYALTY: 5% NSR to apply on purchase price. After \$250,000 purchase price has been paid then a permanent 5% NSR; however, at the time the property is purchased the permanent 5% NSR may also be purchased for \$5,000,000.

BLACK ROCK PROSPECT

San Antonio Mountains
Nye County, Nevada

Proposed Joint Venture


Siskon shall own 10% of the venture and the other parties (two or more) furnishing the funds shall own 90% of the venture.

Siskon shall manage the exploration program and if a decision is made to expend more than \$500,000 then Siskon shall put up its prorata share of additional funds or allow its interest to be reduced prorata.

In case of a dispute in the methods of management or for any other reason, then all parties shall be allowed one member on a board of arbitration and the decisions of a majority of the board shall be final.

ASSAY DATA


Sample No.	Mn.	W. ^{WO₃?}
1422	5.68	0.34
1423	6.88	0.36
1424	3.83	0.24
1425	2.99	0.10
1426	2.87	0.89
1427	0.12	Tr.
1428	3.59	0.09
1429	0.36	Tr.
1430	2.75	0.18
1431	2.03	0.06
1432	0.12	0.02
1433	3.23	0.05
1434	4.31	0.12
1435	0.96	0.98
1436	2.63	0.08
1437	3.83	0.19
1438	2.87	0.10
1439	3.59	0.17
1440	5.03	0.32
1441	2.03	0.04
1442	2.63	0.08
1443	2.87	0.12
1444	1.67	0.05
1445	1.08	Tr.
1446	1.67	0.11
1447	8.38	0.40
1448	7.42	0.38
1449	0.36	0.02
1450	0.60	Tr.
1701	0.72	Tr.
1702	0.84	Tr.
1703	1.20	Tr.
1704	4.79	0.27
1705	3.35	0.06
1706	0.72	Tr.
1707	0.84	Tr.
1708	4.79	Tr.
1709	0.24	0.23
1710	3.11	0.09
1711	0.84	0.02
1712	5.03	0.22
1713	0.24	0.02
1714	2.63	0.03
1715	1.56	0.03
1716	0.05	Tr.
1717	0.84	Tr.
1718	2.15	Tr.
1719	0.96	Tr.
1720	1.20	Tr.
1721	0.36	Tr.
1722	0.03	Tr. (1/4 Mi. N. of Black Rock Prospect)
1723	11.97	Tr. (1 Mi. SE of Black Rock Prospect)



SAMPLE MAP
 of the
MEYER BROTHERS BLACK ROCK PROSPECT
 San Antonio Mining District
 Sec. 20, T. 5 N., R. 42 E., Nye Co., Nevada

Date?
 Previous to
 Jan. '71 maps
 Mn & WO₃ Assays west area

41200052




NOTE
 Geochem sample No. 1962 is at the location monument of Rose No. 48 claim. Each sample is on a 50' grid pattern covering an area 500' by 500' centered at the location monument of Rose No. 48 claim.
 All analyses determined by atomic absorption. 14 Zinc & Lead assays reported.

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
1901	5	5	25	-1
1902	5	5	20	-1
1903	85	130	25	1
1904	5	5	10	-1
1905	120	100	20	1
1906	70	70	25	-1
1907	125	100	25	1
1908	55	45	30	-1
1909	35	40	25	-1
1910	40	25	35	1
1911	70	20	20	-1
1912	10	5	15	-1
1913	170	80	50	-1
1914	125	85	25	-1
1915	35	25	15	-1
1916	140	95	20	-1
1917	75	40	15	-1
1918	55	90	35	-1
1919	70	65	15	-1
1920	20	10	15	-1
1921	60	35	25	-1
1922	230	25	20	1
1923	5	5	20	-1
1924	135	40	20	1
1925	105	80	20	-1
1926	65	25	105	1
1927	135	25	15	-1
1928	100	80	70	1
1929	230	775	+1000=0.15%	6
1930	40	70	20	-1
1931	195	20	50	9
1932	215	35	30	4
1933	55	5	10	-1
1934	5	5	20	-1
1935	25	55	105	1
1936	130	40	125	2
1937	105	30	25	-1
1938	50	95	70	4
1939	170	160	+1000=0.17%	3
1940	65	30	25	1
1941	95	15	10	4
1942	45	30	15	-1
1943	50	20	15	-1
1944	25	10	15	-1
1945	10	25	20	-1
1946	65	135	40	1
1947	145	75	50	-1
1948	70	35	+1000=0.27%	4
1949	35	40	+1000=0.12%	-1
1950	250	120	60	-1
1952	25	25	10	-1
1953	45	35	15	-1
1954	40	20	20	-1
1955	45	40	10	-1
1956	25	60	15	-1
1957	35	+1000=0.92%	775	1
1958	30	500	45	-1
1959	20	70	30	-1
1960	110	425	60	-1
1961	55	475	250	1
1962	15	15	45	-1

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
1963	20	10	100	1
1964	30	10	65	-1
1965	25	5	20	-1
1966	40	40	35	1
1967	35	100	20	-1
1968	65	85	+1000=0.24%	2
1969	30	300	160	1
1970	20	30	165	1
1971	15	15	100	-1
1972	10	10	15	-1
1973	30	200	55	-1
1974	45	40	30	-1
1975	85	170	20	-1
1976	20	20	20	-1
1977	30	65	15	-1
1978	30	55	20	1
1979	190	+1000=0.30%	+1000=1.00%	5
1980	135	225	+1000=0.35%	4
1981	40	115	+1000=0.44%	2
1982	5	15	180	-1
1983	20	15	70	-1
1984	30	40	300	1
1985	15	25	115	-1
1986	15	20	80	-1
1987	40	40	75	-1
1988	20	110	35	-1
1989	65	170	40	-1
1990	70	+1000=0.14%	380	1
1991	185	825	+1000=0.12%	2
1992	45	70	550	1
1993	20	15	100	-1
1994	15	20	50	-1
1995	60	375	225	1
1996	35	325	35	-1
1997	20	180	75	-1
1998	30	55	10	-1
1999	40	75	20	-1
2000	35	90	15	-1
2051	75	425	85	-1
2052	15	10	360	-1
2053	100	55	+1000=0.13%	1
2054	55	825	140	-1
2055	50	375	75	-1
2056	40	200	25	-1
2057	40	145	20	-1
2058	25	90	20	-1
2059	30	65	15	-1
2060	35	40	15	-1
2061	25	90	15	-1
2062	80	80	+1000=0.11%	2
2063	35	25	475	1
2064	75	425	100	-1
2065	30	100	50	-1
2066	55	225	160	-1
2067	35	150	25	-1
2068	50	120	25	1
2069	25	65	35	-1
2070	45	145	30	-1
2071	30	50	10	-1
2072	100	195	15	1


Follow attack over on 100' centers in both directions & tie into claim parts wherever possible.
 1000' depth on soil surface.
 Take samples at cliff & soil - separate dryness to 6 cups.

GEOCHEM SAMPLE MAP
Black Rock Prospect
 San Antonio Mining District
 T.5N., R.42E., Nye Co., Nevada



Cu, Zn, Pb, Ag Geochem
 East area
 Date? Previous to Jan. 1971 maps

4120 0052



Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
1001	10	490	0.11%	-
02	5	540	350	-1
03-A	5	0.11%	360	-1
04	5	675	500	-1
05-A	-5	30	-10	-1
06	5	45	30	-1
07	20	125	150	43
08	-5	30	10	-1
09	-5	60	10	-1
10	Blow sand - no sample			
11	5	370	470	-1
12-A	5	825	0.27%	-1
13	10	60	40	-1
14	5	45	20	-1
15	5	65	60	-1
16	5	110	100	-1
19	5	65	80	-1
20	25	0.10%	1.60%	-1
21	5	575	340	-1
22	5	845	370	-1
23	5	60	80	-1
24	10	60	60	-1
25	5	80	190	-1
26	5	55	90	-1
27	-5	40	10	-1
29	10	805	340	-1
30	15	815	250	-1
31	5	285	170	-1
32	5	65	50	-1
33	10	85	90	-1
34	20	295	140	-1
35	5	80	100	-1
38	5	485	870	-1
39	10	630	720	-1
40	5	375	0.10%	-1
41	5	635	270	-1
42	5	270	80	-1
43	5	155	90	-1
44	10	115	80	-1
47	-5	20	10	-1
48	5	25	10	-1
49	70	850	250	-1
50	30	300	140	-1
51	5	170	110	-1
52	5	120	70	-1
53	10	150	330	-1
56	-5	30	10	-1
57	5	65	10	-1
58	5	45	10	-1
59	5	55	150	-1
60	10	420	260	-1
61	10	220	280	-1
62	5	55	50	-1
65	10	480	310	-1
66	10	380	300	-1
67	10	130	90	-1
68	10	70	30	-1
70	5	75	220	-1
71	10	85	80	-1
72	10	75	90	5
73	10	90	100	-1
75	5	70	60	-1
76	5	50	30	-1

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
1077	5	50	60	-1
2000	10	360	0.15%	-1
01	10	360	0.22%	-1
02	10	470	690	-1
03	5	975	0.10%	-1
04	10	170	270	-1
05	5	50	30	-1
06	5	60	100	2
07	5	85	190	-1
08	5	280	600	-1
09	5	160	80	-1
10	5	0.14%	90	-1
14	5	125	160	-1
15	10	235	150	-1
16	5	200	170	-1
17	5	170	310	3
18	5	325	240	2
19	5	170	190	2
22	5	155	340	-1
23	5	55	110	-1
24	10	95	80	-1
25	5	160	60	-1
26	5	365	70	-1
27	5	180	180	-1
30	5	230	740	-1
31	10	165	250	-1
32	5	80	60	-1
33	5	50	60	-1
34	5	115	140	-1
35	5	95	170	-1
38	5	385	0.17%	-1
39	15	135	380	2
40	5	65	50	-1
41	5	30	10	-1
42	5	70	60	-1
43	5	95	200	-1
46	10	220	810	-1
47	5	710	680	-1
48	15	110	200	-1
49	5	35	20	-1
50	5	125	40	-1
51	5	210	70	-1
1078	10	150	0.11%	-1
79	10	395	810	-1
80	10	95	630	-1
81	5	285	330	-1
82	5	130	370	-1
83	5	155	110	-1
84	5	245	20	-1
85	5	45	10	-1
86	5	45	50	2
87	5	80	420	-1
88	Sample destroyed			
89	5	55	40	2
90	10	80	10	-1
91	5	100	10	-1
92	5	70	30	2
93	10	700	220	-1
94	-5	20	-10	-1

Note:
 Geochem sample no. 2000 is on the common end line of the Black Rock no. 1 and the Black Rock no. 2, midway between the two location monuments. All samples are located on 100' centers with the exception of no. 1073, which was located in the discovery cut on the Rose no. 30. Geochem samples from no. 1078 were taken from altered rock exposures.

Legend:
 Tr = Trench through sand to rock
 R = Rock in place
 SR = Soil and rock
 S = Sand


Trace analysis determinations are listed and contoured in parts per million, and assays are listed in percentages.

GEOCHEM SAMPLE MAP
 Black Rock Prospect
 San Antonio Mining District
 T. 5N., R. 42 E., Nye Co., Nevada
 Scale: 1" = 100'

ZINC Westarea Jan. 171

41200052

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver	Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver	Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver	Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver	Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
2914	115	520	500	1	2934	15	125	20	-1	2500	5	40	-10	-1	2539	-5	15	10	-1	2773	25	170	20	-1
15	70	850	980	1	35	5	265	40	-1	02	5	60	10	-1	41	-5	-5	10	-1	75	5	15	20	-1
16	5	70	20	-1	36	20	315	10	-1	04	10	115	20	-1	43	65	60	10	1	77	75	670	30	1
17	10	185	80	5	38	5	65	30	-1	06	5	45	10	-1	45	20	5	-10	-1	79	35	65	130	1
18	5	75	80	5	39	5	10	20	-1	08	5	35	10	-1	47	55	15	-10	-1	81	20	35	10	1
19	5	25	30	1	40	5	50	20	-1	10	10	80	10	-1	49	20	15	20	-1	83	15	45	120	-1
20	30	80	20	-1	41	5	65	10	-1	12	15	15	10	-1	51	45	65	-10	-1	2806	35	80	20	1
21	20	40	20	1	42	-5	5	10	-1	14	15	50	20	-1	53	120	60	-10	-1	08	30	140	20	1
22	40	500	60	-1	43	5	40	20	-1	16	55	50	10	-1	54	15	160	50	1	10	15	140	90	-1
23	25	550	90	-1	44	5	70	20	-1	18	35	60	20	-1	56	10	45	20	1	12	60	960	30	1
24	5	390	20	-1	45	-5	5	70	-1	20	65	150	20	-1	58	5	45	20	-1	14	10	85	500	1
25	40	0.14%	30	1	46	5	5	60	-1	22	55	70	200	-1	60	5	35	20	-1	16	10	245	110	1
26	5	10	50	-1	47	20	15	20	-1	24	40	40	10	-1	63	20	5	-10	-1	18	10	125	60	-1
27	50	0.18%	30	-1	48	10	30	50	1	26	35	60	10	-1	65	50	65	10	1	20	45	365	400	-1
28	55	210	20	1	49	70	115	70	1	27	5	120	20	-1	67	50	75	10	-1	22	5	180	50	-1
29	20	915	20	-1	50	110	85	20	-1	29	10	100	10	-1	69	40	50	10	1	24	5	75	40	-1
30	-5	100	30	-1	51	135	90	20	-1	31	5	75	20	-1	86	10	155	230	1	26	5	110	40	-1
31	25	0.26%	30	-1	52	90	80	40	-1	33	5	35	10	-1	88	5	60	40	6	28	10	150	30	1
32-A	5	615	20	-1	53	40	95	0.31%	3	35	35	95	30	-1	90	5	35	30	1	30	5	200	40	-1
33-A	20	200	20	-1	54	5	80	70	5	37	-5	-5	-10	-1	92	10	20	40	1	32	5	155	50	1



NOTE:
 Geochem sample no 1962 is at the location monument of the Rose No 48, and it is the center point of a 500' x 500' grid that was sampled on 50' centers as represented by samples numbered 1901 through 2072. The analyses of these samples are shown on the original map. Samples from no. 2500 are staked on 100' centers and extend the original grid.
 Geochem samples from no. 2905 were taken from altered rock outcrops and from old prospect workings.
 Trace analysis determinations are listed and contoured in parts per million and assays are listed in percentages.


GEOCHEM SAMPLE MAP
 Black Rock Prospect
 San Antonio Mining District
 T.5N., R.42 E., Nye Co., Nevada
 Scale: 1"=100'

ZINC
 East area

41200052

Jan. 71

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver	Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver	Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver	Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver	Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
2914	115	520	500	1	2934	15	125	20	-1	2500	5	40	-10	-1	2539	5	15	10	-1	2773	25	170	20	-1
15	70	850	980	1	35	5	265	40	-1	02	5	60	10	-1	41	5	5	10	-1	75	5	15	20	-1
16	5	70	20	-1	36	20	315	10	-1	04	10	115	20	-1	43	65	60	10	1	77	75	670	30	1
17	10	185	80	5	38	5	65	30	-1	06	5	45	10	-1	45	20	5	-10	-1	79	35	65	130	1
18	5	75	80	5	39	5	10	20	-1	08	5	35	10	-1	47	55	15	-10	-1	81	20	35	10	1
19	5	25	30	1	40	5	50	20	-1	10	10	80	10	-1	49	20	15	20	-1	83	15	45	20	-1
20	30	80	20	-1	41	5	65	10	-1	12	15	15	10	-1	51	45	65	-10	-1	2806	25	80	20	1
21	20	40	20	1	42	5	5	10	-1	14	15	50	20	-1	53	120	60	-10	-1	08	30	140	20	1
22	40	500	60	-1	43	5	40	20	-1	16	55	50	10	-1	54	15	160	50	1	10	15	140	90	-1
23	25	550	90	-1	44	5	70	20	-1	18	35	60	20	-1	56	10	45	20	1	2	60	960	30	1
24	5	390	20	-1	45	5	5	70	-1	20	65	150	20	-1	58	5	45	20	-1	14	10	85	500	1
25	40	0.14%	30	1	46	5	5	60	-1	22	55	70	200	-1	60	5	35	20	-1	16	10	245	110	1
26	5	10	50	-1	47	20	15	20	-1	24	40	40	10	-1	63	20	5	-10	-1	18	10	125	60	-1
27	50	0.18%	30	-1	48	10	30	50	1	26	35	60	10	-1	65	50	65	10	1	20	45	365	400	-1
28	55	210	20	1	49	70	115	70	1	27	5	120	20	-1	67	50	75	10	-1	22	5	180	50	-1
29	20	915	20	-1	50	110	85	20	-1	29	10	100	10	-1	69	40	50	10	1	24	5	75	40	-1
30	-5	100	30	-1	51	135	90	20	-1	31	5	75	20	-1	86	10	155	230	1	26	5	110	40	-1
31	25	0.26%	30	-1	52	90	80	40	-1	33	5	35	10	-1	88	5	60	40	6	28	10	150	30	1
32-A	5	615	20	-1	53	40	95	0.31%	3	35	35	95	30	-1	90	5	35	30	1	30	5	200	40	-1
33-A	20	200	20	-1	54	5	80	70	5	37	-5	-5	-10	-1	92	10	20	40	1	32	5	155	50	1




NOTE:
 Geochem sample no 1962 is at the location monument of the Rose No 48, and it is the center point of a 500' x 500' grid that was sampled on 50' centers as represented by samples numbered 1901 through 2072. The analyses of these samples are shown on the original map. Samples from no. 2500 are staked on 100' centers and extend the original grid.
 Geochem samples from no. 2905 were taken from altered rock outcrops and from old prospect workings.
 Trace analysis determinations are listed and contoured in parts per million, and assays are listed in percentages.

GEOCHEM SAMPLE MAP
Black Rock Prospect
 San Antonio Mining District
 T.5N., R.42E., Nye Co., Nevada
 Scale: 1"=100'

LEAD
 East area

4100052




Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
1001	10	490	0.11%	1
02	5	540	350	-1
03-A	5	0.11%	360	-1
04	5	675	500	-1
05-A	-5	30	-10	-1
06	5	45	30	1
07	20	125	150	43
08	-5	30	10	-1
09	-5	60	10	-1
10	Blow sand - no sample			
11	5	370	470	1
12-A	5	825	0.27%	-1
13	10	60	40	1
14	5	45	20	-1
15	5	65	60	-1
16	5	110	100	-1
19	5	65	80	-1
20	25	0.10%	1.60%	-1
21	5	575	340	1
22	5	845	370	-1
23	5	60	80	1
24	10	60	60	-1
25	5	80	190	-1
26	5	55	90	-1
27	-5	40	10	-1
29	10	805	340	-1
30	15	815	250	-1
31	5	285	170	-1
32	5	65	50	-1
33	10	85	90	1
34	20	295	140	-1
35	5	80	100	-1
38	5	485	870	1
39	10	630	720	1
40	5	375	0.10%	1
41	5	635	270	-1
42	5	270	80	-1
43	5	155	90	-1
44	10	115	80	-1
47	-5	20	10	-1
48	5	25	10	-1
49	70	850	250	1
50	30	300	140	-1
51	5	170	110	-1
52	5	120	70	-1
53	10	150	330	-1
56	-5	30	10	-1
57	5	65	10	-1
58	5	45	10	-1
59	5	55	150	-1
60	10	420	260	1
61	10	220	280	-1
62	5	55	50	-1
65	10	480	310	1
66	10	380	300	-1
67	10	130	90	-1
68	10	70	30	-1
70	5	75	220	-1
71	10	85	80	1
72	10	75	90	5
73	10	90	100	1
75	5	70	60	-1
76	5	50	30	-1

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
1077	5	50	60	-1
2000	10	360	0.15%	1
01	10	360	0.22%	1
02	10	470	690	-1
03	5	975	0.10%	1
04	10	170	270	1
05	5	50	30	1
06	5	60	100	2
07	5	85	190	-1
08	5	280	600	1
09	5	160	80	-1
10	5	0.14%	90	1
14	5	125	160	-1
15	10	235	150	-1
16	5	200	170	-1
17	5	170	310	3
18	5	325	240	2
19	5	170	190	2
22	5	155	340	-1
23	5	55	110	-1
24	10	95	80	-1
25	5	160	60	-1
26	5	365	70	-1
27	5	180	180	-1
30	5	230	740	1
31	10	165	250	-1
32	5	80	60	1
33	5	50	60	-1
34	5	115	140	-1
35	5	95	170	-1
38	5	385	0.13%	1
39	15	135	380	2
40	5	65	50	-1
41	5	30	10	-1
42	5	70	60	-1
43	5	95	200	-1
46	10	220	810	1
47	5	710	680	-1
48	15	110	200	-1
49	5	35	20	-1
50	5	125	40	-1
51	5	210	70	-1
1078	10	150	0.11%	-1
79	10	395	810	-1
80	10	95	630	-1
81	5	285	330	1
82	5	130	370	-1
83	5	155	110	1
84	5	245	20	1
85	5	45	10	-1
86	5	45	50	2
87	5	80	420	-1
88	Sample destroyed			
89	5	55	40	2
90	10	80	10	1
91	5	100	10	1
92	5	70	30	2
93	10	700	220	1
94	-5	20	-10	-1

GEOCHEM SAMPLE MAP
Black Rock Prospect
 San Antonio Mining District
 T. 5N., R. 42E., Nye Co., Nevada
 Scale: 1" = 100'

LEAD Westaroc Jan. '71



Note:
 Geochem sample no. 2000 is on the common end line of the Black Rock no. 1 and the Black Rock no. 2, midway between the the two location monuments. All samples are located on 100' centers with the exception of no. 1073, which was located in the discovery cut on the Rose no. 30. Geochem samples from no. 1078 were taken from altered rock exposures.

Legend:
 Tr = Trench through sand to rock
 R = Rock in place
 SR = Soil and rock
 S = Sand

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
1001	10	490	0.11%	-
02	5	540	350	-1
03-A	5	0.11%	360	-1
04	5	675	500	-1
05-A	-5	30	-10	-1
06	5	45	30	-1
07	20	125	150	43
08	-5	30	10	-1
09	-5	60	10	-1
10	Blow sand - no sample			
11	5	370	470	-1
12-A	5	825	0.27%	-1
13	10	60	40	-1
14	5	45	20	-1
15	5	65	60	-1
16	5	110	100	-1
19	5	65	80	-1
20	25	0.10%	1.60%	-1
21	5	575	340	-1
22	5	845	370	-1
23	5	60	80	-1
24	10	60	60	-1
25	5	80	190	-1
26	5	55	90	-1
27	-5	40	10	-1
29	10	805	340	-1
30	15	815	250	-1
31	5	285	170	-1
32	5	65	50	-1
33	10	85	90	-1
34	20	295	140	-1
35	5	80	100	-1
38	5	485	870	-1
39	10	630	720	-1
40	5	375	0.10%	-1
41	5	635	270	-1
42	5	270	80	-1
43	5	155	90	-1
44	10	115	80	-1
47	-5	20	10	-1
48	5	25	10	-1
49	70	850	250	-1
50	30	300	140	-1
51	5	170	110	-1
52	5	120	70	-1
53	10	150	330	-1
56	-5	30	10	-1
57	5	65	10	-1
58	5	45	10	-1
59	5	55	150	-1
60	10	420	260	-1
61	10	220	280	-1
62	5	55	50	-1
65	10	480	310	-1
66	10	380	300	-1
67	10	130	90	-1
68	10	70	30	-1
70	5	75	220	-1
71	10	85	80	-1
72	10	75	90	5
73	10	90	100	-1
75	5	70	60	-1
76	5	50	30	-1

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
1077	5	50	60	-1
2000	10	360	0.15%	-1
01	10	360	0.22%	-1
02	10	470	690	-1
03	5	975	0.10%	-1
04	10	170	270	-1
05	5	50	30	-1
06	5	60	100	2
07	5	85	190	-1
08	5	280	600	-1
09	5	160	80	-1
10	5	0.14%	90	-1
14	5	125	160	-1
15	10	235	150	-1
16	5	200	170	-1
17	5	170	310	3
18	5	325	240	2
19	5	170	190	2
22	5	155	340	-1
23	5	55	110	-1
24	10	95	80	-1
25	5	160	60	-1
26	5	365	70	-1
27	5	180	180	-1
30	5	230	740	-1
31	10	165	250	-1
32	5	80	60	-1
33	5	50	60	-1
34	5	115	140	-1
35	5	95	170	-1
38	10	280	640	-1
39	15	135	380	2
40	5	65	50	-1
41	5	30	10	-1
42	5	70	60	-1
43	5	95	200	-1
46	10	220	810	-1
47	5	710	680	-1
48	15	110	200	-1
49	5	35	20	-1
50	5	125	40	-1
51	5	210	70	-1
1078	10	150	0.11%	-1
79	10	395	810	-1
80	10	95	630	-1
81	5	285	330	-1
82	5	130	370	-1
83	5	155	110	-1
84	5	245	20	-1
85	5	45	10	-1
86	5	45	50	2
87	5	80	420	-1
88	Sample destroyed			
89	5	55	40	2
90	10	80	10	-1
91	5	100	10	-1
92	5	70	30	2
93	10	700	220	-1
94	-5	20	-10	-1

GEOCHEM SAMPLE MAP
Black Rock Prospect
 San Antonio Mining District
 T. 5N., R. 42 E., Nye Co., Nevada
 Scale: 1" = 100'

West Area - Jan '71

12
R.41E. R.42E.
+5503

7.5N

13

16
5416

24

25



BLACK ROCK PROSPECT
 NYE COUNTY, NEVADA
 1" = 1000'
 Decl.: 17°E 41200052


Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
2914	115	520	500	1
15	70	850	980	1
16	5	70	20	-1
17	10	185	80	5
18	5	75	80	5
19	5	25	30	1
20	30	80	20	-1
21	20	40	20	1
22	40	500	60	-1
23	25	550	90	-1
24	5	390	20	-1
25	40	0.14%	30	1
26	5	10	50	-1
27	50	0.18%	30	-1
28	55	210	20	1
29	20	915	20	-1
30	-5	100	30	-1
31	25	0.26%	30	-1
32-A	5	615	20	-1
33-A	20	200	20	-1

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
2934	15	125	20	-1
35	5	265	40	-1
36	20	315	10	-1
38	5	65	30	-1
39	5	10	20	-1
40	5	50	20	-1
41	5	65	10	-1
42	-5	5	10	-1
43	5	40	20	-1
44	5	70	20	-1
45	-5	5	70	-1
46	5	5	60	-1
47	20	15	20	-1
48	10	30	50	1
49	70	115	70	1
50	110	85	20	-1
51	135	90	20	-1
52	90	80	40	-1
53	40	95	0.31%	5
54	5	80	70	5

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
2500	5	40	-10	-1
02	5	60	10	-1
04	10	115	20	-1
06	5	45	10	-1
08	5	35	10	-1
10	10	80	10	-1
12	15	15	10	-1
14	15	50	20	-1
16	55	50	10	-1
18	35	60	20	-1
20	65	150	20	-1
22	55	70	200	-1
24	40	40	10	-1
26	35	60	10	-1
27	5	120	20	-1
29	10	100	10	-1
31	5	75	20	-1
33	5	35	10	-1
35	35	95	30	-1
37	-5	-5	-10	-1

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
2539	-5	15	10	-1
41	-5	-5	10	-1
43	65	60	10	1
45	20	5	-10	-1
47	55	15	-10	-1
49	20	15	20	-1
51	45	65	-10	-1
53	120	60	-10	-1
54	15	160	50	1
56	10	45	20	1
58	5	45	20	-1
60	5	35	20	-1
63	20	5	-10	-1
65	50	65	10	1
67	50	75	10	-1
69	40	50	10	1
86	10	155	230	1
88	5	60	40	6
90	5	35	30	1
92	10	20	40	1
95	40	10	10	1
97	20	45	-10	-1
99	30	40	10	-1
2601	20	40	-10	-1

Sample No.	ppm Copper	ppm Zinc	ppm Lead	ppm Silver
2773	25	170	20	-1
75	5	15	20	-1
77	75	670	30	1
79	35	65	130	1
81	20	35	10	1
83	15	45	20	-1
2806	35	80	20	1
08	30	140	20	1
10	15	140	90	-1
12	60	960	30	1
14	10	85	500	1
16	10	245	110	1
18	10	125	60	-1
20	45	365	400	-1
22	5	180	50	-1
24	5	75	40	-1
26	5	110	40	-1
28	10	150	30	1
30	5	200	40	-1
32	5	155	50	1
34	5	80	30	1
36	5	55	20	-1
38	5	55	20	-1
40	15	135	30	-1
42	15	90	20	-1
44	15	240	30	1
46	5	60	20	-1
48	15	155	20	-1
50	10	50	20	-1
52	20	190	20	-1
54	25	105	30	-1
56	5	30	10	-1
58	20	100	60	-1
60	25	100	30	-1
62	60	330	20	1
64	5	45	10	-1
66	5	125	10	-1
68	5	80	60	-1
70	5	60	20	-1
72	-5	70	10	-1
74	5	70	70	-1
76	10	50	20	-1
78	5	70	20	1
80	5	30	20	1
82	35	285	110	-1
84	5	115	20	-1
86	-5	50	40	-1
88	5	25	20	1
90	35	25	70	2
92	20	110	20	-1
94	5	50	30	-1
96	-5	35	10	-1
98	5	80	10	-1
2900	105	345	20	-1
02	5	60	20	-1
04	5	110	10	-1
05	5	15	10	-1
06	5	20	20	-1
07	5	50	10	-1
08	15	40	370	-1
09	10	95	540	-1
10	160	360	0.25%	1
11	300	0.18%	0.20%	2
12	55	930	480	1
13	100	900	20	-1



NOTE:
 Geochem sample no. 1962 is at the location monument of the Rose No. 48, and it is the center point of a 500' x 500' grid that was sampled on 50' centers as represented by samples numbered 1901 through 2072. The analyses of these samples are shown on the original map. Samples from no. 2500 are staked on 100' centers and extend the original grid.
 Geochem samples from no. 2905 were taken from altered rock outcrops and from old prospect workings.
 Trace analysis determinations are listed and contoured in parts per million, and assays are listed in percentages.

GEOCHEM SAMPLE MAP
 Black Rock Prospect
 San Antonio Mining District
 T.5N., R.42E., Nye Co., Nevada
 Scale: 1"=100'

ZINC
 East Area - Jan '71

(ANACONDA CLAIM BLOCK)

Mark 35

Ken 41

Ken 30

Mark 12

Mark 24

Mark 36

• Tank

Mark 48

20 01

23 02

44 04

40 03

24 025

46 047

60 05

26 027

48 049

18 17

17 16

19 20

20 21

80 07

28 029

50 051

100 09

30 031

52 053

56

120 011

32 033

54 055

57

140 013

34 035

160 015

36 037

180 017

38 039

200 019


40 041

220 021


42 043

19 20

30 29



Scale: 1 inch = 500 feet



NOTE:

1. Claims are named ROSE No.1 through ROSE No.57
2. Locations as indicated, at 50 feet from end centers of claims
3. Unsurveyed land. Section corners only approximated
4. Brunton and Tape survey

CLAIM MAP
of the
MEYER BROTHERS BLACK ROCK PROSPECT

San Antonio Mining District
T. 5 N., R. 42 E., Nye Co., Nevada

41200052

(ANACONDA CLAIM BLOCK)

Mark 35

Ken 41'

Ken 30

Mark 12

Mark 24

Mark 36

• Tank

Mark 48

20 01

023

44 0 45

40 03

24 0 25

46 0 47

60 05

26 0 27

48 0 49

18 17

17 16

19 20

20 21

80 07

28 0 29

50 0 51

100 09

30 0 31

52 0 53

056

120 11

32 0 33

54 0 55

057

140 13

34 0 35

160 15

36 0 37

180 17

38 0 39

200 19

40 0 41

220 21


42 0 43

19 20

30 29

N

Scale: 1 inch = 500 feet



NOTE:


1. Claims are named ROSE No. 1 through ROSE No. 57
2. Locations as indicated, at 50 feet from end centers of claims
3. Unsurveyed land. Section corners only approximated
4. Brunton and Tape survey

**CLAIM MAP
of the
MEYER BROTHERS BLACK ROCK PROSPECT**

San Antonio Mining District
T. 5 N., R. 42 E., Nye Co., Nevada

Note: *Township is unsurveyed and section corners are approximate.

Date? Previous to Jan. '71 maps



ASSAY DATA

Sample No.	WO ₃ %	Mn %	Pb %
1751	0.01	0.72	
1752	0.02	0.96	
1753	0.03	0.07	
1754	0.02	0.05	
1755	0.02	0.06	
1756	0.38	2.27	
1757	Tr.	1.08	
1758	Tr.	1.32	
1759	Tr.	0.13	
1760	Tr.	0.15	
1761	Tr.	0.17	
1764	0.02	0.42	
1765	Tr.	0.10	
1766	Tr.	0.07	
1767	Tr.	0.48	
1768	Tr.	0.15	
1769	Tr.	0.72	
1770	0.02	0.04	
1771	0.02	0.34	
1772	0.01	0.09	
1773	Tr.	0.84	
1774	0.01	0.09	
1775	Tr.	0.13	
1776	Tr.	0.23	
1777	Tr.	3.95	
1778	Tr.	0.12	
1779	Tr.	0.09	
1780	Tr.	0.15	
1781	Tr.	0.09	
1782	Tr.	0.36	
1783	0.01	0.12	
1784	0.02	0.14	
1785	Tr.	0.24	
1786	0.02	0.42	
1787	Tr.	1.20	
1788	Tr.	0.15	
1789	0.04	1.68	
1790	0.01	0.72	
1791	Tr.	0.17	
1792	0.01	0.06	
1793	0.01	0.06	
1794	0.08	2.27	0.10
1795	0.10	2.15	0.18
1796	0.16	2.87	0.20
1797	0.02	1.44	
1798	Tr.	0.02	
1799	0.02	1.92	0.05
1800	0.07	0.60	0.03
1830	Tr.	0.23	0.03
1831	Tr.	0.08	0.03
1832	0.01	0.03	
1833	0.01	0.14	
1834	0.03	0.08	
1835	0.01	0.12	
1836	0.02	0.60	
1837	0.31	4.79	0.61
1838	0.19	3.23	0.20
1839	0.08	2.75	0.16
1840	0.25	7.42	
1841	0.01	0.19	
1842	0.01	0.20	
1846	0.10	3.35	0.22
1847	0.03	0.09	
1848	0.01	0.02	
1849	0.02	0.04	
1850	0.03	0.23	
2043	0.01	1.56	
2044	0.28	4.91	
2045	Tr.	1.32	
2046	Tr.	0.96	
2047	0.01	1.07	
2048	0.01	2.63	
2049	Tr.	1.92	
2050	Tr.	0.84	



Scale: 1 inch = 100 feet
Brunton and Tape Survey

SAMPLE MAP
of the
MEYER BROTHERS BLACK ROCK PROSPECT
San Antonio Mining District
Sec. 20, T. 5 N., R. 42 E., Nye Co., Nevada

Mn & WO₃ Assays
west area

Date?
Previous to
Jan. '71 maps