

ORDER ASHOW NAME

Kawich Range, Tonopah  
District

Nye County

(Nevada)

4840 0083

Au AG

254

ITEM  
84

87B.  
Nevada

**DIGEST OF PROPOSITION No. 1041**

**NAME OF PROPERTY:** GOLDEN ARROW MINE

**LOCATION:** Kawich Range, Tonopah District, Nevada

**MINERAL:** Silver

**TONNAGE AND VALUES:**

**AREA:** 120 acres

**OWNERS:**

**OFFER AND TERMS:** \$250,000, one-half cash and one-half stock in new company to be formed.

**PRESENTED BY:** Rachel J. Malone, 1197 Grand Avenue, St. Paul, Minn.

**REPORTS AND DATA:** Letter of Proponent, March 16, 1921.

**SYNOPSIS**

Date: March 4, 1921: This is an inquiry as to the Firm's possible interest in a silver mine in this district.

March 16, 1921: Proponent states that property is equipped with a 10-stamp mill and that there "must be \$250,000. of good milling ore on the 300 ft. level."

**COMMENT**

Date: May 4, 1921: We have no record of this property. The data submitted is of no importance. Therefore the proposition is not of interest.

**DISPOSITION**

Date: Oct. 16, 1921: Proponent advised that unless full data is submitted it is impossible to determine whether the firm would be interested in the proposition, or not.

Feb. 24, 1922: Proponent advises that full data will be submitted shortly.

May 4, 1921: Proponent advised that proposition on the basis of the data submitted is not of interest and would not warrant our making an examination.

*Smith*

TONOPAH LODGE No. 1062



TONOPAH, NEVADA

110.1 - 18" - bottom incline -	6.46	
2 - 12" - 5' up	8.80	
3 - 18" - 10' " "	12.00	
4 - 5" - a + top " "	13.20	
5 - 18" both sides small pit	4.80	4)40.40 10.10 - 13"
6 - Low dump	+	
7 - High dump	6.40	
8 - Dump from hole south - 4 wide -	2.80	
9 - 3' - 40' well ledge	2.00	
10 - 4' - bottom shaft	+	
11 - 3.5' - 10' up shaft	2.00	
12 - 3.5' - 20' "	+	
13 - 4.0 - 30' "	28.60	
14 - 3.5 - 40' "	17.60	
15 - Low open lot	+	

rev.

# ASSAY CERTIFICATE

THE TONOPAH MINING COMPANY OF NEVADA

Page 3  
Hedden Area

Tonopah, Nev., 4/27, 1932

H. C. Johnson

SAMPLE NO.	SAMPLES TAKEN FROM	GOLD		SILVER		TOTAL VALUE PER TON	PERCENTAGE OF			
		OZS. PER TON	VALUE PER TON	OZS. PER TON	VALUE PER TON		COP'R	IRON	SILICA	LEAD
1		32		1	-					
2		44		5	16					
3		60		1	72					
4		66		2	36					
5		24			04					
6		tr		1	84					
7		32		4	76					
8		14			-					
9		10		2	36					
10		tr		1	64					
11		10		1	02					
12		tr		3	40					
13		118		1	42					
14		88		2	-					
15		tr			84					
East Drift Dump		98		1	90					
West		10		1	90					
Lower Dump Grab		12		3	48					

C. E. Hohnberg

ASSAYER.

Hand - Sill Call  
254  
P. 24  
P

REPORT  
on  
GOLDEN GLOW MINE.

**LOCATION.**

This property is located about 5 miles North-east of the Town of Tanapah, County of Nye, State of Nevada.

**HOLDINGS.**

The property consists of 6 Lode Mining Claims held by the right of location.

**GEOLOGY.**

Three flows or intrusions of rocks have occurred in this area. First occurs an Andesite which was later covered by a Rhyolite flow and this in turn was covered by a Basalt flow.

In a small wash in this area the Basalt and Rhyolite have been eroded away and a Brecciated Quartz Vein has been exposed in the Andesite. This Vein has been uncovered for a length of about 12 ft. and is covered on both sides of wash with Rhyolite. This vein originally carried Iron Pyrite which has been oxidized and leached. The vein as exposed carries Gold and Silver values.

**DEVELOPMENT.**

A hole about 20 ft. deep was dug on the property about 10 years ago, but being in the wash has been filled in to a depth of about 8 ft. This shows the vein to have a width of about 5 ft. and is strong and well defined.

**ORE VALUES AND TONNAGE.**

The property being in the prospective stage has no ore in sight and all possibilities lie in future development.

Samples taken gave the following results.

Gold at \$35.00 per ounce. Silver at 64½ cts. per ounce.

No.	Location.	Width.	Ozs. Au.	Ozs. Ag.	Value
1.	Inclined sample on N. side cut.	5'	0.80	0.62	\$28.40
2.	" " " S. " "	3'	0.25	0.38	\$ 8.99
3.	Grab from Dump.		0.35	0.60	\$12.64
4.	Iron Tuff Breccia on Hill	3'	0.14	0.32	\$ 5.11
5.	S. Side Cut. Horizontal.	5'	0.20	0.30	\$ 7.19
6.	N. " " "	5'	0.15	0.44	\$5.53
7.	Grab coarse Breccia on Dump.		0.14	0.38	\$5.15

While the values as shown are too low to be commercial as a whole, due to the small amount of exposure the indications are good.

**EQUIPMENT.**

There is no equipment on the property.

**OPERATING CONDITIONS.**

**OPERATING CONDITIONS.(cont.)**

The old Tenepah Springs from which water was pumped to Tenepah are within  $\frac{1}{2}$  mile of the property.

Being close to Tenepah good Miners can be readily secured.

The road to Tenepah can easily be put in good shape for trucking and Tenepah would be the point from which most of the supplies would be obtained.

**CONCLUSIONS.**

This property lies within the zone of what has been a highly mineralized and productive District.

Considering the short length of vein exposure and small amount of work that has been done on the property the values as shown are very good and the property warrants further development.

**RECOMMENDATIONS.**

I recommend that this property be further developed by means of a shaft and drifting along the vein. This shaft should be sunk to a depth of 40 or 50 ft. and 50 to 100 ft. of drifting be done on the vein.

Thos. L. Chapman, E.M.